



© 2016 AFCI




Printed: Jun 14, 2016



RECOMMENDED MATING BOARD
FOOTPRINT

spec ref -				dr Hai-Ling Liu 2016/02/17		projection MM	size A2	scale 1:1		
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng Hai-Ling Liu 2016/06/08			ecn no - rel level Released			
ISO 406				chr Terris Liu 2016/06/08						
ISO 1101				appr Pei-Ming Zheng 2016/06/08						
						product family -				
surface		linear	0.X	±0.5	Amphenol FCI	title HPCE STRADDLE MOUNT TYPE	dwg no 10138762	rev A		
			0.XX	±0.25						
			0.XXX	±0.10						
ISO 1302		angular	0°	±2°	cat. no. -		Product - Customer Drw		sheet 3 of 4	

PART NUMBER		REAR GUIDE SYSTEM	FEATURE A MOUNTING EARS	FEATURE B FRONT POLARIZATION KEY
A	10138762-001HFLF	YES	YES	NO
	10138762-002HFLF		YES	YES
	10138762-003HFLF		NO	NO
	10138762-004HFLF		NO	YES
B	10138762-005HFLF	NO	YES	NO
	10138762-006HFLF		YES	YES
	10138762-007HFLF		NO	NO
	10138762-008HFLF		NO	YES



NOTES:

- CONNECTOR MATERIALS:
HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK
UL 94V-0 COMPLIANT
CONTACTS: HIGH PERFORMANCE COPPER ALLOY.
- CONTACT FINISH REF. GS-12-604 SECTION 5.2.
- PRODUCT SPECIFICATION: GS-12-604.
- APPLICATION SPECIFICATION: GS-20-128.
- PRODUCT MARKING (FCI - PART NUMBER & DATE CODE) ON HOUSING IN AREA SHOWN.
- PACKAGING MEETS FCI SPECIFICATION GS-14-937.
- HOST BOARD ALIGNMENT KEY IS RECOMMENDED TO ENSURE PROPER ALIGNMENT OF SOLDER TAILS WITH HOST BOARD PADS.

spec ref -			dr Hai-Ling Liu		2016/02/17		projection		MM		size A2		scale 4:1			
tolerance std			eng Hai-Ling Liu		2016/06/08						ecn no -		rel level Released			
ISO 406 ISO 1101			chr Terris Liu		2016/06/08						product family CARD EDGE					
TOLERANCES UNLESS OTHERWISE SPECIFIED			appr Pei-Ming Zheng		2016/06/08											
surface			linear		0.X		±0.5		Amphenol FCI		title HPCE STRADDLE MOUNT TYPE		dwg no 10138762		rev A	
					0.XX		±0.25									
					0.XXX		±0.10									
			angular		0°		±2°									
ISO 1302					cat. no.		-		Product - Customer Drw		sheet 4 of 4					