

KPA8CTP, Mech. Terminal for Copper, 1-Hole

By Burndy
Catalog # [KPA8CTP](#)

Cu Mechanical Terminal, 1-Hole, #10 Stud, #14 Sol-8 AWG Str, Tin Plated, Slot Robinson Screw Head



Features

- High copper alloy terminal (tin-plated) for joining a wide range of cable to equipment pads or terminal blocks
- Tongue and body are 1-piece design, pressure bar equalizes pressure over the conductor and prevents the screw from cutting into the cable

Application

For Joining A Wide Range Of Copper Cable To Equipment Pads Or Terminal Blocks

Specifications

Certification - UL Recognized	No
Buy American Compliant	No
Certification - cULus	No
EU RoHS Indicator	Yes
Industry Standard(s)	UL 486A-486B
Certification - ETL	No
Standards - Industry Standards Met	UL 486A-486B
Standards - RoHS Compliance Status	CM
UL Listed	Yes
Certification - CSA Approved	Yes

Conductor

Conductor - Copper Str Size	<ul style="list-style-type: none"> • 14 AWG • 12 AWG • 10 AWG • 9 AWG • 8 AWG • 7 AWG • 6 AWG
Conductor Size	14-8 AWG
Conductor - Copper Solid Size	<ul style="list-style-type: none"> • 14 AWG • 13 AWG • 12 AWG • 11 AWG • 10 AWG • 9 AWG • 8 AWG • 7 AWG • 6 AWG
Conductor - Copper Solid Size Range	14 AWG-6 AWG

Conductor Type	<ul style="list-style-type: none"> • CU C Str-Size • CU C Solid-Size
Conductor - Copper Str Size Range	14 AWG-6 AWG

Configuration

Physical Attribute - Number of Screws	1
Physical Attribute - Number of Holes	1
Connector Type	Terminal

Dimensions

Dimension - Pad Width inch	0.38 in
Package Height	0.000 in
Dimension - Height mm	20.6 mm
Dimension - Height inch	0.81 in
Dimension - Height fraction	64/79 in
Package Weight	0.000 lb.
Package Length	0.000 in
Package Width	0.000 in
Dimension - L Length Overall mm	26 mm
Dimension - Hole Size mm	5 mm
Dimension - Hole Size inch	0.20 in
Dimension - Strip Length inch	15/32
Dimension - Stud Size inch	#10
Dimension - Bolt Size fraction	#10
Dimension - D inch	0.56 in
Dimension - N inch	0.22 in
Dimension - Length Overall inch	1.04 in

Force Related

Installation Torque Recommended in-lb	35
---------------------------------------	----

General

Trade Name	SCRULUG™
Physical Attribute - Screw Type Plated	Slot Y
Sub Brand	SCRULUG
UPC	781810035559
Type	Bolted Lugs & Terminals
Material	Copper

Plating Type Tin
Hardware Type #12-24 Slot
UPC 14 Digit GTIN 00781810035559

Pallet Quantity 39600
Carton Quantity 100

Logistics

Minimum Pack Quantity 1

Product Assets

[Catalog \[English\]](#)



A Hubbell brand

© 2026 Hubbell Incorporated. All rights reserved
BRDY-KPA8CTP-SPEC-EN | REV 5/2026