# molex

Part Number: 559172810

Product Description: 2.00mm Pitch

MicroClasp Wire-to-Board Header, Dual Row, Vertical, 28 Circuits, with PCB Locator

Series Number: 55917

Status: Active

**Product Category: PCB Headers and** 

Receptacles



#### **Documents & Resources**

#### **Drawings**

559172810\_sd.pdf

3D Models and Design Files

559172810\_stp.zip

#### **Specifications**

561340000-AS-000.pdf 559179200-SPK-200.pdf PS-51353-003-001.pdf

## **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Compliant with Exemption 33; 44
UVD2F/IMD2	Compliant with Exemption 33, 44
China RoHS	<b>⊕</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

## **Part Details**

#### General

Status	Active
Category	PCB Headers and Receptacles
Series	55917
Description	2.00mm Pitch MicroClasp Wire-to- Board Header, Dual Row, Vertical, 28 Circuits, with PCB Locator
Application	Signal, Wire-to-Board
Component Type	PCB Header
Product Name	MicroClasp
UPC	756054244302

# Agency

111	F20170
UL	E29179

### **Electrical**

Current - Maximum per Contact	3.0A
Voltage - Maximum	250V AC (RMS)/DC

# Physical

Breakaway	No
Circuits (Loaded)	28
Circuits (maximum)	28
Color - Resin	Natural
Durability (mating cycles max)	30
First Mate / Last Break	No
Flammability	94V-0
Glow-Wire Capable	No

No
None
Yes
Tin
Tin
Polyester
1999.300/mg
2
Vertical
Tray
3.20mm
Yes
Yes
1.60mm
2.00mm
Fully
No
-40° to +105°C
Through Hole

# Mates With / Use With

# Mates with Part(s)

Description	Part Number
MicroClasp Dual Row Receptacle Housings	<u>51353</u>

This document was generated on Mar 14, 2025