




LOC	DIST	REVISIONS						
GP	00	P	LTR	DESCRIPTION	DATE	OWN	APVD	
		A1		REVISED PER ECR-18-017552	07NOV2018	IT	SH	
		A2		ADD NEW DASH NUMBER 1-2291634-1	31MAR2021	SZ	SZ	
		A3		RELEASE PER ECN-21-107864	18JUN2021	SZ	SZ	
		A4		ADD NEW DASH NUMBER 1-2	19JUL2021	SZ	SZ	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG PIETER PAN 17MAR2015		 TE Connectivity	
		CHK SEAN HAN 17MAR2015			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SFP+ 1X1 CAGE ASSEMBLY, PRESS-FIT PRESS-FIT, EMI SPRINGS WITH HEATSINK	
mm		0 P/LC ±0.1 1 P/LC ±0.1 2 P/LC ±0.1 3 P/LC ±0.05 4 P/LC ±0.05 ANGLES ±			
		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120			
MATERIAL		FINISH			
				SIZE A1 00779	
WEIGHT		-		CAGE CODE C=2291634	
CUSTOMER DRAWING				DRAWING NO RESTRICTED TO -	
				SCALE 6:1	
				SHEET 1 OF 5	
				REV A4	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-		SEE SHEET 1	-	-	-




SCALE 4:1




2291634-4 AS SHOWN WITH INSULATING TAPE,PIN TYPE HEAT SINK
2291634-1,2,3,9 WITHOUT INSULATING TAPE,TAPE,PIN TYPE HEAT SINK

2291634-8 AS SHOWN WITH INSULATING TAPE,WITH FIN TYPE HEAT SINK
2291634-5,6,7 WITHOUT INSULATING TAPE,WITH FIN TYPE HEAT SINK

1-2291634-0 AS SHOWN
WITHOUT INSULATING TAPE,WITH EXTEND FIN TYPE HEAT SINK




SECTION A-A




1-2291634-0 AS SHOWN
EXCEPT HEATSINK SAME AS 2291634-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: PETER PAN 17MAR2015	 TE Connectivity															
DIMENSIONS:		CHK: SEAN HAN 17MAR2015																
mm		APVD: SEAN HAN 17MAR2015		NAME: SFP+ 1X1 CAGE ASSEMBLY, PRESS-FIT PRESS-FIT, EMI SPRINGS WITH HEATSINK														
		PRODUCT SPEC																
		108-2364																
		APPLICATION SPEC																
		114-13120																
MATERIAL	<table><tr><td>0 P/LC</td><td>±0.1</td></tr><tr><td>1 P/LC</td><td>±0.1</td></tr><tr><td>2 P/LC</td><td>±0.1</td></tr><tr><td>3 P/LC</td><td>±0.5</td></tr><tr><td>4 P/LC</td><td>±0.05</td></tr><tr><td>ANGLES</td><td>±</td></tr><tr><td>FINISH</td><td></td></tr></table>	0 P/LC	±0.1	1 P/LC	±0.1	2 P/LC	±0.1	3 P/LC	±0.5	4 P/LC	±0.05	ANGLES	±	FINISH		WEIGHT	-	RESTRICTED TO
0 P/LC	±0.1																	
1 P/LC	±0.1																	
2 P/LC	±0.1																	
3 P/LC	±0.5																	
4 P/LC	±0.05																	
ANGLES	±																	
FINISH																		
CUSTOMER DRAWING		SCALE	2	SHEET	2	OF	5	REV	A4									


LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					-	SEE SHEET 1	-	-	-




I-2291634-1 AS SHOWN
WITHOUT INSULATING TAPE,WITH EXTEND PIN TYPE HEAT SINK



I-2291634-2 AS SHOWN
WITHOUT INSULATING TAPE,WITH EXTEND PIN TYPE HEAT SINK






I-2291634-1 AS SHOWN
EXCEPT HEATSINK SAME AS 2291634-1



SCALE 4:1
I-2291634-2 AS SHOWN
EXCEPT HEATSINK SAME AS I-2291634-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	PETER PAN	17MAR2015	 TE Connectivity			
		CHK	SEAN HAN	17MAR2015				
DIMENSIONS:		APVD		SEAN HAN	17MAR2015	NAME		
mm				PRODUCT SPEC		SFP+ 1X1 CAGE ASSEMBLY, PRESS-FIT PRESS-FIT, EMI SPRINGS WITH HEATSINK		
				APPLICATION SPEC				
				114-13120		SIZE		
MATERIAL				WEIGHT		CAGE CODE		
						DRAWING NO		
						RESTRICTED TO		
						A100779C=2291634		
						-		





LOC		DIST		REVISONS			
GP		P	LYR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: PETER PAN 17MAR2015	TE Connectivity	
		CHK: SEAN HAN 17MAR2015		
DIMENSIONS:		APVD: SEAN HAN 17MAR2015	NAME	
mm		PRODUCT SPEC	SFP+ IXI CAGE ASSEMBLY, PRESS-FIT	
		108-2364	PRESS-FIT, EMI SPRINGS	
		APPLICATION SPEC	WITH HEATSINK	
		114-13120	SIZE	
		WEIGHT	A100779C=2291634	
		CUSTOMER DRAWING	SCALE 2 SHEET 5 OF 5 REV A4	