

Part Number: 2219601211

Product Description: PowerWize-to-Pigtail Off-the-

Shelf (OTS) Cable Assembly, Female, Single Row,

1000.00mm Length, 2 AWG, 2 Circuits, Red

Series Number: 221960

**Status:** Active

**Product Category:** Power and Signal Cable

**Assemblies** 



#### **Documents & Resources**

## **Drawings**

2219601211 sd.pdf

## **Product Environment Compliance**

### **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	e per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

#### **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

#### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### Substances of Interest

## **EU RoHS Certificate of Compliance**

## <u>Additional Product Compliance Information</u>

## **Part Details**

## General

Status	Active
Category	Power and Signal Cable Assemblies
Series	221960
Description	PowerWize-to-Pigtail Off-the-Shelf (OTS) Cable Assembly, Female, Single Row, 1000.00mm Length, 2 AWG, 2 Circuits, Red
Assembly Configuration	Single Ended Connector
Connector to Connector	PowerWize-to-Pigtail
Product Name	PowerWize
Туре	Discrete Wire Assembly
UPC	196823228117

## **Electrical**

Current - Maximum per Contact	120.0A
Voltage - Maximum	300V AC

# **Physical**

Cable Length	1000.00mm
Circuits (Loaded)	2
Circuits (maximum)	2
Color - Resin	Red
Gender	Female-Pigtail
Lock to Mating Part	Yes
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Silver
Material - Resin	PBT
Net Weight	123.772/g

Number of Rows	1
Overmolded	No
Packaging Type	Bag
Pitch - Mating Interface	19.06mm
Single Ended	Yes
Termination Interface Style	Crimp or Compression
Wire/Cable Type	UL 10198
Wire Size (AWG)	2

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
PowerWize 6.00mm, 2-circuit, Screw Mount, Mechanical Keying Option A, Color Coded Red, Vertical Header, Tray	<u>2119370002</u>

This document was generated on Sep 11, 2025