

Downloaded from Arrow.com.


PF	RODUCT NUMBER	DIM "A"	TAIL LGTH DIM "B"	PCB THK. DIM "C"	PRODUCT NUMBER	DIM "A"	TAIL LGTH DIM "B"	PCB THK. DIM "C"	PRODUCT NUMBER	DIM "A"	TAIL LGTH DIM "B"	PCB THK DIM "C"
	93235-X11	_	2.65	1.6	93235-X12	_	3.45	2.4	93235-X13	_	4.25	3.2
	93235-X21	23.95 REF.	2.65	1.6	93235-X22	23.95 REF.	3.45	2.4	93235-X23	23.95 REF.	4.25	3.2
	93235-X31	47.95 REF.	2.65	1.6	93235-X32	47.95 REF.	3.45	2.4	93235-X33	47.95 REF.	4.25	3.2
	93235-X41	95.95 REF.	2.65	1.6	93235-X42	95.95 REF.	3.45	2.4	93235-X43	95.95 REF.	4.25	3.2
9	93235-X31S <b>®</b>	47.95 REF.	2.65	1.6					•			
	93235-X41S <b>®</b>	95.95 REF.	2.65	1.6								

\*SEE NOTE 10 FOR LEAD FREE OPTION

PRODUCT NUMBER	DIM "A"	TAIL LGTH DIM "B"	DIM "C"	ROW	Configuratioan TERMINAL IN POSITION (X)						
				KOW	6	5	4	3	2	1	
				D	Χ	Χ	X	X	Χ	Х	
93235-X14/X14LF	_	3.45	2.4	O	Х	Χ	X	X	Х	_	
00200 XIII/XIII		3.43	2.4	В	Х	Χ	X	Χ	X	Х	
				Α	Х	Χ	X	X	Χ	Х	

1 | 2

"-" POSITION NOT LOADED
"X" POSITION LOADED



VIEW E, NOTE 8 SCALE 2:1

## NOTES:

- 1. BODY MATERIAL: LCP 30% GLASS FLAME RETARDANT ACC. UL 94-VO
- 2. TERMINAL MATERIAL: PHOSPHOR BRONZE
- 3. PLATING SOLDERTAILS 93237-XYY 1.0-2.0 µm SnPb TIN LEAD

93237-XYY 1.0-2.0 µm SnPb 11N LEAD 93237-XYYLF 1.0-2.0 µm Sn (LEAD FREE)

4. APPLICATION SPECIFICATIONS:

BUS-20-059 GS-20-001

- 5. PRODUCT MARKING: (PART NUMBER & LOT CODE).
- 6 INDICATED HOLES ARE UNPLATED

AND BATCH I.D.

(7.) DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.

3 |

- (8) PRODUCT WITH AN "S" SUFFIX WILL HAVE A SPECIAL ALIGNMENT POST AS SPECIFIED PER DETAIL E, SHEET 2. EXAMPLE/LEAD FREE OPTION: 93235—XYYSLF
- 9 THESE PRODUCTS WHERE PART NUMBERSENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- (10) FOR PLATING SPEC, REFER TO DRAWING 10097866.
  FOR LEAD FREE PART NUMBERS ADD "LF" SUFFIX. EXAMPLE 93235-XYYLF
- 11. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 240°C FOR 60 SECONDS IN A CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN.

mat'l. code SEE NOTES						tolerances unless otherwise specified						STON			<b>FG</b>							
ltr	ecn	n no dr date				.X ±.3 .XX ±.10				COPY			www.fciconnect.com								om	
R				linea	r 🗀					projection		title										
							.XXX ±.050							VERT. SIG. RECEPT ASS					SY			
					angle	s	0° ±2°		:2°		<del>                                    </del>			4	4x6, 4x12, 4x24,				4x48			
					dr	dr T.BRUNGARD		2/2	2/03		ММ		product family METRAL (tm)					)	code			
					engr	М.	.GRAY		2/2	2/03			size dwg no					2			13	
					chr	М.	M.GRAY M.GRAY		2/22/03	scale		ا ۸ ا	93235					shee	et			
					appd	М.				2/03			+	Α		95255					2 of	of –
she	et	revision sheet																				
inde	ex																					
											3				7	cage	code	E 0 (				4


ACAD

PDM: Rev:R

22526 STATUS: **Released** F

Printed: May

Downloaded from Arrow.com.



Downloaded from Arrow.com.