



Part Number : [561349100](#)
Product Description : 2.00mm Pitch Crimp Terminal, Female, 28-22 AWG, Copper Alloy, Bag
Series Number : 56134
Status : Active
Product Category : Crimp Terminals
Packaging Alternative : [561349000 \(Reel\)](#)



Documents & Resources

Drawings
[561349100_sd.pdf](#)

3D Models and Design Files
[561349100_stp.zip](#)

Specifications
[5055960000-AS-001.pdf](#)
[561340000-AS-000.pdf](#)
[5055960000-AS-000.pdf](#)
[SPK-56134-001-001.pdf](#)
[PS-500637-001-001.pdf](#)
[5055960000-PS-000.pdf](#)
[PS-51242-002-001.pdf](#)
[PS-51353-003-001.pdf](#)
[PS-51353-012-001.pdf](#)
[PS-51382-004-001.pdf](#)

Tooling Specifications
[561340000-CS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 44; 34
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21

REACH SVHC	Not Contained per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Terminals
Series	56134
Description	2.00mm Pitch Crimp Terminal, Female, 28-22 AWG, Copper Alloy, Bag
Application	Signal, Wire-to-Board
Product Name	MicroClasp,MUO 2.5
UPC	756054317778

Electrical

Voltage - Maximum	250V AC (RMS)/DC
-------------------	------------------

Physical

Gender	Female
Material - Metal	Copper-Nickel-Silicon
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	36.000/mg
Packaging Type	Bag

Plating min - Mating	0.889µm
Plating min - Termination	0.914µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	0.90-1.70mm
Wire Size (AWG)	22, 24, 26, 28
Wire Size mm ²	N/A

Use with Part(s)

Description	Part Number
MicroClasp Dual Row Receptacle Housings	<u>51242</u>
MicroClasp Dual Row Receptacle Housings	<u>51353</u>
MicroClasp Single Row Receptacle Housings	<u>51382</u>
MUO 2.5 Wire-to-Wire Plug Housing Assemblies	<u>505596</u>

Application Tooling

Global

Description	Part Number
Insertion Tool for 70021, 70028, 70110, 71851 Terminals / Extraction Tool for 91821 Terminals	<u>11020022</u>
Hand Crimp Tool for 2.00mm Pitch MicroClasp Female Crimp Terminals, 26-22 AWG	<u>2002187100</u>
Extraction and Activation Tool	<u>638132700</u>

This document was generated on Mar 14, 2025