



Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER						SIGNAL					E2
		E1	P1	P2	P3	P4	P5	P6	1	2	3	4	
51732-038-- NOTE 3	D C B A		PA	PA	PA	PA	PA	PA	UUUUU	TTTTT	SSSSS	RRRRR	
													



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
R	[6.86]	SIGNAL
PA	[N/A]	POWER
HA	[N/A]	HOLD-DOWN
E	[5.59]	SIGNAL

mat'l code				tolerances unless otherwise specified		CUSTOMER	
litr	ecr no.	dr	date	linear	0.X ±0.3	COPY	
A	DG07-0069	JULIA	02/15/07	linear	0.XX ±0.13	projection	
				angles	0.XXX ±0.051		
				dr	0° ±2°	MM	
				enrg	JULIA WANG 02/15/07	scale	1:1
				chr	RYAN YUAN 02/15/07		
				appd	BEER FU 02/15/07		
					JOSEPH HSIA 02/15/07		
sheet index	revision sheet	A 1	A 2	A 3	A 4		

CUSTOMER				FCI			
www.fciconnect.com							
title				6P + 20S RIGHT ANGLE SOLDER HEADER			
product family				PwrBlade			
size				code 213			
dwg no				sheet 1 of 4			
A				51732-038			

cage code 22526


Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER
51732-038--
NOTE: 3



BROKEN-OUT SECTION A-A
SCALE 2:1



BROKEN-OUT SECTION B-B
SCALE 2:1



SECTION C-C

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI			
lir	ecr no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com			
A					0.XX ±0.13	projection		6P + 20S			
				angles	0.XXX ±0.051			RIGHT ANGLE SOLDER HEADER			
				dr	JULIA WANG 02/15/07			product family		PwrBlade	
				enr	RYAN YUAN 02/15/07			size		dwg no	
				chr	BEER FU 02/15/07			A		51732-038	
				appd	JOSEPH HSIA 02/15/07			code		213	
sheet index		revision sheet						sheet		2 of 4	


cage code 22526

Pro/E

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51732-038--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
3. 51732-038;51732-038LF PLATING SPEC. SEE PRINT:100641831
4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.
5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm .07$ HOLE.
10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
11. CONNECTOR KEEP-OUT ZONE.

mat'l code				tolerances unless otherwise specified			CUSTOMER	
ltr	ecn no.	dr	date	linear	0.X ± 0.3		COPY	
A				linear	0.XX ± 0.13		projection	title
					0.XXX ± 0.051			6P + 20S RIGHT ANGLE SOLDER HEADER
				angles	0° $\pm 2^\circ$			product family
				dr	JULIA WANG 02/15/07		scale	PwrBlade
				enrg	RYAN YUAN 02/15/07		1:1	code
				chr	BEER FU 02/15/07			213
				appd	JOSEPH HSIA 02/15/07			sheet
sheet index	revision sheet							4 of 4

Pro/E

cage code 22526