Additional Resources: Product Page

same sky

date 09/12/2024 page 1 of 5

# MODEL: CUSA-TR60-06-2200-W68 | DESCRIPTION: ULTRASONIC SENSOR

#### FEATURES

- aluminum can
- IP68 rated
- $\cdot$  combination unit: receiver & transmitter
- wire leads



.....



# **SPECIFICATIONS**


parameter	conditions/description	min	typ	max	units
type	transmitter/receiver				
operating voltage	at 48 kHz			150	Vp-р
frequency		46.5	48	49.5	kHz
echo sensitivity	at 1 m	120			mV
sound pressure level	at 10 V, 30 cm, sine wave	90			dB
directivity	horizontal angle at -6 dB vertical angle at -6 dB	95 45	110 60	125 75	degree degree
capacitance	at 1 kHz	1,760	2,200	2,640	рF
detectable range		0.3		6.0	m
response time				1.8	ms
impedance				3,000	Ω
dimensions	Ø14 × 9.0				mm
material	aluminum				
terminal	wire leads				
weight			2.92		g
operating temperature		-40		80	°C
storage temperature		-40		85	°C
RoHS	yes				
IP level	IP68				

.....

# **MECHANICAL DRAWING**


units: mm

wire: UL1571 30 AWG



.....


### **BEAM PATTERNS**



## PACKAGING

units: mm

Tray Size: 235 x 135 x 30 mm Tray QTY: 50 pcs per tray Carton Size: 280 x 285 x 240 mm Carton QTY: 1,000 pcs per carton



.....

.....

#### **REVISION HISTORY**

rev.	description	date	
1.0	initial release	05/17/2022	
1.01	logo, datasheet style update	08/05/2022	
1.02	CUI Devices rebranded to Same Sky	09/12/2024	

The revision history provided is for informational purposes only and is believed to be accurate.

Same Sky offers a one (1) year limited warranty. Complete warranty information is listed on our website.

# same sky

.....

Same Sky reserves the right to make changes to the product at any time without notice. Information provided by Same Sky is believed to be accurate and reliable. However, no responsibility is assumed by Same Sky for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

Same Sky products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

sameskydevices.com