

NBRK0250A
Rack Mount, Security and Environmental
Appliance, NetBotz, 250A



Overview

Presentation	NetBotz Rack Monitor 250 with embedded NMC3
Lead time	Usually in Stock

Main

Product or Component Type	Industrial rack PC
Range of Product	Netbotz
Number of rack unit	1U
Communication Port Protocol	HTTPS HTTP SNMP SNMP v3 Modbus
Provided Equipment	Installation guide Rack Mounting brackets Temperature/Humidity Sensor Installation gasket

General

APC Universal Sensors Supported	0-5V Door contact Dry Contact Fluid Spot Leak Humidity Temperature Smoke
Number of Universal Sensor Ports	6
Number of Sensor Pods Supported	6

Physical

Height	1.7 In (4.4 cm)
Width	1.7 In (43.2 mm)
Depth	2.3 In (5.9 cm)
Product Weight	2.80 Lb(US) (1.27 kg)
Mounting Location	Front Rear
Mounting preference	No preference
Mounting Mode	Rack-mounted
Mounting position	Vertical

Environmental

Ambient Air Temperature for Operation	32...113 °F (0...45 °C)
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	5...149 °F (-15...65 °C)
Storage altitude	0...50000 Ft (0...15240 m)

Communications & Management

Communication Network Type	RJ-45 10/100 Base-T
----------------------------	---------------------

Ordering and shipping details

GTIN	731304563365
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.6 In (6.6 cm)
Package 1 Width	8.9 In (22.6 cm)
Package 1 Length	18.0 In (45.7 cm)
Package weight(Lbs)	6.50 Lb(US) (2.95 kg)

Environmental data

Recyclability potential, in %	49
Total lifecycle Carbon footprint	250 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	30.62739648914345
Carbon footprint of the manufacturing phase [A1 to A3]	31 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.4705420702998122
Carbon footprint of the distribution phase [A4]	0.5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.4430403390637826
Carbon footprint of the installation phase [A5]	0.4 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	213.042898377828
Carbon footprint of the use phase [B2, B3, B4, B6]	213 kg CO2 eq.
Mercury free	Yes
Sustainable packaging	No
Carbon footprint of the end-of-life phase [C1 to C4]	5.21856164971899
Carbon footprint of the end-of-life phase [C1 to C4]	5 kg CO2 eq.
Carbon footprint (kg CO2 eq, Total Life cycle)	250
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
REACH Regulation	Reference contains Substances of Very High Concern above the threshold 

EU RoHS Directive	Compliant By Exemption 
Take-back	Nej
WEEE Label	The product must be disposed on European Union markets following specific waste collection and n

Contractual warranty

Warranty (in months)	24
----------------------	----

Product Life Status :	Commercialised
-----------------------	----------------