

APC Smart-UPS VT Extended Run Enclosure, 192V, VRLA, w/breaker, 6 battery modules, Start-up 5x8

SUVTBXR6B6S

! Discontinued on: Jul 5, 2021

! To be end-of-service on: Dec 31, 2032

① Discontinued - Service only

Overview

Lead time Usually Ships within 2 Weeks

Main

Battery type	VRLA
Provided equipment	Installation guide User manual

Batteries & Runtime

Battery location	External frame
Number of battery blocks per string	32
Number of battery free slots	0
Number of battery filled slots	6
Battery manufacturer	Panasonic
Device mounting	Enclosed battery cabinet
Battery voltage	192 V

Physical

Colour	Black
Height	149.9 cm
Width	52.3 cm
Depth	83.8 cm
Net weight	766.82 kg
Mounting mode	Not rack-mountable

Conformance

Standards	ISO 14001 ISO 9001 UL 1778	
Product certifications	cUL listed	
	C-Tick	
	CE	
	DCM	

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	03333 ft
Relative humidity	095 %
Ambient air temperature for storage	-5040 °C
Storage altitude	015240 m
Storage Relative Humidity	095 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	164.3 cm
Package 1 Width	106.2 cm
Package 1 Length	65 cm
Package 1 Weight	797.73 kg

Contractual warranty

Warranty

1 year repair or replace, Start-Up Service



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)

Use Again

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	Yes
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Aug 19, 2025