

Products → Low Voltage Products and Systems → Connection Devices → Terminal Blocks Accessories  
→ Mounting Rails

## General Information

<b>Extended Product Type:</b>	PR30
<b>Product ID:</b>	1SNA173220R0500
<b>EAN:</b>	3472591732207
<b>Catalog Description:</b>	PR30 Prepunched symmetrical mounting rail
<b>Long Description:</b>	- Pre-punched symmetrical mounting rail, - The slotted holes ease the mounting and allow to use existing and/or numerous fixings, - Particularly well designed for fixing onto back-plates and for terminal assemblies of small dimensions.

## Ordering

<b>Minimum Order Quantity:</b>	2 piece
<b>Customs Tariff Number:</b>	72166110

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	1SNK160017D0201
---	-----------------

## Dimensions

<b>Product Net Width:</b>	2000 mm
<b>Product Net Height:</b>	35 mm
<b>Product Net Length:</b>	7.5 mm
<b>Product Net Depth / Length:</b>	7.5 mm
<b>Product Net Weight:</b>	328 g

## Technical

<b>Rated Cross-Section:</b>	10 mm <sup>2</sup>
<b>Spacing:</b>	2000 mm
<b>Function:</b>	Mounting Rail
<b>Insulation Material:</b>	Zinc plating and passivation steel
<b>Mounting on DIN Rail:</b>	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715

**Suitable For:** BAM4  
D35/16.PEN.2L  
D70/22  
M6/8.ST  
ZDK2.5-22  
ZDK4-22  
ZDP2.5-11  
ZDP2.5-22  
ZDP2.5-D1  
ZDP2.5-D2  
ZDS4-22  
ZDS4-22-R1  
ZK10  
ZK10-3P  
ZK10-PE  
ZK10-PE-3P  
ZK16  
ZK16-3P  
ZK16-PE  
ZK16-PE-3P  
ZK2.5  
ZK2.5-3P  
ZK2.5-4P  
ZK2.5-D1  
ZK2.5-D1-PE  
ZK2.5-D2  
ZK2.5-D2-PE  
ZK2.5-D-CH  
ZK2

## Certificates and Declarations (Document Number)

**RoHS Information:** 1SND230012F0203

## Classifications

<b>Object Classification Code:</b>	X
<b>ETIM 4:</b>	EC001285 - Mounting rail
<b>ETIM 5:</b>	EC001285 - Mounting rail
<b>ETIM 6:</b>	EC001285 - Mounting rail

## Container Information

<b>Package Level 1 Units:</b>	2 piece
<b>Package Level 1 Gross Weight:</b>	0.656 kg
<b>Package Level 1 EAN:</b>	3472591732207
<b>Package Level 2 Units:</b>	40 piece
<b>Product Packing Type:</b>	Rail

