

Product data sheet

Specifications



APC Leak Sensor - 20 ft (6.1 m)

AP9325



Overview

| | |
|--------------|---|
| Presentation | Provides early detection of water in your data room or critical computing area. |
| Lead time | Usually in Stock |

Main

| | |
|---------------------|--------------------|
| Number of rack unit | 0U |
| Provided Equipment | Installation guide |

Physical

| | |
|---------------------|-----------------------|
| Color | Orange |
| Height | 2.76 in (7 cm) |
| Width | 6.73 in (17.1 cm) |
| Depth | 6.34 in (16.1 cm) |
| Net Weight | 0.97 lb(US) (0.44 kg) |
| Mounting preference | Lower |
| Mounting Mode | Not rack-mountable |

Environmental

| | |
|---------------------------------------|--|
| Ambient air temperature for operation | 32...131 °F (0...55 °C) |
| Operating altitude | 0...10000 ft |
| Relative Humidity | 0...95 % |
| Ambient Air Temperature for Storage | -13...149 °F (-25...65 °C) |
| Storage altitude | 0...50000 ft (0.0000000000...15240.0000000000 m) |
| Storage Relative Humidity | 0...95 % |

Ordering and shipping details

| | |
|------|--------------|
| GTIN | 731304209416 |
|------|--------------|

Packing Units

| | |
|------------------------------|-------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 2.80 in (7.1 cm) |
| Package 1 Width | 6.42 in (16.3 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------|-------------------|
| Package 1 Length | 9.21 in (23.4 cm) |
|-------------------------|-------------------|

| | |
|-------------------------|-----------------------|
| Package 1 Weight | 1.15 lb(US) (0.52 kg) |
|-------------------------|-----------------------|

Contractual warranty

| | |
|-----------------|---------------------------|
| Warranty | 2 years repair or replace |
|-----------------|---------------------------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

|  Materials and Substances | |
|---|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | REACH Declaration |
| Halogen content performance | Product contains halogen above thresholds |

Use Again

|  Repack and remanufacture | |
|---|--|
| Circularity Profile | End of Life Information |
| Take-back | Yes |
| WEEE |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Image of product / Alternate images

Alternative

