

Product data sheet

Specifications



APC Essential SurgeArrest 6 Outlet 10 Foot Cord, 120V

P610

! Discontinued on: Jul 16, 2021

! Discontinued

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	3.05 m
Number of cables	1
Provided equipment	User manual

Physical

Colour	Beige
Height	28.6 cm
Width	5.1 cm
Depth	3.8 cm
Net weight	0.59 kg
Mounting preference	No preference
Mounting mode	Rack-mounted

Input

Input power	1200 W
Maximum line current	15 A
Network frequency	50/60 Hz +/- 5 Hz auto-sensing
Maximum input current	15 A
Switching current capacity	15 A

Output

Number of power socket outlets	6
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS rating	400
---------------------	-----

Product certifications	ETL
Equipment protection policy	Lifetime : \$50000

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage altitude	0.0000000000...15240.0000000000 m

Surge Protection and Filtering

Response time	1 ns common mode
Common mode rejection	40 dB
Peak current	72 kA common mode 60 kA per phase normal mode
Surge energy rate	1080 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
SCC14	10731304282706

Contractual warranty

Warranty	Limited Lifetime
----------	------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

Well-being performance

 Mercury Free

 Rohs Exemption Information Yes

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)