

**Part Number:** 512160600

**Product Description :** 2.00mm Pitch MicroTPA Receptacle Housing, Positive Lock, 6 Circuits, Natural

Series Number: 51216

**Status**: Active

**Product Category:** Connector Housings



#### **Documents & Resources**

### **Drawings**

512160600 sd.pdf

**3D Models and Design Files** 

STEP AP242

**SOLIDWORKS** 

Creo

### **Specifications**

SPK-51216-001-001.pdf

PS-51216-006-001.pdf

PS-51216-007-001.pdf

# **Product Environment Compliance**

### **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

### **Compliance Statements**

• EU RoHS

- REACH SVHC
- Low-Halogen

## **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### **Substances of Interest**

PFAS

## **EU RoHS Certificate of Compliance**

# Additional Product Compliance Information

### **Part Details**

#### General

Status	Active
Category	Connector Housings
Series	51216
Description	2.00mm Pitch MicroTPA Receptacle Housing, Positive Lock, 6 Circuits, Natural
Application	Signal, Wire-to-Board, Wire-to-Wire
Product Name	MicroTPA
UPC	800754824385

## **Agency**

CSA	LR19980
UL	E29179

# **Physical**

Circuits (maximum)	6
Color - Resin	Natural
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Polyester

Net Weight	310.200/mg
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.00mm
Stackable	No
Temperature Range - Operating	-40° to +105°C

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
MicroTPA Plug Housings	<u>51227</u>
MicroTPA Vertical High Wall Type Headers	<u>55487</u>
MicroTPA Vertical Kinked PC Tail Headers	<u>55755</u>

# Use with Part(s)

Description	Part Number
2.00mm Pitch MicroTPA Terminal Position Assurance (TPA) Retainer, 6 Circuits	<u>512170605</u>
2.00mm Pitch Female Terminals	<u>59370</u>

This document was generated on Oct 11, 2025