



**Part Number :** [936010438](#)

**Product Description :** Heavy-Duty Crimp Contact Insert, Male, 4-Pole-40A and 2-Pole-10A, for Crimp Contacts, Size QD

**Series Number :** 93601

**Status :** Active

**Product Category :** Heavy-Duty Connectors

**Engineering Part Number :** 7606.5915.0

---

## Documents and Resources


### Drawings

[936010438\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Compliant per EU 2015/863

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Substances of Interest

- PFAS

## EU RoHS Certificate of Compliance

## Additional Product Compliance Information

## UKCA - Declaration of Conformity

## CE - Declaration of Conformity

---

## Part Details

### General

Status	Active
Category	Heavy Duty Connectors
Series	93601
Description	Heavy-Duty Crimp Contact Insert, Male, 4-Pole-40A and 2-Pole-10A, for Crimp Contacts, Size QD
Component Type	Inserts - Crimp Contact
Insert Series	S-QD4/2
Product Name	Heavy-Duty Connectors
Standard	CSA C22.2 NO. 182.3, Desina ISO23570-1, EN 60664-1, EN 61984, UL 1977
UPC	887191890463

### Agency

CSA	256883
UL	E249674

### Electrical

Current - Maximum per Contact	16.0A, 4px40A+2px10A
Voltage - Maximum	250V / 400V / 690V

### Physical

Component Size	QD
Durability (mating cycles max)	500
Gender	Male
Insert Color	Grey

Material - Insert	Polycarbonate
Number of Rows	3
Packaging Type	Bag
Polarized to Mating Part	Yes
Poles	6
Temperature Range - Operating	-40° to +125°C

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
Heavy-Duty Crimp Contact Insert, Female, 4-Pole-40A and 2-Pole-10A, for Crimp Contacts, Size QD	<u>936010437</u>

### Use with Part(s)

Description	Part Number
Use With	Turned Contacts - Male

---

This document was generated on May 05, 2026