

**Part Number**: 2122030001

Product Description: GPS L1/L5 25.00mm Stacked

Patch Antenna

Series Number: 212203

**Status**: Active

**Product Category:** Antennas



#### **Documents & Resources**

#### **Drawings**

2122030001 sd.pdf

2122030001-001.pdf

**3D Models and Design Files** 

STEP AP242

**SOLIDWORKS** 

Creo

#### **Specifications**

2122030001-000.pdf

2122030001-001.pdf

## **Product Environment Compliance**

## **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	e per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

#### **Compliance Statements**

- EU RoHS
- REACH SVHC



• Low-Halogen

## **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## **Substances of Interest**

PFAS

**EU RoHS Certificate of Compliance** 

**Additional Product Compliance Information** 

## **Part Details**

## General

Status	Active
Category	Antennas
Series	212203
Description	GPS L1/L5 25.00mm Stacked Patch Antenna
Component Type	Surface Mount Device Antenna
Function	Signal
Product Name	Stacked Patch GPS Antenna
Protocol	GPS
Туре	GPS Antenna, Internal
UPC	193264067008

#### **Electrical**

Band#1 F_End (MHz)	1181
Band#1 F_Start (MHz)	1171
Band#2 F_End (MHz)	1580
Band#2 F_Start (MHz)	1570
Electrical Connectivity	SMD
Peak Gain (dBi)	3.1 @ 1176 MHz, 4.9 @ 1575 MHz
Return Loss - S11 (dB)	< -15, < -20
Total Efficiency	>65% @ 1176 MHz, >75% @ 1575 MHz

# **Physical**

Length	25.00mm
Mounting Style	Adhesive, Surface Mount
Net Weight	17.414/g
Packaging Type	Tray
Polarization	Right Handed Circular
Radiation Pattern	Omnidirectional
Thickness	8.00mm
Width	25.00mm

This document was generated on Sep 11, 2025