

# Honeywell



*Representative  
photograph, actual  
product appearance  
may vary.*

*Due to regional agency  
approval requirements,  
some products may not  
be available in your  
area. Please contact  
your regional  
Honeywell office  
regarding your product  
of choice.*

## 12TW1-56M

**TW Series Toggle Switch, 2 pole, 3 position, Solder terminal,  
Locking Lever, Military Part Number MS27754-35M**

### Features

- Qualified to MIL-S-83731
- Save space and weight
- SPDT and DPDT circuitry
- Temperature range: -85°F to +160°F (-65°C to +71°C)
- Sealed bushing versions
- Choice of 1/4 in. or 15/32 in. bushing
- Color tab available on 15/32 in. bushing
- UL recognized

### Typical Applications

- Industrial machinery and equipment
- Military and commercial aviation
- Construction equipment
- Test instruments
- Agricultural machinery
- Process control
- Medical instrumentation

### Description

Miniature toggle switches in two bushing sizes. Molded-in terminals are plated for soldering. Momentary and maintained circuitry closures available. Special on-on-on circuitries are also available. Pull-to-unlock levers prevent accidental operation.

**Honeywell****12TW1-56M**

**TW Series Toggle Switch, 2 pole, 3 position, Solder terminal, Locking Lever, Military**  
**Part Number MS27754-35M**

Product Specifications	
<b>Product Type</b>	Toggle
<b>Ampere/Voltage Range (Resistive Load)</b>	0.1 A to 5.0 A at 0.5 Vac to 115 Vac, 0.1 A to 5.0 A at 0.5 Vdc to 28 Vdc
<b>Circuitry</b>	DPDT
<b>Action</b>	3 position
<b>Circuitry/Operating action</b>	Image
<b>Mounting</b>	Bushing 15/32 in
<b>Termination</b>	Solder
<b>Military Part Number</b>	MS27754-35M
<b>Lever Type</b>	Locking
<b>Lever Lock</b>	Image
<b>UL/CSA Rating Code</b>	L117: 5 A at 125 Vac
<b>Comment</b>	Fine silver contacts
<b>Availability</b>	Global
<b>UNSPSC Code</b>	30211908
<b>UNSPSC Commodity</b>	30211908 Toggle switches
<b>Series Name</b>	TW Series



## 12TW1-56M

**TW Series Toggle Switch, 2 pole, 3 position, Solder terminal, Locking Lever, Military**  
Part Number MS27754-35M

### **⚠ WARNING**

#### **PERSONAL INJURY**

DO NOT USE these products as safety or emergency stop devices, or in any other application where failure of the product could result in personal injury.

**Failure to comply with these instructions could result in death or serious injury.**

### **⚠ WARNING**

#### **MISUSE OF DOCUMENTATION**

- The information presented in this product sheet (or catalog) is for reference only. DO NOT USE this document as product installation information.
- Complete installation, operation and maintenance information is provided in the instructions supplied with each product.

**Failure to comply with these instructions could result in death or serious injury.**

© Copyright Honeywell Inc. 1998-2004 All rights reserved.