

SAIB-M8-3P

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com







Individual cable lengths are often required nowadays. In order to meet these demands, Weidmüller offers a wide range of plug-in connectors for custom assembly. Male plugs and female sockets for customisable assembly for M8, M12, M16 and 7/8" connections which are highly robust and ideally suited to machine engineering, for instance. The M8 round plug-in connectors are particularly suited to applications where space is limited.

The screw connection can be used in a wide range of applications. With this technology the conductor, optionally with wire-end ferrules, can be plugged into connection elements and secured with a screw. It is the classic, cheapest form of connection technology that also supports multi-conductor connections.

General ordering data

Version	Field attachable connector, M8
Order No.	<u>1803870000</u>
Туре	SAIB-M8-3P
GTIN (EAN)	4032248259854
Qty.	1 pc(s).



SAIB-M8-3P

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	10 c

Technical data customisable plug-in connectors

Cable diameter, max.	5 mm
Coding	none
Conductor cross-section, min.	0.14 mm ²
Gender of contact	Female
Insulation strength	10 ⁸ Ω
Plugging cycles	≥ 50
Protection degree	IP67
Rated voltage	60 V
Temperature range of housing	-40 +85 ° C
Type of connection	Screw connection

Cable diameter, min.	3.5 mm
Conductor cross-section, max.	0.5 mm ²
Contact surface	Gold-plated
Housing main material	PA
Number of poles	3
Pollution severity	3
Rated current	4 A
Shield connection	No
Threaded ring material	Diecast zinc
·	·

Classifications

ETIM 6.0	EC002635
ETIM 8.0	EC002635
ECLASS 9.0	27-44-01-02
ECLASS 10.0	27-44-01-02
ECLASS 12.0	27-44-01-16
ECLASS 14.0	27-44-01-16

ETIM 7.0	EC002635
ETIM 9.0	EC002635
ECLASS 9.1	27-44-01-03
ECLASS 11.0	27-44-01-02
ECLASS 13.0	27-44-01-02

Environmental Product Compliance

RoHS Compliance Status	Compliant
REACH SVHC	Lead 7439-92-1
SCIP	ebf89fc8-a87f-4691-b87a-dfb9921774b4

Approvals

Approvals



ROHS	Conform
UL File Number Search	UL Website
Certificate no. (cULus)	E307231

Downloads

Engineering Data	CAD data – STEP
User Documentation	<u>Manual</u>
Catalogues	Catalogues in PDF-format
Brochures	FL FIELDWIRING EN
	<u>FL FIELDWIRING EN</u>