
Honeywell North America Pricebook



Solutions that Enable Productivity

Honeywell

Honeywell Sales Policy Summary

The Honeywell Sales Order Policy is a reference guide within the price book as it relates to common definitions, terms and conditions.

Where existing signed contracts or order acknowledgements stipulate different terms and conditions, those documents preside.

Part numbers, or SKUs, are categorized by one of the four groups:

- Stocking: products have high sales run-rate, distributors should be stocking these
- Standard: products have moderate sales run-rate, discretion left to distributors on whether to stock
- Non-Standard: products are primarily project-based, discretion left to distributors on whether to stock
- Custom: products are unique to specific customers and only for sale to the identified customer

Ordering polices for each of the four categories are described below:

	Stocking	Standard	Non-Standard	Custom	Software
All SKUs					
Returnable	Yes	Yes	Non-returnable	Non-returnable	Non-returnable
Order Cancellation	+30 day notice	+30 day notice	Non-cancellable	Non-cancellable	Yes
Lead Time	15 days	30 days	30 days	Call for Quote	2 days
Scanning SKUs					
Min Order Quantity	Master Carton*	1 unit	1 unit		
Max Order Quantity	500 units	200 units	200 units	Call for Quote	
Mobility SKUs					
Min Order Quantity	10 units	1 unit	1 unit		
Max Order Quantity	100 units	50 units	50 units	Call for Quote	

All orders must meet the net minimum order value of \$1.500 or local currency equivalent.

- Lead times begin upon HSM receipt of PO and end upon shipment from HSM facility.
- All days are provided in business days (5 days = 1 calendar week).
- All returns are subject to the terms and conditions set forth by Honeywells Stock Rotation Policy.
- Order multiples must also be in master carton intervals for stocking scanning SKUs.
- Lead times apply only to order sizes less than the Max SKU Quantity. Call for lead time if quantity exceeds.

Customization Category	Product Family Initial Quantity Requirements Minimum Reorder Qty per Release			
Custom SKUs				
Hardware Configuration (Defaults, firmware, kitting,labels, etc)	All Products	250 units - Year 1	50 units, OR Specified in custom SKU terms & conditions	
Hardware Modification (housings, overlays, keypads, PCBs, etc)	All Products	1000 units - Year 1	Specified in custom SKU terms & conditions	
New Cable	Cables	100 units - Year 1	100 units, OR Specified in custom SKU terms & conditions	

- Initial quantity requirements do not include quantities required for pilot test and acceptance by the customer. EWR must be submitted to develop a new Custom SKU.
- Minimum reorder quantities are reflective of Honeywells minimum order quantities with our suppliers and will vary based on level of customization.

Price Adjustments: Eligible price protection credit claims must be submitted in writing to Honeywell within thirty (30) days of the effective date of the pricing change. Eligible products must be current and saleable and claims must include a SKU inventory list specifying the number of units affected by the price decrease.

Honeywell Scanning & Mobility is a leading manufacturer of high-performance image- and laser-based data collection hardware, including rugged mobile computers and bar code scanners. Our product portfolio is one of the broadest in the AIDC industry, providing you with solutions for vertical markets such as retail; healthcare; and transportation and logistics. We complement our innovative products with advanced software, service and professional solutions that enable customers to effectively manage data and assets. Honeywell products are sold worldwide through a network of distributor and reseller partners. For more information, please visit www.honeywellaidc.com.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced or translated into another language without the prior written consent of Honeywell.

© Honeywell International Inc. All rights reserved.

Captuvo, Eclipse, Voyager, VoyagerGS, Fusion, Orbit, OrbitCG, QuantumT, InVista, Solaris, Horizon, Genesis, Vuquest, Stratos, StratosH, ScanPal2, Optimus, OptimusS, CodeSelect, CodeGate, CodeGenes, TotalFreedom, StratosSYNC, StratosSWAP, EasyDL, Omniplanar, SwiftDecoder, SwiftJPEG, SwiftDimension, SwiftOCR and SwiftVerify are the intellectual property of Metrologic Instruments, Inc. Dolphin, Quick Check, Service Made Simple, Shift-PLUS and Adaptus are the intellectual property of Hand Held Products. Xenon is the intellectual property of Honeywell. All other product or service names are the property of their respective owners.



Scanning - 3800 Series

Hardware - Kit			
sku	SKU Type	SKU Description	Lis (\$
3800RSR050-0A00E	Non standard	KBW Kit: scanner (3800RSR050E), coiled KBW cable (42206132-02E), and Quick Start Guide	370.00
3800RSR050-0F00E	Standard	USB Kit: scanner (3800RSR050E), straight USB cable (42206161-01E), and Quick Start Guide	370.00
3800RSR150-0F00E	Non standard	USB Kit: black scanner (3800RSR150E), straight USB cable (42206161-01E), and Quick Start Guide	370.00
Hardware - Ima	ager Kits:	3800gPDF	
SKU	SKU Type	SKU Description	Lis (¢
3800GPDF04-KBWKITE	Non standard	3800g PDF KBW Kit: Ivory Imager (3800GPDF04E), coiled KBW cable (42206132-02E), and Quick Start Guide	(\$ 255.00
3800GPDF04-USBKITE		3800g PDF USB Kit: Ivory Imager (3800GPDF04E), straight USB cable (42206161-01E), and Quick Start Guide	255.00
Hardware - Ima	ager Kits:		
SKU	SKU Type	SKU Description	Lis
3800RSR050-0G00E	Non standard	Scanner: scanner (3800RSR050E), Users Guide (CD), and UHOLDERE	343.00
Hardware - Ima	ager: 3800	DgHD	
SKU	SKU Type	SKU Description	Lis
3800GHD24E	Standard	Scanner: KBW, TTL RS232 USB / Teal / 5V (cable sold separately)	264.0
Hardware - Ima	ager: 3800	DgPDF	
SKU	SKU Type	SKU Description	Lis
3800GPDF04E	Standard	KBW, TTL RS-232 USB / Ivory / 5V	236.0
Hardware - Ima	ager: 3800	Or	
SKU	CKII Tura	CVII Decoriation	
	SKU Type	SKU Description	
		·	(\$
3800RSR030E		True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray	343.00
3800RSR030E 3800RSR050E 3800RSR150E	Non standard Standard	True RS-232 / Gray	343.00 343.00 298.00
3800RSR030E 3800RSR050E 3800RSR150E Global Service	Non standard Standard Non standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation,USB, Retail USB / Gray	343.00 343.00 298.00 Dment.
3800RSR030E 3800RSR050E 3800RSR150E Global Service Price is per un term.)	Non standard Standard Non standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black Ce Contracts (Price if service purchased within 30 days of product ship	343.00 343.00 298.00 Dment.
3800RSR030E 3800RSR050E 3800RSR150E Global Service Price is per un term.)	Non standard Standard Non standard es - Service it per year	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black Ce Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit for	(\$ 343.00 343.00 298.00 ment. r the
3800RSR030E 3800RSR050E 3800RSR150E Global Service Price is per un term.)	Non standard Standard Non standard es - Service it per yea SKU Type Preorder	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CE Contracts (Price if service purchased within 30 days of product ship ir, except for packages noted as 3 year or 5 year - those are per unit fo	343.00 343.00 298.00 ement. r the
3800RSR030E 3800RSR050E 3800RSR150E Global Service Price is per un term.) 6KU HSVC3800G/R/P-SMS5	Non standard Standard Non standard es - Service it per yea SKU Type Preorder	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CE Contracts (Price if service purchased within 30 days of product ship ir, except for packages noted as 3 year or 5 year - those are per unit fo	(\$ 343.00 343.00 298.00 298.00 ment. r the Lis (\$ 30.00
3800RSR030E 3800RSR050E 3800RSR150E Global Service Price is per un term.) sku HSVC3800G/R/P-SMS5 Accessories -	Non standard Standard Non standard es - Servic it per yea sku Type Preorder Power	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CE Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit fo SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description	(\$ 343.00 343.00 298.00 ment. r the Lis (\$
Global Service Price is per un term.) SKU HSVC3800G/R/P-SMS5 Accessories - SKU PS-050-2400D1-EU	Non standard Standard Non standard es - Servic it per yea SKU Type Preorder Power SKU Type	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black Ce Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit fo SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year	(\$ 343.00 343.00 298.00 ment. r the Lis (\$ 30.00
Global Service Price is per un term.) SKU HSVC3800G/R/P-SMS5 Accessories - SKU PS-050-2400D1-EU	Non standard Standard Non standard Standard Non standard Standard Non standard Standard Non standard Non standard Non standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CE Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit for SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	343.00 343.00 298.00 2098.00 2009.0
3800RSR030E 3800RSR050E 3800RSR150E Global Service Price is per un term.) SKU HSVC3800G/R/P-SMS5 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories -	Non standard Standard Non standard Standard Non standard Standard Non standard Standard Non standard Non standard Non standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CE Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit for SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	(\$ 343.00 343.00 298.00 ment. r the Lis (\$ 30.00 Lis (\$
Global Service Price is per un term.) GKU HSVC3800G/R/P-SMS5 Accessories - GKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories -	Non standard Standard Non standard Standard Non standard Standard Non standard Standard Non standard Non standard Non standard Non standard Cables	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CE Contracts (Price if service purchased within 30 days of product ship in, except for packages noted as 3 year or 5 year - those are per unit for sku Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A	343.00 343.00 298.00 298.00 298.00 298.00 298.00 30.00 Lis (\$ 38.88 36.79
Global Service Price is per un term.) GKU HSVC3800G/R/P-SMS5 Accessories - GKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - GKU 42203758-03E	Non standard Standard Non standard Standard Non standard Standard Non standard Standard Non standard Non standard Non standard Non standard Cables SKU Type	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black Ce Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit fo SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A	(\$ 343.00 343.00 298.00 298.00 298.00 The Lis (\$ 38.88 36.79 Lis (\$ 63.00
Global Service Price is per un term.) GKU HSVC3800G/R/P-SMS5 Accessories - GKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - GKU 42203758-03E 42203758-03E	Non standard Standard Non standard Non standard SS - Service SF - Service SKU Type Preorder Power SKU Type Non standard Non standard Cables SKU Type Non standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CCONTRACTS (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit for SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	343.0 343.0 298.0
3800RSR030E 3800RSR050E 3800RSR050E 3800RSR150E Global Service Price is per un term.) SKU HSVC3800G/R/P-SMS5 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E	Non standard Standard Non standard Non standard SS - Service It per year SKU Type Preorder Power SKU Type Non standard Non standard Cables SKU Type Non standard Non standard Non standard Non standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CE Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit for SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	343.0 343.0 298.0
3800RSR030E 3800RSR050E 3800RSR050E 3800RSR150E Global Service Price is per un term.) SKU HSVC3800G/R/P-SMS5 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205895-01E	Non standard Standard Non standard Non standard Standard Non standard Standard Non standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit fo SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power for PS-2 keyboard/mouse port	(\$ 343.00 343.00 298.00 ment. r the Lis (\$ 30.00 Lis (\$ 63.00 18.90 18.90 63.00
3800RSR030E 3800RSR050E 3800RSR050E 3800RSR150E Global Service Price is per un term.) SKU HSVC3800G/R/P-SMS5 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42206132-02E	Non standard Standard Non standard Non standard Standard Non standard Standard Standard Standard Non standard Standard Standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit fo SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	(\$ 343.00 343.00 298.00
3800RSR030E 3800RSR050E 3800RSR050E 3800RSR150E Global Service Price is per un term.) SKU HSVC3800G/R/P-SMS5 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42206132-02E 42206132-02E 42206132-02E	Non standard Standard Non standard Non standard SS - Service SKU Type Preorder Power SKU Type Non standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black CC Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit fo SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), ciled Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	343.0 343.0 298.0
3800RSR030E 3800RSR050E 3800RSR150E Global Service Price is per un term.) sku HSVC3800G/R/P-SMS5 Accessories - sku PS-050-2400D1-EU PS-050-2400D1-NA	Non standard Standard Non standard Non standard Standard Non standard Standard Standard Standard Non standard Standard Standard	True RS-232 / Gray KBW, TTL RS-232, IBM 46xx, Wand Emulation, USB, Retail USB / Gray KBW, TTL RS-232, IBM Retail, Wand Emulation, USB, Retail USB / Black Contracts (Price if service purchased within 30 days of product ship r, except for packages noted as 3 year or 5 year - those are per unit fo SKU Description 3800g/3800r/3800pdf, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	343.00 343.00 298.00 ement. r the



42206202-03E	Standard	Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	63.00
42206422-01E 42206431-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power Cable: USB, black, Type A, 3.4m (11.1) coiled, host power (Use w/3800VHD-ESD-12E, Not compatible with 3800g)	36.75
	Standard Ct or olo / L		63.00
Accessories -	- Stands/H	olders	
SKU	SKU Type	SKU Description	List (\$)
HFSTAND7E	Standard	Stand: gray, 25cm (10) stand height, flexible rod, weighted mid-sized base, 1300g/3800g cup (for 1300g and 3800g only)	26.25
Accessories -	- Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List (\$)
HFSTAND5E	Non standard	Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	26.25
STND-15R00-000	Non standard	Stand: 3800G Stand	23.10
UCOVERE	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for 3800r and 4600g	26.25
UHOLDERE	Non standard	Holder: desktop for 3800r, 3800i, 4600g, and 4800i	10.50
Accessories -	- Power		
SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35
Scanning	- 3820	Cordless	
Hardware - Ki			
0.4	01/11-		
SKU	SKU Type	SKU Description	List (\$)
3820SR0C0B-0FA0E	Stocking	USB Kit: ivory scanner (3820SR0C0BE), 2.6m straight USB Type A cable (42206161-01E), NA power supply (PS-090-2000D-NA), cordless charge base (2020-5BE), and documentation	731.00
3820SR0C0B-0FC0E	Non standard	USB Kit: scanner (3820SR0C0BE), cordless base (2020-5BE), UK power supply & power cord, straight USB Cable: and user documentation	810.00
3820SR0C0B-0GA0E	Stocking	Kit: ivory scanner (3820SR0C0BE), NA power supply (PS-090-2000D-NA), cordless charge base (2020-5BE),and Users Guide CD (3820UG-CD)	596.00
3820SR0C0B-0IA0E	Standard	KBW Kit: ivory scanner (3820SR0C0BE), 2.8m coiled KBW 6-pin Mini Din M/F cable (42206132-02SE), NA power supply (PS9U-21E), cordless charge base (2020-5BE), and documentation	707.00
Hardware - So	canner On	ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
3820SR0C0BE	Stocking	Scanner: RS232, USB, KBW, IBM 4683, Wand Emulation / ivory	539.00
	nit per yea	ce Contracts (Price if service purchased within 30 days of product shipm ar, except for packages noted as 3 year or 5 year - those are per unit for t	
SKU	SKU Type	SKU Description	List (\$)
HSVC3820K-SMS3	Preorder	3820 with Base, SMS 1-day turnaround, comprehensive coverage, 3-Year	95.00
HSVC3820K-SMS5	Preorder	3820 with Base, SMS 1-day turnaround, comprehensive coverage, 5-Year	185.00
		ce Contracts (Price if service purchased within 30 days of product shipm ar, except for packages noted as 3 year or 5 year - those are per unit for t	
SKU	SKU Type	SKU Description	List (\$)
HSVC3820K-W	Preorder	3820 with Base Extended Warranty, 1-Year	45.00
		ce Contracts (Price if service purchased within 30 days of product shipm or, except for packages noted as 3 year or 5 year - those are per unit for t	
SKU	SKU Type	SKU Description	List (\$)
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.00
HSVC4BAY-SMS5	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package	65.00
			-



KU	SKU Type	SKU Description	L
SVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty, 10-day turn, 1 year term	11.
Global Service	es - Servic	ce Contracts (Price if service purchased within 30 days of product shipme	ent.
		r, except for packages noted as 3 year or 5 year - those are per unit for th	
κ υ <i>′</i>	SKU Type	SKU Description	L
SVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39
ear contract,	unless re	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	
KU	SKU Type	SKU Description	L
-HSVC3820k-SMS1	Preorder	3820 with Base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	50.
rear contract, Devices cover	unless re ed must k	Sale Service Contracts - Price is per unit per year & requires a minimum or newing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	/ice
KU	SKU Type	SKU Description	
-HSVC3820K-W	Preorder	3820 with Base Extended Warranty, 1-Year, Post Sale	50
HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15
Accessories -	Chargers		
KU	SKU Type	SKU Description	
B4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	36′
B4-BAT-SCN01NAW0	Non standard		361
Accessories -	Power		
ΚU	SKU Type	SKU Description	
00000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58
0000651E	Non standard		149
S-090-2000D-EU	Non standard	, , ,	37
S-090-2000D-NA	Non standard	11.7	23
S-090-2000D-UK	*	Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E)	2′
Accessories -			
KU	SKU Type	SKU Description	
203758-03E	Non standard		63
203758-03SE	Non standard		18
203758-04E 205155-05E	Non standard		18
205155-05E 205895-01E	Non standard Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	18 63
206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18
206132-02SE	Non standard		18
206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	1
2206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18
2000000 005	Non Standard	Cable: USB, black 3800 retail	99
2206203-02E 2206422-01E		Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36



			(\$)
2020-5BE	Standard	Base: Compact cordless charge base charges Lithium-ion batteries contained within the 3820, 3820i, 4820, and 4820i handheld scanners. This base also provides a radio link to facilitate communication between the scanner and host system	341.25
2020-CB-AE	Non standard	Base: charge-only, NA power supply for use with 3820, 3820i, 4820, 4820i	158.55
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55
Accessories	- Miscellar	ieous	
SKU	SKU Type	SKU Description	List
ono	ONO TYPE	one bescription	(\$)
100005325FRE	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with gray commercial cordless image scanners only	33.60
200001576E	Non standard	Miscellaneous: Battery Charge Sleeve (for use with 100000495 Lithium-Ion battery)	48.30
Accessories	- Power		
SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35
Scanning	- 38X0	i Series	
Hardware - In	nager Kits:	: 3800i	
SKU	SKU Type	SKU Description	List
			(\$)
3800ISR050-0A00E	Non standard	3800i KBW Kit: orange imager (3800ISR050E), coiled KBW cable (42206132-02E), and Quick Start Guide	544.00
3800ISR050-0F00E	Standard	3800i USB Kit: orange imager (3800ISR050E), straight USB cable (42206161-01E), and Quick Start Guide	549.00
3800ISR050-0G00E	Non standard	3800i Users Guide Kit: orange imager (3800ISR050E) and Users Guide (CD), and UHOLDERE	518.00
Hardware - In	nager Kits:	: 3820i	
SKU	SKU Type	SKU Description	List (\$)
3820ISR-KBWKITAE	Non standard	KBW Kit: Industrial range, orange scanner (3820ISRE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.4m straight 6-pin Mini Din cable (42206132-02SE), and documentation	1136.00
3820ISR-SERKITAE	Non standard		1136.00
3820ISR-USBKITAE	Standard	USB Kit: Industrial range, orange scanner (3820ISRE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.6m straight USB Type A cable (42206161-01E), and documentation	1136.00
Hardware - In	nager: 380	Oi	
sku	SKU Type	SKU Description	List
200015-020-5	Non standard	True RS-232 / Orange	(\$) 519.00
3800ISR030E 3800ISR050E	Non standard Standard	KBW. TTL RS-232. IBM 468X/9X Retail. Wand Emulation. USB / Orange	518.00 518.00
Hardware - In		,,	010.00
SKU	SKU Type	SKU Description	List (\$)
3820ISRE	Non standard	KBW, TTL RS-232, IBM 468X/9X, Wand Emulation, USB, Orange, Green LED	827.00
Global Service	es - Servi	ce Contracts (Price if service purchased within 30 days of product shipm	ent
Price is per u		ar, except for packages noted as 3 year or 5 year - those are per unit for the	
term.) รหบ	SKU Type	SKU Description	List
HSVC3800I-SMS3	Preorder	3800i, SMS 1-day turnaround, comprehensive coverage, 3-Year	(\$) 35.00
HSVC3800I-SMS5	Preorder	3800i, SMS 1-day turnaround, comprehensive coverage, 5-Year	80.00
		ce Contracts (Price if service purchased within 30 days of product shipm ar, except for packages noted as 3 year or 5 year - those are per unit for t	
SKU	SKU Type	SKU Description	List (\$)
HSVC3800I-W	Preorder	3800i, Extended Warranty, 1-Year	20.00
1 10 V 000001-VV	i idoludi	oood, Extended Wallanty, 1-1 cal	20.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)



SKU

SKU Type

SKU Description

	3820i with base, SMS 1-day turnaround, comprehensive coverage, 3-Year 3820i with base, SMS 1-day turnaround, comprehensive coverage, 5-Year ce Contracts (Price if service purchased within 30 days of product shipme	95.00 185.00
s - Servic		105 00
	ce Contracts (Price if service purchased within 30 days of product shipme	
	ar, except for packages noted as 3 year or 5 year - those are per unit for th	
SKU Type	SKU Description	List (\$)
Preorder	3820i with base Extended Warranty, 1-Year	45.00
- Servi	ce Contracts (Price if service purchased within 30 days of product shipme	ent.
KU Type	SKU Description	List (\$)
reorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnground, comprehensive, 3-year package	39.00
Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package	65.00
- Servi	ce Contracts (Price if service purchased within 30 days of product shipme	ent.
	· · · · · · · · · · · · · · · · · · ·	
SKU Type	SKU Description	List (\$)
Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty. 10-day turn. 1 year term	11.00
- Servi		ent.
per yea	r, except for packages noted as 3 year or 5 year - those are per unit for th	e
KU Type	SKU Description	List (\$)
Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00
	taran da antara da la companya da antara	
d must l	be in good working condition prior to purchase.	
KU Type	SKU Description	List (\$)
Preorder	3800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	30.00
		vices.
		List
		(\$)
		25.00
	be in good working condition prior to purchase.	
SKU Type	SKU Description	List (\$)
	3820i with base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of	60.00
Preorder	hardware or on time renewal of SMS3	
s - Post S	hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum o	
s - Post S Inless re	hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum o enewing an existing contract. Must be purchased for the entire fleet of dev	
s - Post S Inless re	hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum o	vices.
s - Post S inless re d must b	Sale Service Contracts - Price is per unit per year & requires a minimum or enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	vices.
	Freorder Freorder	Service Contracts (Price if service purchased within 30 days of product shipmed to per year, except for packages noted as 3 year or 5 year - those are per unit for the sku type SKU Type SKU Description Preorder 4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package 4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package Service Contracts (Price if service purchased within 30 days of product shipmed to per year, except for packages noted as 3 year or 5 year - those are per unit for the sku type SKU Type SKU Description 4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year - those are per unit for the sku type SKU Type SKU Description SKU Type SKU Description Preorder Cordiess Scanner & base Advanced Exchange Adder to SMS5, 100 unit minimum. Ser Post Sale Service Contracts - Price is per unit per year & requires a minimum of an existing contract. Must be purchased for the entire fleet of device days to minimum an existing contract. Must be purchased for the entire fleet of device the service of the service contracts of the entire fleet of device the service of the entire fleet of device the service of the entire fleet of device the service of the service of the entire fleet of device the service of the service of the entire fleet of device the service of the entire fleet of device the service of the service contracts - Price is per unit per year & requires a minimum of the service of the service of the service of the entire fleet of device of the service of the service contracts - Price is per unit per year & requires a minimum of the service



SKU	SKU Type	SKU Description	Lis (\$
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.2
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.2
Accessories -	Power		
SKU	SKU Type	SKU Description	Lis (\$
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
300000651E	Non standard	Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions	149.10
PS-090-2000D-EU	Non standard	Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E)	37.80
PS-090-2000D-NA	Non standard	Power Supply: 9V @ 2.0 A	23.10
PS-090-2000D-UK	Non Standard	Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E)	21.00
Accessories -	Cables		
SKU	SKU Type	SKU Description	Lis:
42202750 025	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	
42203758-03E 42203758-03SE	Non standard Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	63.00 18.90
42203758-035E 42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75
Accessories -	Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	Lis
			(\$
2020-5BE	Standard	Base: Compact cordless charge base charges Lithium-ion batteries contained within the 3820, 3820i, 4820, and 4820i handheld scanners. This base also provides a radio link to facilitate communication between the scanner and host system	341.25
2020-CB-AE	Non standard	Base: charge-only, NA power supply for use with 3820, 3820i, 4820, 4820i	158.55
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55
TOOLBAL	Non standard	Miscellaneous: Take up reel/balancer	81.90
VMHOLDERE	Non standard	Holder: Vehicle/fork lift holder for (3800i only)	37.80
Accessories -	Miscellar	eous	
SKU	SKU Type	SKU Description	Lis
			(\$
100003438FRE	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with orange industrial cordless image scanners only	43.05
200001576E	Non standard	Miscellaneous: Battery Charge Sleeve (for use with 100000495 Lithium-Ion battery)	48.30
Accessories -	Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	Lis (\$
HFSTAND5E	Non standard	Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	26.25
	Power		
Accessories -			Lis
Accessories - sкu	SKU Type	SKU Description	
	SKU Type Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35



List (\$)

SKU Description

SKU Type

SKU

42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
12203758-03SE	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	18.90
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206202-03E	Standard	Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	63.00
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75
Accessories -	SKU Type	SKU Description	
		CVII Decoriation	Liet
		SKU Description	List (\$)
		SKU Description Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	(\$)
SKU	SKU Type	•	(\$) 7.35
5KU 77900506E	SKU Type Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	
77900506E PS-050-2400D1-EU PS-050-2400D1-NA	SKU Type Non standard Non standard Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	7.35 38.85
77900506E PS-050-2400D1-EU PS-050-2400D1-NA	SKU Type Non standard Non standard Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A	(\$) 7.35 38.85 36.75
77900506E PS-050-2400D1-EU PS-050-2400D1-NA Accessories -	SKU Type Non standard Non standard Non standard Stands/H	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A olders/Cordless Bases/Access Points	(\$) 7.35 38.85 36.75 List (\$)
77900506E PS-050-2400D1-EU PS-050-2400D1-NA Accessories -	Non standard Non standard Non standard Stands/H SKU Type	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A olders/Cordless Bases/Access Points SKU Description	(\$) 7.35 38.85 36.75 List (\$) 26.25
77900506E PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU HFSTAND5E	Non standard Non standard Non standard Stands/H SKU Type Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A olders/Cordless Bases/Access Points SKU Description Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	(\$) 7.35 38.85 36.75 List (\$) 26.25 136.50
77900506E PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU HFSTAND5E MAGESTANDPE	Non standard Non standard Non standard Stands/H SKU Type Non standard Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A olders/Cordless Bases/Access Points SKU Description Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i Stand: ImageStand with mounting plate for 4600g	7.35 38.85

Scanning - 4600r

Accessories	s - Cables		
SKU	SKU Type	SKU Description	List (\$)
42203758-04E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42205895-01E	Non standard	Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	63.00
42206132-02E	Standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-03E	Standard	Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	63.00
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75
Accessories	s - Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List (\$)
HFSTAND5E	Non standard	Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	26.25
HFSTAND5RE	Standard	Stand: Retail flex neck holder for hands-free operation/presentation scanning. For use with 4600r.	26.25
HFSTAND5RSE	Non standard	Stand: Retail flex neck stand with out-of-stand sensor. For use with 4600r.	36.75

Scanning - 4800dr

Accessorie	s - Cables		
SKU	SKU Type	SKU Description	List (\$)
42206433-01E	Non standard	Cable: USB.+5V, 8.5FT, straight cable ending in right angle (8.5ft, 3.7m)	36.75

Scanning - 4800i

Hardware - Imager Kits: 4800iSR				
SKU	SKU Type	SKU Description	List (\$)	
4800ISR051C-0A00E	Non standard	KBW Kit: scanner (4800ISR051CE), coiled KBW cable (42206132-02E), and Quick Start Guide	605.00	
4800ISR051C-0F00E	Stocking	USB Kit: scanner (4800ISR051CE), straight USB cable (42206161-01E), and Quick Start Guide	605.00	



SKU	SKU Type	SKU Description	Lis (\$
4800ISR051C-0G00E	Non standard	4800i Users Guide Kit: imager (4800ISR051CE) and Users Guide (CD)	605.00
Hardware - Im	nager Kits:	: 4800iSF	
SKU	SKU Type	SKU Description	Lis (\$
4800ISF051C-0A00E	Standard	4800i KBW Kit: imager (4800ISF051CE), coiled KBW cable (42206132-02E), and Quick Start Guide	605.0
4800ISF051C-0F00E	Stocking	4800i USB Kit: imager (4800ISF051CE), straight USB cable (42206161-01E), and Quick Start Guide	605.0
4800ISF051C-0G00E	Non standard	4800i Users Guide Kit: imager (4800ISF051CE) and Users Guide (CD)	604.0
Hardware - Im	nager: 480	0iSR (Industrial) Interfaces / Aimer	
SKU	SKU Type	SKU Description	Lis (\$
4800ISR031CE	Standard	Scanner: Supports true RS232 and 12V DEC wedge / Orange / Green LED (cable sold separately)	604.0
1800ISR051CE	Standard	Scanner: Supports TTL RS232, USB, KBW, IBM 4683, and Wand Emulation / Orange / Green LED (cable sold separately)	604.0
Hardware - Im	nager: 480	0iSF	
SKU	SKU Type	SKU Description	Lis (\$
1800ISF031CE	Standard	Supports true RS-232 and 12V DEC wedge / Orange / Green LED	604.0
4800ISF051CE	Standard	Supports TTL RS-232, USB, KBW, IBM 4683, and Wand Emulation / Orange / Green LED	604.0
Global Servic	es - Servic	ce Contracts (Price if service purchased within 30 days of product shipme	ent.
Price is per u		ar, except for packages noted as 3 year or 5 year - those are per unit for the	
term.)	SKU Type	SKU Description	Lis
			(\$
	D .	10001 0110 1 1 1 1 1 1 1 1 1 1 1 1 1 1	80.0
Global Servic year contract Devices cove	, unless re red must l	4800i, SMS 1-day turnaround, comprehensive coverage, 5-Year Sale Service Contracts - Price is per unit per year & requires a minimum contends an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	vices
Global Servic year contract Devices cove sku	es - Post S , unless re	Sale Service Contracts - Price is per unit per year & requires a minimum cenewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description	vices Lis (\$
Global Servic year contract Devices cove sku	es - Post S , unless re red must b SKU Type	Sale Service Contracts - Price is per unit per year & requires a minimum of the encire fleet of devote in good working contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	vices Lis (\$
Global Servic year contract, Devices cove sku E-HSVC4800I-SMS1 Accessories -	es - Post S , unless re red must l sku Type Preorder • Power	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware	Lis (\$
Global Servic year contract, Devices cove sku E-HSVC4800I-SMS1 Accessories -	es - Post S , unless re red must b SKU Type	Sale Service Contracts - Price is per unit per year & requires a minimum cenewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description	Lis 30.00
Global Servic year contract, Devices cove sku E-HSVC4800I-SMS1 Accessories - sku PS-050-2400D1-EU	es - Post S unless re red must l sku Type Preorder Preorder Sku Type Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devoce in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	Lis (\$ 30.00
Global Servic year contract, Devices cove sku E-HSVC4800I-SMS1 Accessories - sku PS-050-2400D1-EU PS-050-2400D1-NA	es - Post S unless re red must I sku Type Preorder Power Sku Type Non standard Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devoce in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description	Lis (\$ 30.00
Global Servic year contract, Devices cove 5KU E-HSVC4800I-SMS1 Accessories - 5KU	es - Post S unless re red must I sku Type Preorder Power Sku Type Non standard Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devoce in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	Lis (\$ 30.0
Global Servic year contract, Devices cove 6KU E-HSVC4800I-SMS1 Accessories - 6KU PS-050-2400D1-EU PS-050-2400D1-NA Accessories -	es - Post S unless re red must I sku Type Preorder Power Sku Type Non standard Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devoce in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E)	Lis (\$ 30.0 Lis (\$ 38.8 36.7
Global Servic year contract Devices cove sku E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories -	es - Post S unless re red must I sku Type Preorder Power Sku Type Non standard Non standard Cables	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devoe in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A	Lis (\$ 30.0 Lis (\$ 38.8 36.7 Lis (\$
Global Servic year contract Devices cove SKU E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03SE	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard Non standard Cables Sku Type Non standard Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	Lis (\$ 30.0 Lis (\$ 36.7 Lis (\$ 38.8 36.7
Global Servic year contract Devices cove SKU E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard Non standard Non standard Non standard Non standard Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	Lis (\$ 30.0 Lis (\$ 36.7 Lis (\$ 38.8 36.7 Lis (\$ 38.9 18.9 18.9 18.9 18.9 18.9 18.9 18.9 1
Global Servic year contract Devices cove sku E-HSVC4800I-SMS1 Accessories - sku PS-050-2400D1-EU PS-050-2400D1-NA Accessories - sku E-2203758-03E E-2203758-03E E-2203758-04E E-2205155-05E	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of the entire growing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	Lis (\$ 30.0 Lis (\$ 36.7 Lis (\$ 63.0 18.9 18.9 18.9 18.9
Global Servic year contract Devices cove sku E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205895-01E	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devoe in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port	Lis (\$\) 30.0 Lis (\$\) 38.8 36.7 Lis (\$\) 63.0 18.9 18.9 63.0
Global Servic year contract Devices cove SKU E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205895-01E 42206132-02E	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard Standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled	Lis (\$\) 30.0 Lis (\$\) 38.8 36.7 Lis (\$\) 63.0 18.9 18.9 63.0 18.9
Global Servic year contract Devices cove SKU E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205895-01E 42206132-02E 42206132-02SE	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of the enting an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	Lis (\$ 30.00 Lis (\$ 38.8: 36.7: \$ 18.9: 63.00 18.9: 63.00 18.9: 63.00 18.9: 18.9: 63.00 18.9: 18.9: 63.00 18.9: 18.9: 63.00 18.00 18.9: 63.00 18
Global Servic year contract Devices cove SKU E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205155-05E 42206132-02E 42206132-02E 422061312-02E	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard Standard Non standard Standard Standard Standard	Sale Service Contracts - Price is per unit per year & requires a minimum of the entire of the entire fleet of device in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: BM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight Cable: USB, black, Type A, 2.6m (8.5), straight, host power	Lis (\$ 30.00 18.90 18.90 11.55
Global Servic year contract Devices cove SKU E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205155-05E 42206132-02E 42206132-02E 42206132-02E 42206161-01E 42206202-02E	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard Standard Standard Standard Standard Standard Standard	Sale Service Contracts - Price is per unit per year & requires a minimum of the entire of the entire fleet of device in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight Cable: USB, black, Type A, 2.6m (8.5), straight, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	Lis (\$ 30.00
Global Servic year contract Devices cove sku E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205155-05E 42206132-02E 42206132-02E 42206132-02E 42206102-03E	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard Standard Standard Standard Standard Standard Standard Standard Standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector: TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	List (\$ 30.00
Global Servic year contract Devices cove sku E-HSVC4800I-SMS1 Accessories - SKU PS-050-2400D1-EU PS-050-2400D1-NA Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205895-01E 42206132-02E 42206132-02E 42206101-01E 42206202-02E 42206202-03E 42206422-01E	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard Standard Standard Standard Standard Standard Standard Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector: TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	Lis (\$ 30.00 Lis (\$ 38.8 36.7) Lis (\$ 38.9 18.9 11.55 18.9 63.00 18.9 63.00 18.9 11.55 18.9 63.00 18.0 63.00 1
Global Servic year contract, Devices cove sku E-HSVC4800I-SMS1 Accessories - sku PS-050-2400D1-EU PS-050-2400D1-NA Accessories - sku 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205895-01E 42206132-02E 42206132-02E 42206202-03E 42206422-01E Accessories -	es - Post s unless re red must l sku Type Preorder Power Sku Type Non standard Standard Standard Standard Standard Standard Standard Non standard	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devoce in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: BM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: USB, black, Type A, 2.6m (8.5), straight, host powered Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered Cable: USB, black, Type A, 3.7m (12.1), coiled, host powered	Lis (\$ 38.83 36.75 Lis (\$ 18.99 11.55 18.99 63.00 36.75 Lis (\$ 18.99 11.55 18.99 63.00 36.75 Lis (\$ 18.99 63.00 36.75 18.99 63.00 56.75 18.90 63.00 56.75 18.90 65.75 18.90 65.75 18.90 65.75 18.90 65.75 18.90 65.75 18.90 65.75 18.90 65.75 18.90 65
Global Servic year contract, Devices cove sku E-HSVC4800I-SMS1 Accessories - sku PS-050-2400D1-EU PS-050-2400D1-NA Accessories - sku 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205895-01E 42206132-02E 42206132-02E 42206101-01E 42206202-03E 42206422-01E Accessories - sku	es - Post sunless red must less red les red red les red les red red les red red red red r	Sale Service Contracts - Price is per unit per year & requires a minimum of the entire of the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5 V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight Cable: USB, black, Type A, 2.6m (8.5), straight, host powere Cable: USB, black, Type A, 2.6m (9.2), coiled, host powered Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power Olders/Cordless Bases/Access Points SKU Description	Lis (\$ 30.00 18.90 11.55 18.90 63.00 36.75 Lis (\$ (\$ 63.00 18.90 18.90 11.55 18.90 63.00 18.90 63.00 18.90 63.00 18.90 63.00 6
Global Servic year contract, Devices cove sku E-HSVC4800I-SMS1 Accessories - sku PS-050-2400D1-EU PS-050-2400D1-NA Accessories - sku 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42206132-02E 42206132-02E 42206132-02E 42206202-03E 42206202-01E Accessories - sku ADJARME	es - Post sunless red must less red les red less red les red red les red les red	Sale Service Contracts - Price is per unit per year & requires a minimum of the entire of the entire fleet of devote in good working condition prior to purchase. SKU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: USB, black, Type A, 2.6m (8.5), straight, host powered Cable: USB, black, Type A, 2.7m (12.1), coiled, host powered Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power Olders/Cordless Bases/Access Points SKU Description Miscellaneous: adjustable arm	Lis (\$ 30.00 Lis (\$ 38.88 36.78 Lis (\$ 63.00 18.90 1
year contract. Devices cove sku E-HSVC4800I-SMS1 Accessories - sku PS-050-2400D1-EU PS-050-2400D1-NA Accessories - sku 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42205155-05E 42206132-02E 42206132-02E 42206101-01E 42206202-03E 42206202-03E 42206422-01E Accessories - sku ADJARME HFSTAND5E	es - Post sunless red must less red les red less red les red red les red les red les red	Sale Service Contracts - Price is per unit per year & requires a minimum or newing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. 8KU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: BM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: USB, black, Type A, 2.6m (8.5), straight, host powered Cable: USB, black, Type A, 2.8m (8.5), straight, host powered Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power Olders/Cordless Bases/Access Points SKU Description Miscellaneous: adjustable arm Stand: Flex neck, for 3800r, 3800i, 4600g, 4600r, and 4800i	Lis (\$ 30.00 18.90 11.55 18.90 63.00 63.00 17.55 18.90 63.00 17.55 18.90 63.00 18.90 63.00 19.90 19.90 63.00 19.90
Global Servic year contract, Devices cove sku E-HSVC4800I-SMS1 Accessories - sku PS-050-2400D1-EU PS-050-2400D1-NA Accessories - sku 42203758-03E 42203758-03E 42203758-04E 42205155-05E 42206132-02E 42206132-02E 42206132-02E 42206202-03E 42206202-01E Accessories - sku ADJARME	es - Post sunless red must less red les red less red les red red les red les red	Sale Service Contracts - Price is per unit per year & requires a minimum of newing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. 8KU Description 4800i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware SKU Description Power Supply: 5 volt DC power supply, input voltage 100-240v @ 47-63Hz, with EU AC connection (77900508E) Power Supply: 5 V @ 2.4 A SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, black, coiled, 2.3m (7.7), power from PS-2 keyboard/mouse port Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), coiled Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight Cable: USB, black, Type A, 2.6m (8.5), straight, host power Cable: USB, black, Type A, 2.6m (8.5), straight, host powere Cable: USB, black, Type A, 2.6m (9.2), coiled, host powered Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power Olders/Cordless Bases/Access Points SKU Description Miscellaneous: adjustable arm Miscellaneous: adjustable arm Miscellaneous: Take up reel/balancer	



Accessories -	Power		
SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35
Scanning	- 4800	р	
Hardware - Im	ager Kits:	4800p	
SKU	SKU Type	SKU Description	List (\$)
4800PSF151C-0F00E	No SKU code	4800pSF USB Kit: imager (4800PSF151CE), stand (300000681), straight USB cable (42206161-01E), Quick Start Guide (4800P-QS)	487.00
Hardware - Im	nager: 480	0p	
SKU	SKU Type	SKU Description	List (\$)
4800PSF151CE	No SKU code	Supports USB/Black/Green LED	415.00
		ce Contracts (Price if service purchased within 30 days of product shipmenr, except for packages noted as 3 year or 5 year - those are per unit for the	
SKU	SKU Type	SKU Description	List (\$)
HSVC4800P-SMS5	Preorder	4800P: 1-day turnaround, comprehensive coverage, 5-year package	70.00
Global Servic	es - Post S	Sale Service Contracts - Price is per unit per year & requires a minimum c	of 3
		newing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	vices.
SKU	SKU Type	SKU Description	List (\$)
E-HSVC4800p-SMS1	Preorder	4800p, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware	25.00
Accessories -	· Cables		
SKU	SKU Type	SKU Description	List (\$)
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
Accessories -	· Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List (\$)
300000681	No SKU code	Stand: for use with 4800p	71.40
Scanning	- 4820	Cordless	
Hardware - Ki	t (HD)		
SKU	SKU Type	SKU Description	List (\$)
4820HDH-FIPSKITAE	Preorder	USB Kit: 4820HD with disinfectant-ready housing, USB Cable: fully-functional base (2020-5BE), FIPS-encrypted software, power supply (PS9U-21E) and Quick Start Guide	1349.00
Hardware - Im	nager Kits:	4820SF	
SKU	SKU Type	SKU Description	List (\$)
4820SF-FAFIPSE	No SKU code	Kit contains a 4820SF & 2020 with FIPS-encrypted software, USB cable (42206161-01E), North American Power Supply and Quick Start Guide.	1313.00



List (\$)

95.00

4820 with Base, SMS 1-day turnaround, comprehensive coverage, 3-Year

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the

SKU Type

Preorder

SKU Description

term.) SKU

HSVC4820K-SMS3

113 V C 402 U K - 31V133	rieoldei	4020 With base, Sivio 1-day tumaround, comprehensive coverage, 5-1-ear	103.00
Global Service	es - Post S	Sale Service Contracts - Price is per unit per year & requires a minimum o	of 3
vear contract.	unless re	newing an existing contract. Must be purchased for the entire fleet of dev	vices.
		be in good working condition prior to purchase.	
SKU	SKU Type	SKU Description	List
			(\$)
E-HSVC4820k-SMS1	Preorder	4820 with Base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of	60.00
		hardware purchase	
Global Service	e - Post S	Sale Service Contracts - Price is per unit per year & requires a minimum o	of 3
		taran da antara da a	
		newing an existing contract. Must be purchased for the entire fleet of dev	vices.
		pe in good working condition prior to purchase.	
SKU	SKU Type	SKU Description	List (\$)
F 110) (0 1000) () M		4000 M.D. E. L. I.W	
E-HSVC4820K-W	Preorder	4820 with Base, Extended Warranty, 1-Year, Post-Sale	50.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00
		· · · ·	
Accessories -	Miscellan	eous	
OKU	OKU Tomo	OVIL Description	1.1-1
SKU	SKU Type	SKU Description	List (\$)
100005325FRE	Non standard	Microllandous Cray tool froe (thumbusheel) and can far use with gray commercial cardiago image compare only	
100005325FRE 100005326FRE	Non standard Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with gray commercial cordless image scanners only Miscellaneous: White tool-free (thumbwheel) end cap for use with cordless image scanners with white disinfectant-ready	33.60 55.65
100003320FRE	Non Standard	housings only	55.65
200001576E	Non standard	Miscellaneous: Battery Charge Sleeve (for use with 100000495 Lithium-Ion battery)	48.30
Accessories	Cables		
Accessories -	Cables		
SKU	SKU Type	SKU Description	List
310	SKU Type	Sko Description	(\$)
42203758-03E	Non standard	Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	63.00
42203758-03SE	Non standard		18.90
42203758-04E	Non standard		18.90
42205155-05E	Non standard	Cable: IBM 46xx, black, RS485 Port 9A/B, 3.1m (10.2), coiled	18.90
42206132-02SE	Non standard	Cable: AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight	18.90
42206161-01E	Standard	Cable: USB, black, Type A, 2.6m (8.5), straight, host power	11.55
42206202-02E	Standard	Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	18.90
42206422-01E	Non standard	Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power	36.75
Accessories -	Chargore		
Accessories -	Chargers		
SKU	SKU Type	SKU Description	List
O.C.O	cito Typo	Cité Bookilphon	(\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion	361.20
		batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion	361.20
		batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	
		(MDO-INOT)	
Accessories -	Power		
SKU	SKU Type	SKU Description	List
		But this to the death of the second s	(\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
300000651E	Non standard	Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions	149.10
77900506E	Non standard		7.35
PS-090-2000D-EU	Non standard		37.80
PS-090-2000D-NA	Non standard	Power Supply: 9V @ 2.0 A	23.10
PS-090-2000D-UK		Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E)	21.00
Accessories -	Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	Lint
SNU	SKU Type	ONO DESCRIPTION	List (\$)
2020-5BE	Standard	Base: Compact cordless charge base charges Lithium-ion batteries contained within the 3820, 3820i, 4820, and 4820i	341.25
2020 ODL	Jundaru	handheld scanners. This base also provides a radio link to facilitate communication between the scanner and host system	0+1.20
2020-CB-AE	Non standard	Base: charge-only, NA power supply for use with 3820, 3820i, 4820, 4820i	158.55
BT MODULE-KIT	Non standard	Bluetooth Interface Module Kit contains: Bluetooth Interface Module, USB Cable: 2 unlinking barcodes, and velcro	268.80
HOLSTERE	Non standard	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55





SKU	SKU Type	SKU Description	Lis
820ISR-KBWKITAE	Non standard		1364.0
1820ISR-SERKITAE	Standard	(PS-090-2000D-NA), 2.4m straight 6-pin Mini Din cable (42206132-02SE), and documentation RS232 Kit: Standard range, orange scanner (4820ISRE), cordless charge base (2020-5BE), NA power supply	1364.0
1820ISR-USBKITAE	Stocking	(PS-090-2000D-NA), 2.3m straight D 9 Pin F cable (42203758-03SE), and documentation USB Kit: Standard range, orange scanner (4820ISRE), cordless charge base (2020-5BE), NA power supply	1364.0
Hardware In	agger Vita	(PS-090-2000D-NA), 2.6m straight USB Type A cable (42206161-01E), and documentation	
Hardware - In			
SKU	SKU Type	SKU Description	Li (
1820ISF-KBWKITAE	Standard	KBW Kit: Special focus, orange scanner (4820ISFE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.4m straight 6-pin Mini Din cable (42206132-02SE), and documentation	1364.0
1820ISF-SERKITAE	Standard	RS232 Kit: Special focus, orange scanner (4820ISFE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.3m straight D 9 Pin F cable (42203758-03SE), and documentation	1364.0
1820ISF-USBKITAE	Stocking	USB Kit: Special focus, orange scanner (4820ISFE), cordless charge base (2020-5BE), NA power supply (PS-090-2000D-NA), 2.6m straight USB Type A cable (42206161-01E), and documentation	1364.0
Hardware - In	nager Kits:	: 4820iHD	
SKU	SKU Type	SKU Description	Li
4820IHD-IKITAE	Non standard		1316.0
		charge only base (2020-CBE), spare battery (100000495), battery charge sleeve (200001576E), NA power supply (PS-090-2000D-NA), and documenta	
Hardware - In	nager: 482	0iSR (Industrial) Performance Range / Housing Color / Aimer / Decoder	
SKU	SKU Type	SKU Description	Li
4820ISRE	Standard	Scanner: Standard Range / Orange / Green LED Aimer (cable sold separately)	955.0
Hardware - In	nager: 482	0iSF (Industrial)	
SKU	SKU Type	SKU Description	Lis
4820ISFE	Non standard	Special Focus / Orange / Green LED Aimer / Complete Decode (1D, 2D, PDF, matrix, postal bar codes, image capture, and OCR)	955.0
Global Servic	es - Servic	ce Contracts (Price if service purchased within 30 days of product shipme	ent.
and the second s	nit per yea	ar, except for packages noted as 3 year or 5 year - those are per unit for th	ne
term.) sки	SKU Type	SKU Description	Li
HSVC4820iK-SMS3	Preorder	4820i with Base, SMS 1-day turnaround, comprehensive coverage, 3-Year	85.0
HSVC4820iK-SMS5	Preorder	4820i with Base, SMS 1-day turnaround, comprehensive coverage, 5-Year	185.0
		ce Contracts (Price if service purchased within 30 days of product shipmear, except for packages noted as 3 year or 5 year - those are per unit for the	
SKU	SKU Type	SKU Description	Lis (\$
HSVC4820iK-W	Preorder	4820i with Base, Extended Warranty, 1-Year	45.0
		ce Contracts (Price if service purchased within 30 days of product shipmear, except for packages noted as 3 year or 5 year - those are per unit for the	
SKU	SKU Type	SKU Description	Li: (
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820i, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.0
	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day	65.0
HSVC4BAY-SMS5	1 1001401	turnaround, comprehensive, 5-year package	

	SKU Type		List (\$)
HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty, 10-day turn, 1 year term	11.00
Global Service	es - Servic	ce Contracts (Price if service purchased within 30 days of product shipme	ent.
Price is per ur term.)	nit per yea	ar, except for packages noted as 3 year or 5 year - those are per unit for th	ie
SKU	SKU Type	SKU Description	List (\$)
HSVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00
Global Service	es - Post S	Sale Service Contracts - Price is per unit per year & requires a minimum o	f 3
•		enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	/ices.
SKU	SKU Type	SKU Description	List
E-HSVC4820ik-SMS1	Preorder	4820i with base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00
Global Service	es - Post 9	Sale Service Contracts - Price is per unit per year & requires a minimum o	f 3
		enewing an existing contract. Must be purchased for the entire fleet of dev	
· ·		be in good working condition prior to purchase.	
sku	SKU Type	SKU Description	List
E-HSVC4820I-W	Preorder	Post Sale Extended Warranty for 4820i	(\$) 45.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00
Accessories -	Chargers		
			List
SKU	SKU Type	SKU Description	
	SKU Type Standard	SKU Description Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	(\$)
MB4-BAT-SCN01NAD0	Standard Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions	(\$) 361.20
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0	Standard Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions	(\$) 361.20
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU	Standard Non standard Power	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	(\$) 361.20 361.20
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories -	Standard Non standard Power SKU Type	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	(\$) 361.20 361.20 List (\$)
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU	Standard Non standard Power SKU Type Stocking Non standard Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E)	(\$) 361.20 361.20 List (\$) 58.80 149.10 37.80
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA	Standard Non standard Power SKU Type Stocking Non standard Non standard Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9V @ 2.0 A	(\$) 361.20 361.20 List (\$) 58.80 149.10 37.80 23.10
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-UK	Power SKU Type Stocking Non standard Non standard Non standard Non Standard Non Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E)	(\$) 361.20 361.20 List (\$) 58.80 149.10 37.80
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-UK Accessories -	Power SKU Type Stocking Non standard Non standard Non standard Non Standard Cables	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E)	(\$) 361.20 361.20 List (\$) 58.80 149.10 37.80 23.10 21.00
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-UK	Power SKU Type Stocking Non standard Non standard Non standard Non Standard Non Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9V @ 2.0 A	(\$) 361.20 361.20 List (\$) 58.80 149.10 23.10 21.00 List
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-UK Accessories -	Power SKU Type Stocking Non standard Non standard Non standard Non Standard Cables	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description	(\$) 361.20 361.20 List (\$) 58.80 149.10 37.80 23.10 21.00
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-UK Accessories - SKU 42203758-03E	Standard Non standard Power SKU Type Stocking Non standard Non standard Non standard Cables SKU Type	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	(\$) 361.20 361.20 List (\$) 58.80 149.10 21.00 List (\$)
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-UK Accessories - SKU 42203758-03E 42203758-03E 42203758-04E	Standard Non standard Power SKU Type Stocking Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	(\$) 361.20 361.20 List (\$) 58.80 149.10 21.00 List (\$) 63.00 18.90 18.90
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-UK Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42206132-02SE	Standard Non standard Power SKU Type Stocking Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	(\$) 361.20 361.20 List (\$) 58.80 149.10 21.00 List (\$) 63.00 18.90 18.90
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-UK Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42206132-02SE 42206161-01E	Standard Non standard Power SKU Type Stocking Non standard Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector: TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	(\$) 361.20 361.20 List (\$) 58.80 149.10 21.00 List (\$) 63.00 18.90 18.90 11.55
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-UK Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42206132-02SE 42206161-01E 42206202-02E	Standard Non standard Power SKU Type Stocking Non standard Standard Standard Standard Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector: X data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight Cable: USB, black, Type A, 2.6m (8.5), straight, host powere Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	(\$) 361.20 361.20 List (\$) 58.80 149.10 21.00 List (\$) 63.00 18.90 18.90 11.55 18.90
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-UK Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42206132-02SE 42206161-01E 42206202-02E 42206422-01E	Standard Non standard Power SKU Type Stocking Non standard Standard Non standard Standard Standard Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight Cable: USB, black, Type A, 2.6m (8.5), straight, host powered	(\$) 361.20 361.20 List (\$) 58.80 149.10 21.00 List (\$) 63.00 18.90 18.90 11.55
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-UK Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42206132-02SE 42206161-01E 42206202-02E 42206422-01E	Standard Non standard Power SKU Type Stocking Non standard Standard Non standard Standard Standard Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: USB, black, Type A, 2.6m (8.5), straight, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered	(\$) 361.20 361.20 List (\$) 58.80 149.10 23.10 21.00 List (\$) 63.00 18.90 11.55 18.90 36.75 List
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-NA PS-090-2000D-WK Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42206132-02SE 42206101-01E 42206202-02E 42206422-01E Accessories -	Standard Non standard Power SKU Type Stocking Non standard Non standard Non Standard Non Standard Non Standard Non Standard SKU Type Non standard Non standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9, Pin F, power on pin 9, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9, Pin F, power on pin 9, Pin	(\$) 361.20 361.20 List (\$) 58.80 149.10 21.00 List (\$) 63.00 18.90 18.90 11.55 18.90 36.75
MB4-BAT-SCN01NAD0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-NA PS-090-2000D-NA PS-090-2000D-UK Accessories - SKU 42203758-03E 42203758-03E 42203758-04E 42206132-02SE 42206101-01E 42206202-02E 42206422-01E Accessories - SKU	Standard Non standard Power SKU Type Stocking Non standard Non standard Non Standard Non Standard Non Standard Von Standard Non standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard Stands/H SKU Type	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: M 9 Pin F, power on pin 9 PIN M/F Length: 9.2 ft. (2.8m), straight Cable: USB, black, Type A, 2.6m (8.5), straight, host powered Cable: USB, black, Type A, 2.8m (9.2), coiled, host powered Cable: RS232 TTL, black, DB9, 2.3m (7.7), straight, 5v external power Olders/Cordless Bases/Access Points SKU Description	(\$) 361.20 361.20 List (\$) 58.80 149.10 23.10 21.00 List (\$) 63.00 18.90 11.55 18.90 36.75 List (\$)
MB4-BAT-SCN01NAW0 MB4-BAT-SCN01NAW0 Accessories - SKU 100000495 300000651E PS-090-2000D-EU PS-090-2000D-NA PS-090-2000D-NA PS-090-2000D-UK Accessories - SKU 42203758-03E 42203758-03SE 42203758-04E 42206132-02SE 42206161-01E 42206202-02E 42206422-01E Accessories - SKU 2020-5BE	Standard Non standard Power SKU Type Stocking Non standard Non standard Non Standard Non Standard Non Standard Non Standard SKU Type Non standard Non standard Non standard Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST) Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST) SKU Description Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners Charger: Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assemblylusage instructions Power Supply: 9 volt DC power supply, input voltage 100-240v @47-63Hz, with EUpean AC connection (77900508E) Power Supply: 9 volt DC power supply, input voltage 100-240 @ 47-63Hz, with UK AC connection (77900507E) SKU Description Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) Cable: RS232 TTL, Connector: D 9 Pin F connector; Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m), straight Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: Caple: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: Caple: USB, black, Type A, 2.8m (9.2), coiled, host power Cable: Caple: USB, black, Type A, 2.8m	(\$) 361.20 361.20 List (\$) 58.80 149.10 23.10 21.00 List (\$) 63.00 18.90 11.55 18.90 36.75 List (\$) 341.25



Accessories -	· Miscellan	eous	
SKU	SKU Type	SKU Description	List (\$)
100003438FRE 200001576E	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with orange industrial cordless image scanners only Miscellaneous: Battery Charge Sleeve (for use with 100000495 Lithium-Ion battery)	43.05
Accessories -		and the same of th	
SKU	SKU Type	SKU Description	List (\$)
77900506E	Non standard	Cable: power cord, power supply to AC outlet, straight, 1.8m (6.0ft) - US	7.35
Scanning	- Eclip	se™ 5145	
Hardware - Ki	t		
SKU	SKU Type	SKU Description	List (\$)
MK5145-31A38	Stocking	USB Kit: black scanner (MS5145-38-3), 2.9m straight USB Type A cable (55-55235-N-3) and documentation	145.00
MK5145-31A47 MK5145-31B41	Non standard Non standard		145.00 145.00
WIND 145-31B41		documentation	145.00
MK5145-31B47	Non standard	KBW Kit: black scanner (MS5145-47-3), US power supply (46-00525), KBW PowerLink cable (59-59002-3) and documentation	145.00
MK5145-71A38	Standard	Change SKU Description to USB Kit: light gray scanner (MS5145-38), 2.9m straight USB Type A cable (55-55235-N-3) and documentation	145.00
MK5145-71A47	Non standard		145.00
MK5145-71B41	Non standard	RS232 Kit: light gray scanner (MS5145-41), US power supply (46-00525), 2.1m RS232 9-PIN Ruby cable (55-55000-3) and documentation	145.00
Hardware - So	canner On	ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
MS5145-38	Non standard	Scanner-only: light gray, low speed USB, Installation & Users Guide	135.00
MS5145-38-3	_	Scanner-only: black, low speed USB, Installation & Users Guide	135.00
MS5145-41 MS5145-41-3		Scanner-only: light gray, RS232, Installation & Users Guide Scanner-only: black, RS232, Installation & Users Guide	135.00
MS5145-47		Scanner-only: light gray, KBW, Installation & Users Guide	135.00
MS5145-47-3	Non Standard	Scanner-only: black, KBW, Installation & Users Guide	135.00
		ce Contracts (Price if service purchased within 30 days of product shipme ar, except for packages noted as 3 year or 5 year - those are per unit for th	
.011111/			
SKU	SKU Type	SKU Description	List (\$)
HSVC5145-SMS3	Preorder	5145Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year	(\$) 15.00
HSVC5145-SMS3 HSVC5145-SMS5	Preorder Preorder	5145Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year 5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year	(\$) 15.00 30.00
HSVC5145-SMS3 HSVC5145-SMS5 Global Servic Price is per un	Preorder Preorder es - Service	5145Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year	15.00 30.00
HSVC5145-SMS3 HSVC5145-SMS5 Global Servic	Preorder Preorder es - Service	5145Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year 5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year ce Contracts (Price if service purchased within 30 days of product shipme	(\$) 15.00 30.00 ent. ie
HSVC5145-SMS3 HSVC5145-SMS5 Global Servic Price is per unterm.)	Preorder Preorder es - Service nit per yea	5145Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year 5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year ce Contracts (Price if service purchased within 30 days of product shipme ar, except for packages noted as 3 year or 5 year - those are per unit for the	(\$) 15.00 30.00 ent.
HSVC5145-SMS3 HSVC5145-SMS5 Global Servic Price is per unterm.) sku HSVC5145-W Global Servic year contract,	Preorder Preorder es - Service nit per year sku Type Preorder es - Post S , unless re	5145Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year 5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipme ar, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 5145 Eclipse Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of device the state of the service of the	(\$) 15.00 30.00 ent. 1e List (\$) 10.00
HSVC5145-SMS3 HSVC5145-SMS5 Global Servic Price is per unterm.) sku HSVC5145-W Global Servic year contract,	Preorder Preorder es - Service nit per year sku Type Preorder es - Post S , unless re	5145Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year 5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipme ar, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 5145 Eclipse Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of	(\$) 15.00 30.00 ent. e List (\$) 10.00 of 3 /ices.
HSVC5145-SMS3 HSVC5145-SMS5 Global Servic Price is per un term.) sku HSVC5145-W Global Servic year contract, Devices cove	Preorder Preorder es - Service nit per yea SKU Type Preorder es - Post S , unless re red must b	5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year 5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year ce Contracts (Price if service purchased within 30 days of product shipme ar, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 5145 Eclipse Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	(\$) 15.00 30.00 ent. 1e List (\$) 10.00 f 3
HSVC5145-SMS3 HSVC5145-SMS5 Global Servic Price is per un term.) sku HSVC5145-W Global Servic year contract, Devices cove sku	Preorder Preorder es - Service nit per yea sku Type Preorder es - Post S , unless re red must b sku Type Preorder	5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year 5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipme ar, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 5145 Eclipse Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description	(\$) 15.00 30.00 ent. 1e List (\$) 10.00 of 3
HSVC5145-SMS3 HSVC5145-SMS5 Global Servic Price is per unterm.) sku HSVC5145-W Global Servic year contract, Devices covel sku E-HSVC5145-W	Preorder Preorder es - Service nit per yea sku Type Preorder es - Post S , unless re red must b sku Type Preorder	5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 3-Year 5145 Eclipse, SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipme ar, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 5145 Eclipse Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description	(\$) 15.00 30.00 ent. 1e List (\$) 10.00 of 3



Accessorie	es - Cables		
SKU	SKU Type	SKU Description	Li
5-55000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.
5-55002-3	Non standard	7 7 7 7 1	18.
5-55235-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, host power	11.
Accessorie	s - Stands/H	olders/Cordless Bases/Access Points	
KU	SKU Type	SKU Description	L
6-46633	Non standard	Stand: countertop holder for MS5145 Eclipse	18.
Scannin	ig - Focu	ıs® 1690	
Accessorie	s - Cables		
KU	SKU Type	SKU Description	L
3-53000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.
3-53002-3	Non standard		18.
3-53020-3	Non standard	·	18.
3-53213-N-3	Non standard	Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power	36.
3-53235-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), coiled, host power	18.
Accessorie	s - Power		
KU	SKU Type	SKU Description	L
6-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34
Accessorie	s - Stands/H	olders/Cordless Bases/Access Points	
KU	SKU Type	SKU Description	L
6-00147	Non standard	Stand: black, presentation scanning, 15cm (6) flexible pole and weighted base for MS16xx Focus Series	31.
Software -	'	(c)	
KU	SKU Type	SKU Description	L
W-OCR-1690	Preorder	Software: OCR decoding license key for MS1690 Focus	45
F-EasyDL-16xx	Preorder	Software: EasyDL license key for Focus series of products including MS1633 and MS1690 (Revisions D and later), downloaded from company website)	100.
F-EasyDLx-16xx	Preorder	Software: EasyDL license key for Focus series of products including MS1633 and MS1690 (Revisions C and earlier), downloaded from company website)	100.
Scanni n	ıg - Focu	ısBT 1633	
Accessorie	s - Chargers		
KU	SKU Type	SKU Description	L
6-00358	Non standard	Charger: for Li-ion battery (70-72018)	114
Accessorie	s - Power		
KU	SKU Type	SKU Description	L
6-46878	Preorder	Power Supply: NA plug, 2.0A @ 5.2VDC, 220-240VAC @ 50-60HZ	34.
0-72018	Standard	Battery: Li-ion, 2300mAh for MS1633 FocusBT	69.
Accessorie	s - Stands/H	olders/Cordless Bases/Access Points	
KU	SKU Type	SKU Description	L
6-00147	Non standard	Stand: black presentation econoging 15cm (6) flevible pole and weighted been for MS16vy Econo Series	
16-00147 12-010-RT	Non standard	Stand: black, presentation scanning, 15cm (6) flexible pole and weighted base for MS16xx Focus Series Access Point: Class 2 Rivetooth, 10m, RS232/LISR/KRW/IRM 46vy	31.



191.10

47.25

Non standard Access Point: Class 2 Bluetooth, 10m, RS232/USB/KBW/IBM 46xx

Non standard Bluetooth Class 2 USB dongle for MS1633 FocusBT

AP-010-BT

M-05176

Software - Software			
SKU	SKU Type	SKU Description	Lis (\$
TF-EasyDL-16xx	Preorder	Software: EasyDL license key for Focus series of products including MS1633 and MS1690 (Revisions D and later), downloaded from company website)	100.00
TF-EasyDLx-16xx	Preorder	Software: EasyDL license key for Focus series of products including MS1633 and MS1690 (Revisions C and earlier), downloaded from company website)	100.00

		downloaded from company website)	
Scanning	g - Fusio	on™ 3780	
Hardware - I	Kit		
SKU	SKU Type	SKU Description	List (\$)
MK3780-31A62	Standard	RS232 Verifone Kit: dark gray scanner (MS3780-62-3), stand (46-00225), 1.8m coiled Veri-Ruby 10 pin RJ45 male cable (MVC-3MPC-VR) and documentation	336.00
MK3780-61A38	Stocking	USB Kit: dark gray scanner (MS3780-38), stand (46-00225-3), coiled low speed USB cable (53-53235-N-3), and documentation	336.00
MK3780-61A40	Non Standard	USB Kit: dark gray scanner (MS3780-40), stand (46-00225-3), 3m USB+A cable (53-53213x-N-3) and documentation	336.00
MK3780-61A47	Non standard	KBW Kit: dark gray scanner (MS3780-47), stand (46-00225-3), coiled KBW No PowerLink cable (53-53002-N-3) and documentation	336.00
MK3780-61B41	Stocking	RS232 Kit: dark gray scanner (MS3780-41), stand (46-00225-3), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	336.00
MK3780-61B47	Non standard	KBW Kit: dark gray scanner (MS3780-47), stand (46-00225-3), US power supply (46-00525), coiled KBW Powerlink Ruby cable (53-53002-3) and documentation	336.00
MK3780-71A38	Standard	USB Kit: light gray scanner (MS3780-38-7), stand (46-00225-2), coiled low speed USB cable (53-53235-N-3) and documentation	336.00
MK3780-71A47	Non standard	KBW Kit: light gray scanner (MS3780-47-7), stand (46-00225-2), coiled KBW No PowerLink cable (53-53002-N-3) and documentation	336.00
MK3780-71B41	Non standard	RS232 Kit: light gray scanner (MS3780-41-7), stand (46-00225-2), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	336.00
Hardware - S	Scanner Onl	ly - cable sold separately	
SKU	SKU Type	SKU Description	List
MS3780-11	Non Standard	Scanner-only: dark gray, IBM 46x RS485, Installation & Users Guide	307.00
MS3780-11-7	Non Standard	· · · ·	307.00
MS3780-38	Non Standard	Scanner-only: dark gray, low speed USB, Installation & Users Guide	307.00
MS3780-38-7	Non Standard	Scanner-only: light gray, low speed USB, Installation & Users Guide	307.00
MS3780-40	Non Standard	Scanner: dark gray, USB Full Speed	273.00
MS3780-40-7	Non Standard	Scanner: light gray, USB Full Speed	273.00
MS3780-41	Non standard	Scanner-only: dark gray, RS232, Installation & Users Guide	307.00
MS3780-41-7	Non Standard		307.00
MS3780-47	Non Standard	Scanner-only: dark gray, KBW, Installation & Users Guide	307.00
MS3780-47-7	Non Standard	Scanner-only: light gray, KBW, Installation & Users Guide	307.00
MS3780-9	Non standard	Scanner: dark gray, OCIA	307.00
		ce Contracts (Price if service purchased within 30 days of product shipmer, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 3780 Fusion, SMS 1-day turnaround, comprehensive coverage, 3-Year	
HSVC3780-SMS5	Preorder	3780 Fusion, SMS 1-day turnaround, comprehensive coverage, 5-Year	30.00
		ce Contracts (Price if service purchased within 30 days of product shipmer, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description	
HSVC3780-W	Preorder	3780 Fusion Extended Warranty, 1-Year	10.00
Global Servi year contract Devices cov	ices - Post S ct, unless re ered must b	Sale Service Contracts - Price is per unit per year & requires a minimum on the newing an existing contract. Must be purchased for the entire fleet of define in good working condition prior to purchase.	of 3 vices.
SKU	SKU Type	SKU Description	List (\$)
E-HSVC3780-W	Preorder	3780 Fusion, Extended Warranty, annual, Post Sale	15.00



standard	SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power Diders/Cordless Bases/Access Points SKU Description	Lis (5 11.5 18.9 18.9 36.7 18.9 16.7
standard	SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power	34.0 L 11.3 18.9 36.7 18.9 36.7
standard standard standard standard standard standard standard standard standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power Diders/Cordless Bases/Access Points	11.5 18.9 18.9 36.7 18.9 36.7
standard standard standard standard standard standard standard standard standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power Diders/Cordless Bases/Access Points	11.5 18.9 18.9 36.7 18.9 36.7
standard standard standard standard standard Type	Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power Diders/Cordless Bases/Access Points	11.9 18.9 36.7 18.9 36.7
standard standard standard standard nds/Ho Type	Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power Diders/Cordless Bases/Access Points	18.9 36.1 18.9 36.1
standard standard standard nds/Ho Type	Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power Diders/Cordless Bases/Access Points	36. 18.9 36.
standard standard nds/Ho Type standard	Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power Diders/Cordless Bases/Access Points	18.9 36.
nds/Ho Type standard	Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power Diders/Cordless Bases/Access Points	36.7
nds/Ho	olders/Cordless Bases/Access Points	
Type standard		
standard	SKU Description	- 11
	Stand: gray, presentation scanning with weighted base for MS3780 Fusion	18.9
standard	Stand: black, presentation scanning with weighted base for MS3780 Fusion	18.9
Туре	SKU Description	Li (
dard	Scanner-only: 1D, black, RS232-TTL/USB/KBW/IBM 46xx RS485, Installation & Users Guide	380.0
standard	Scanner-only: 1D, PDF417, 2D, black, RS232-TTL/USB/KBW/IBM 46xx RS485, Installation & Users Guide	453.0
	• • • • • • • • • • • • • • • • • • • •	520.0 553.0
	EasyDL	
Туре	SKU Description	Li (
standard	USB Kit: 1D-only, black scanner (MS7580-118), 2.9m (9.5) straight Type A cable (5S-5S235-3)	427.0
		482.0
king	USB Kit: 1D, PDF417, 2D, black scanner (MS7580-124), 2.9m (9.5) straight Type A cable (5S-5S235-3), US power supply	500.0
		600.0
dard	RS232 Kit: 1D, PDF417, 2D, black scanner (MS7580-124), 2.9m (9.5) straight RS232 cable (5S-5S000-3), US power supply (46-00862) and documentation	500.0
standard	KBW Kit: 1D, PDF417, 2D, black scanner (MS7580-118), 2.9m (9.5) straight wedge cable (5S-5S002-3), US power supply (46-00862) and documentation	500.0
	type dard standard standard standard standard standard dard dard dard dard dard standard	dard Scanner-only: 1D, black, RS232-TTL/USB/KBW/IBM 46xx RS485, Installation & Users Guide standard Scanner-only: 1D, PDF417, 2D, black, RS232-TTL/USB/KBW/IBM 46xx RS485, Installation & Users Guide standard Scanner-only: 1D, PDF417, 2D, black, EAS, RS232-TTL/USB/KBW, IBM 46xx RS485 via cable, Installation & Users Guide standard Scanner-only: 1D, PDF417, 2D, black, RS232-TTL/USB/KBW, IBM 46xx RS485 via cable, Installation & Users Guide, EasyDL Type SKU Description standard USB Kit: 1D-only, black scanner (MS7580-118), 2.9m (9.5) straight Type A cable (5S-5S235-3) dard USB Kit: 1D, PDF417, 2D, black scanner (MS7580-124), 2.9m (9.5) straight Type A cable (5S-5S235-3), US power supply (46-00862) and documentation dard USB Kit: 1D, PDF17, 2D, Black Scanner (MS7580-124), 2.9m (9.5) Straight Type A Cable, (5S-5S235-3), US power supply (46-00862), EasyDL (TF-EasyDL-7580) and Documentation dard RS232 Kit: 1D, PDF417, 2D, black scanner (MS7580-124), 2.9m (9.5) straight RS232 cable (5S-5S000-3), US power supply (46-00862) and documentation KBW Kit: 1D, PDF417, 2D, black scanner (MS7580-118), 2.9m (9.5) straight wedge cable (5S-5S002-3), US power supply

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

7580 Genesis, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3



30.00

Preorder

E-HSVC7580-SMS1

SKU	SKU Type	SKU Description	List (\$)
HSVC7580-W	Preorder	7580 Genesis, Extended Warranty,1-Year	25.00
		Sale Service Contracts - Price is per unit per year & requires a minimum o	
		enewing an existing contract. Must be purchased for the entire fleet of dev	ices.
Devices cove	SKU Type	be in good working condition prior to purchase. SKU Description	List
			(\$)
E-HSVC7580-W	Preorder	7580 Genesis, Extended Warranty, annual, Post Sale	25.00
Accessories	- Cables		
SKU	SKU Type	SKU Description	List (\$)
5S-5S000-3	Non standard	, , , , , , , , , , , , , , , , , , , ,	11.55
5S-5S002-3	Non standard	, , , , , , , , , , , , , , , , , , , ,	18.90
5S-5S213-N-3		Cable: USB, black, 12V locking, 2.9m (9.5), straight, host power	18.90
5S-5S235-3 MX-5S236-E-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, 12V external power Cable: USB, black, Type A, 2.9m (9.5), straight, 12V external power, EAS	18.90 36.75
MX-RS485-5S006-3	Non standard		99.28
Accessories	1	, , , , , , , , , , , , , , , , , , , ,	33.20
SKU	SKU Type	SKU Description	List (\$)
46-00913	Non standard	Stand: wall mount kit for MS7580 Genesis	18.90
Software - So	oftware		
SKU	SKU Type	SKU Description	List (\$)
SW-2D-7580	Preorder	Software: 2D decoding license key for MS7580 Genesis	45.00
SW-OCR-7580	Preorder	Software: OCR decoding license key for MS7580 Genesis	45.00
SW-PDF-7580	Standard	Software: PDF417 decoding license key for MS7580 Genesis	27.00
TF-EasyDL-7580	Preorder	Software: EasyDL license key for MS7580 Genesis, downloaded from company website	100.00
		it™ 191Xi	
Hardware - K	lit (Corded)		
SKU	SKU Type	SKU Description	List (\$)
1910iER-3USB	Non standard	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1910iER-3), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator	710.00
Hardware - K	it (Cordles	es)	
SKU	SKU Type	SKU Description	List
		ONO Description	(\$)
1911iER-3USB-5	Preorder	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1911iER-3), charge & communication base (CCB02-100BT-07N) USB Type A 3m straight cable (CBL-500-300-S00), with vibrator	1300.00
Hardware - S	canner On	ly (Corded)	
SKU	SKU Type	SKU Description	List
1910iER-3	Non standard	Scanner, 1D, PDF417, 2d, ER focus, red, RS232/USB/KBW, with vibrator	(\$) 692.00
Hardware - S	canner On	ly (Cordless)	
SKU	SKU Type	SKU Description	List
1911iER-3	Preorder	Scanner, 1D, PDF417, 2d, ER focus, red, Bluetooth Class 1, with vibrator	(\$) 917.00
Hardware - S	tands/Hold	lers/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List
AD 400DT 07N	Dressite	Access Port Class 4 Physics th 400m (200) up to 7 accessors	(\$)
AP-100BT-07N CCB02-100BT-07N	Preorder Preorder	Access Pont Class 1 Bluetooth, 100m (300), up to 7 scanners can be connected RS232/USB/KBW (cables sold separately) Base: charging, Class 1 Bluetooth, 100m (300), up to 7 scanners can be connected, RS232/USB/KBW host interfaces	256.00 365.00
		(cable sold separately	
COB02	Preorder	Charge-Only Base: only 1 scanner can be charged at a time, power supply must be purchased separately	311.00



Charge-Only Base: only 1 scanner can be charged at a time, power supply must be purchased separately

TOOLBAL	Non standard	Miscellaneous: Take up reel/balancer	81.90
HOLSTER-INDUSTRIAL	rieotaet	When clipped to a users belt holster enables storage of Granit 1911i cordless image while leaving hands-free to accomplish other tasks (scanner sold separately)	78.75
		·	(\$)
SKU	SKU Type	SKU Description	List
Accessories -	Stands/H	olders/Cordless Bases/Access Points	
PS-05-1000W-A	•	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
BAT-SCN01	Non standard	Battery: Lithium-ion battery for Granit 1911i	58.80
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
SKU	SKU Type	SKU Description	List (\$)
Accessories -	Power		
		batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion	(\$) 361.20
SKU	SKU Type	SKU Description	List
Accessories -	Charger <u>s</u>		
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-503-300-S00	-1	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-300-C00		Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00-01 CBL-500-500-C00	Non standard Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5v host power, industrial grade Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	37.80 18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-120-300-C00		Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
SKU	SKU Type	SKU Description	List
Accessories -	Cables	year of flatuware of off time reflewar of Siviss.	
E-HSVC1911iK-SMS1	Preorder	Granit 1911i & base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3.	60.00
E-HSVC1910i-SMS1	Preorder	Granit 1910i, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3.	30.00
SKU	SKU Type	SKU Description	Lis (\$
		be in good working condition prior to purchase.	1003
		Sale Service Contracts - Price is per unit per year & requires a minimum of newing an existing contract. Must be purchased for the entire fleet of dev	
	<u> </u>	·	
HSVCCordless-AE5 HSVCIScan-AE5	Preorder Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum. Industrial tethered scanner, Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00
HSVC1911iK-SMS5	Preorder	Granit 1911i & base, SMS 1-day turnaround, comprehensive coverage, 5-Year	185.00
HSVC1911iK-SMS3	Preorder	Granit 1911i & base, SMS 1-day turnaround, comprehensive coverage, 3-Year	95.00
HSVC1910i-SMS5	Preorder	Granit 1910i, SMS 1-day turnaround, comprehensive coverage, 5-Year	80.00
HSVC1910i-SMS3	Preorder	Granit 1910i, SMS 1-day turnaround, comprehensive coverage, 3-Year	35.00
SKU	SKU Type	SKU Description	Lis (\$
term.)	it per yea	r, except for packages noted as 3 year or 5 year - those are per unit for th	e
		e Contracts (Price if service purchased within 30 days of product shipme	
		mounting hardware	
VMHOLDERK	Preorder	Vehicle Mount Kit: contains vehicle mount forked holder (VM Holder), adjustable arm with ball joints (ADJARME) and	125.00
STND-30R00-011-4 STND-33F00-012-4	Non standard	Stand: gray, 30cm (12) height, rigid rod, weighted base, Granit cradle Stand: gray, 33cm (13) height, flexible rod, weighted base, Granit cup	36.00
CTND 20D00 044 4		Holder: desktop/wall mount (include mounting hardware)	25.00

Scanning - Horizon™ 7600



MK7620-71C07 Non Standard USB Kit: gray scanner, plastic top cover w/ standard glass (MS7620-37), 60cm (24) EAS cable (52-52511), 2.4m (straight USB Type A cable (54-54165x-3), EU power supply (46-00526) and documentation MK7625-71B07 Standard USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.4m (straight USB Type A cable (54-54165x-3), US power supply (46-00525) and documentation MK7625-71B41 Non standard RS232 cable (59-59000-3), US power supply (46-00525) and documentation MK7625-71B47 Non standard KBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9m (SIBW Kit:	(7.8) 638.00 m (9.5) 638.00 n (9.5) 638.00 (7.8) 702.00 List (\$) sers 575.00 575.00 756.00 hipment. for the
straight USB Type A cable (54-54165x-3), EU power supply (46-00526) and documentation MK7625-71B07 Standard USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.4r straight USB Type A cable (54-54165-3), US power supply (46-00525) and documentation MK7625-71B41 Non standard RS232 kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2. straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation MK7625-71B47 Non standard KBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation MK7625-71C07 Non Standard USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation MK7625-71C07 Non Standard USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight uSB Type A cable (54-54165-3), EU power supply (46-00526) and documentation Hardware - Scanner Only - cable sold separately SKU Type SKU Description MS7625-13 Non Standard Scanner-only: dark gray, stainless steel platter with standard glass, RS232/IBM 46xx Rs485/OCIA, Installation & Users Guide MS7625-37 Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/IBM/USB, Installation & Users Guide Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Description	7.8) 678.00 (7.8) 638.00 (7.8) 638.00 (7.9.5) 638.00 (7.8) 702.00 List (\$) sers 575.00 575.00 756.00 hipment. for the
MK7625-71B07 Standard USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.4r straight USB Type A cable (54-54165-3), US power supply (46-00525) and documentation RS232 stit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2. straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation MK7625-71B47 Non standard KBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight wedge KB cable (59-590002-3), US power supply (46-00525) and documentation MK7625-71C07 Non Standard USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight usedge KB cable (54-54165-3), EU power supply (46-00525) and documentation Hardware - Scanner Only - cable sold separately SKU SKU Type SKU Description MS7625-13 Non Standard Scanner-only: dark gray, stainless steel platter with standard glass, RS232/IBM 46xx Rs485/OCIA, Installation & Guide MS7625-13D Non Standard Scanner-only: idark gray, stainless steel platter with Diamonex glass, RS232/IBM 46xx Rs485/OCIA, Installation & Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with bandard glass, RS232/IBM 46xx Rs485/OCIA, Installation & Users Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & Users Guide Global Services - Service Contracts (Price if service purchased within 30 days of product Service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Description	(\$) 638.00 (7.8) 702.00 List (\$) sers 575.00 575.00 756.00 hipment. for the
MK7625-71B41 Non standard RS232 kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2. straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation KKW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation MK7625-71C07 Non Standard WS Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight usedge KB cable (59-59002-3), US power supply (46-00525) and documentation WK7625-71C07 Non Standard WS Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight usedge KB cable (59-59002-3), US power supply (46-00526) and documentation WS Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight usedge KB cable (59-59002-3), US power supply (46-00525) and documentation WS KIT Type SKU Description WS Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight usedge KB cable (59-59002-3), US power supply (46-00526) and documentation WS KIT Type SKU Description WS KIT Type SKU Description SKU Type SKU Description SKU Type SKU Description	List (\$) sers 575.00 575.00 756.00 hipment. for the
MK7625-71B47 Non standard KBW Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.9 straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation WK7625-71C07 Non Standard USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.4r straight USB Type A cable (54-54165-3), EU power supply (46-00526) and documentation Hardware - Scanner Only - cable sold separately SKU SKU Type SKU Description MS7625-13 Non Standard Scanner-only: dark gray, stainless steel platter with standard glass, RS232/IBM 46xx Rs485/OCIA, Installation & Guide MS7625-13D Non Standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/IBM 46xx Rs485/OCIA, Installation & Guide MS7625-37 Non standard Scanner-only: light gray, stainless steel platter with standard glass, RS232/IKBW/USB, Installation & Users Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/IKBW/USB, Installation & Users Guide Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Type SKU Description	List (\$) sers 575.00 575.00 575.00 756.00 hipment. for the
MK7625-71C07 Non Standard USB Kit: gray scanner, stainless top cover w/ standard glass (MS7625-37), 60cm (24) EAS cable (52-52511), 2.4r straight USB Type A cable (54-54165-3), EU power supply (46-00526) and documentation Hardware - Scanner Only - cable sold separately SKU SKU Type SKU Description MS7625-13 Non Standard Scanner-only: dark gray, stainless steel platter with standard glass, RS232/IBM 46xx Rs485/OCIA, Installation & USP Guide MS7625-13D Non Standard Scanner-only: lark gray, stainless steel platter with Diamonex glass, RS232/IBM 46xx Rs485/OCIA, Installation & USP Guide MS7625-37 Non standard Scanner-only: light gray, stainless steel platter with standard glass, RS232/IBM 46xx Rs485/OCIA, Installation & USP Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & USP Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & USP Guide Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Type SKU Description	List (\$) sers 575.00 Jsers 756.00 575.00 756.00 hipment. for the
SKU Type SKU Description MS7625-13 Non Standard Scanner-only: dark gray, stainless steel platter with standard glass, RS232/IBM 46xx Rs485/OCIA, Installation & US7625-13D Non Standard Scanner-only: dark gray, stainless steel platter with Diamonex glass, RS232/IBM 46xx Rs485/OCIA, Installation & Guide MS7625-37 Non standard Scanner-only: light gray, stainless steel platter with standard glass, RS232/KBW/USB, Installation & Users Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & Users Guide Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU SKU Type SKU Description	(\$) sers 575.00 Jsers 756.00 575.00 756.00 hipment. for the
MS7625-13D Non Standard Scanner-only: dark gray, stainless steel platter with standard glass, RS232/IBM 46xx Rs485/OCIA, Installation & Ums7625-13D Non Standard Scanner-only: dark gray, stainless steel platter with Diamonex glass, RS232/IBM 46xx Rs485/OCIA, Installation & Ums7625-37 Non standard Scanner-only: light gray, stainless steel platter with standard glass, RS232/KBW/USB, Installation & Users Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & Users Guide Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Type SKU Description	(\$) sers 575.00 Jsers 756.00 575.00 756.00 hipment. for the
MS7625-13D Non Standard Scanner-only: dark gray, stainless steel platter with Diamonex glass, RS232/IBM 46xx Rs485/OCIA, Installation & Guide MS7625-37 Non standard MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with standard glass, RS232/KBW/USB, Installation & Users Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & Users Guide Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Type SKU Description	575.00 Jsers 756.00 575.00 756.00 hipment. for the
MS7625-13D Non Standard Scanner-only: dark gray, stainless steel platter with Diamonex glass, RS232/IBM 46xx Rs485/OCIA, Installation & Guide MS7625-37 Non standard Scanner-only: light gray, stainless steel platter with standard glass, RS232/KBW/USB, Installation & Users Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & Users Guide Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Type SKU Description	575.00 756.00 hipment. for the
MS7625-37 Non standard Scanner-only: light gray, stainless steel platter with standard glass, RS232/KBW/USB, Installation & Users Guide MS7625-37D Non standard Scanner-only: light gray, stainless steel platter with Diamonex glass, RS232/KBW/USB, Installation & Users Guide Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Type SKU Description	756.00 hipment. for the
Global Services - Service Contracts (Price if service purchased within 30 days of product service is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Type SKU Description	hipment. for the
Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit term.) SKU Type SKU Description	for the
term.) SKU SKU Type SKU Description	
SKU SKU Type SKU Description	
HSVC7600H-SMS3 Preorder 7600 Horizon,SMS 1-day turnaround, comprehensive coverage, 3-Year	List (\$)
	70.00
HSVC7600H-SMS5 Preorder 7600 Horizon, SMS 1-day turnaround, comprehensive coverage, 5-Year	110.00
SKU SKU Type SKU Description HSVC7600H-W Preorder 7600 Horizon Extended Warranty, 1-Year	List (\$) 25.00
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minir year contract, unless renewing an existing contract. Must be purchased for the entire fleet	
Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description	Lict
Sku Sku Type Sku Description	List (\$)
E-HSVC7600H-SMS1 Preorder 7600 Horizon, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 hardware or on time renewal of SMS3	ear of 30.00
Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minir	
year contract, unless renewing an existing contract. Must be purchased for the entire fleet Devices covered must be in good working condition prior to purchase.	of devices.
SKU SKU Type SKU Description	List
E-HSVC7600H-W Preorder 7600 Horizon, Extended Warranty, annual, Post Sale	(\$) 25.00
Accessories - Power	
	List
SKU SKU Type SKU Description	
SKU SKU Type SKU Description 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	(\$) 34.65
46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65 List
46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz Accessories - Cables	34.65
Accessories - Cables SKU SKU Type SKU Description 52-52511 Non standard Cable: Checkpoint EAS, 0.6m (2.0), straight 54-54165-3 Non standard Cable: USB, black, Type A, straight, 5V external power	34.65 List (\$) 11.55
Accessories - Cables SKU SKU Type SKU Description 52-52511 Non standard Cable: Checkpoint EAS, 0.6m (2.0), straight	34.65 List (\$) 11.55



SKU	SKU Type	SKU Description	Lis (\$
46-46603	Non standard	Replacement stainless platter for Horizon with EverScan window	157.50
46-46604	Non standard	Replacement stainless platter for Horizon with standard glass window	37.80
46-46641	Non standard	Misc: stainless steel trim ring for MS7600 Horizon	86.10

46-46641		Misc: stainless steel trim ring for MS7600 Horizon	86.10
Scanning	ı - Hype	erion 1300g	
Hardware - K			
OKU	OKU Tomo	OVI Description	
SKU	SKU Type	SKU Description	List (\$)
1300g-1KBW	Standard	KBW Kit: 1D, ivory scanner (1300g-1), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	209.00
1300g-1USB	Stocking	USB Kit: 1D, ivory scanner (1300g-1), USB Type A 3m straight cable (CBL-500-300-S00) and documentation	209.00
1300g-2KBW	Standard	KBW Kit: 1D, black scanner (1300g-2), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	209.00
1300g-2USB	Stocking	USB Kit: 1D, black scanner (1300g-2), USB Type A 3m straight cable (CBL-500-300-S00) and documentation	209.00
Hardware - S	canner On	ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
1300g-1	Standard	Scanner only: 1D, ivory, RS232/USB/KBW/IBM	190.00
1300g-2	Stocking	Scanner only: 1D, black, RS232/USB/KBW/IBM	190.00
1300gWEM-2	Non standard	Scanner only: 1D, Black, RS232/USB/KBW/IBM Wand Emulation	190.00
Global Service	ces - Servic	ce Contracts (Price if service purchased within 30 days of product shipme	nt.
the state of the s	ınit per yea	r, except for packages noted as 3 year or 5 year - those are per unit for th	е
term.)			
SKU	SKU Type	SKU Description	List (\$)
HSVC1300g-SMS5	Preorder	Hyperion 1300G, 1 day Comprehensive, 5yr	30.00
Accessories	- Power		
SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
Accessories	- Cables		
SKU	SKU Type	SKU Description	List (\$)
SKU CBL-020-300-C00		·	(\$)
	SKU Type Standard Non standard	SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	
CBL-020-300-C00 CBL-120-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for	(\$) 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00	Standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for	(\$) 18.90 36.75 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00	Standard Non standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible	(\$) 18.90 36.75 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00	Standard Non standard Non standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on	(\$) 18.90 36.75 18.90 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00	Standard Non standard Non standard Non standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90 36.75 18.90 18.90 18.90 63.00
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00	Standard Non standard Non standard Non standard Non standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	(\$) 18.90 36.75
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00 CBL-500-300-S00	Standard Non standard Non standard Non standard Non standard Non standard Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90 36.75 18.90 18.90 18.90 63.00
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-500-C00 CBL-503-300-C00	Standard Non standard Non standard Non standard Non standard Non standard Standard Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-500-C00 CBL-503-300-C00 CBL-503-500-C00 CBL-503-500-C00	Standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard Standard Standard Standard Stocking	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 36.75
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-500-C00 CBL-503-300-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-600-400-C00	Standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard Standard Non standard Stocking Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 3m (9.8), straight, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 63.00
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-503-300-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-600-400-C00 CBL-720-300-C00	Standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 752, 3m (9.8), coiled, 5 V external power with option for host power	18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-500-C00 CBL-503-300-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-600-400-C00 CBL-720-300-C00 CBL-820-300-C00	Standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard Standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 19.95
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-503-300-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-600-400-C00 CBL-720-300-C00 CBL-821-300-C00 CBL-821-300-C00	Standard Non standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: Wand Emulation, Black, 9 PIN SQZ, 3m, Coiled, 5V Power on Pin 9 on Host Cable: Wand Emulation, Black, 9 PIN SQZ, 3m, Coiled, 5V Power on Pin 4 on Host	18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 19.95
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-220-500-S00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-500-C00 CBL-503-300-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-503-500-C00 CBL-600-400-C00 CBL-720-300-C00 CBL-820-300-C00	Standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard Standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90 19.95

Accessories - Stands/Holders



SKU	SKU Type	SKU Description	List (\$)
HFSTAND7E	Standard	Stand: gray, 25cm (10) stand height, flexible rod, weighted mid-sized base, 1300g/3800g cup (for 1300g and 3800g only)	26.25
HOLDER-008-U	Non standard	Holder: desktop/wall mount (includes holder, screws)	18.90
STND-23R03-006-4	Non standard	Stand: gray, 23cm (9) stand height, rigid rod, weighted mid-sized universal base, Hyperion 1300 sliding cradle	26.25
STND-30R03-006-4	Non standard	Stand: gray, 30cm (12) stand height, rigid rod, weighted mid-sized universal base, Hyperion 1300 sliding cradle	26.25
Accessories	- Miscellar	ieous	
SKU	SKU Type	SKU Description	List (\$)
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20
Accessories	- Cables		
SKU	SKU Type	SKU Description	List
	_	0.11 50000 (/ / / / /) / / / 5 5001 / / / / / / / / / / / / / / / / / /	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	10.30
	Non standard Non standard	USB Type A HSM 5V 1.5m (5) straight cable	
CBL-320-300-C00 CBL-500-150-S00 CBL-503-300-S00	Non standard Non standard	USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	10.91 36.75
CBL-500-150-S00 CBL-503-300-S00	Non standard Non standard ftware Lic	USB Type A HSM 5V 1.5m (5) straight cable	10.91 36.75 der
CBL-500-150-S00 CBL-503-300-S00 Software - Sc of 10 licenses	Non standard Non standard ftware Lic SKU Type	USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power enses includes 1yr Maintenance & Support - new customers minimum or SKU Description	10.91 36.75 der List (\$)
CBL-500-150-S00 CBL-503-300-S00 Software - Sc of 10 licenses sku REM-CLIENT-SCAN	Non standard Non standard ftware Lic SKU Type Standard	USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power enses includes 1yr Maintenance & Support - new customers minimum or SKU Description Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	10.91 36.75 der List (\$)
CBL-500-150-S00 CBL-503-300-S00 Software - So of 10 licenses sku REM-CLIENT-SCAN REM-SERVER	Non standard Non standard ftware Lic SKU Type Standard Standard	USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power enses includes 1yr Maintenance & Support - new customers minimum or SKU Description	10.91 36.75 der List (\$)
CBL-500-150-S00 CBL-503-300-S00 Software - So of 10 licenses SKU REM-CLIENT-SCAN REM-SERVER Software - So	Non standard Non standard ftware Lic SKU Type Standard Standard	USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power enses includes 1yr Maintenance & Support - new customers minimum or SKU Description Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included Remote MasterMind - Server License (mandatory for all new customers - no charge)	10.91 36.75 der Lis (\$ 19.00 CFC
CBL-500-150-S00 CBL-503-300-S00 Software - So of 10 licenses SKU REM-CLIENT-SCAN REM-SERVER Software - So	Non standard Non standard ftware Lic SKU Type Standard Standard ftware Ma	USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power enses includes 1yr Maintenance & Support - new customers minimum or SKU Description Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included Remote MasterMind - Server License (mandatory for all new customers - no charge) intenance & Support Extensions and Renewals	10.91 36.75 der List (\$) 19.00 CFQ
CBL-500-150-S00 CBL-503-300-S00 Software - So of 10 licenses sku REM-CLIENT-SCAN REM-SERVER	Non standard Non standard ftware Lic SKU Type Standard Standard ftware Ma SKU Type Standard	USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power enses includes 1yr Maintenance & Support - new customers minimum or SKU Description Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included Remote MasterMind - Server License (mandatory for all new customers - no charge) intenance & Support Extensions and Renewals SKU Description Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for	10.91 36.75 der List (\$)

Hardware - I	Kit		
SKU	SKU Type	SKU Description	List (\$)
MK7320-71B07	Non standard	USB Kit: gray scanner (MS7320-37), flex stand (46-00157), 60cm (24) EAS cable (52-52511), 2.4m (7.8) straight USB Type A cable (54-54165x-3), US power supply (46-00525) and documentation	638.00
MK7320-71B41	Preorder	RS232 kit: gray scanner (MS7320-37), flex stand (46-00157), 60cm (24) EAS cable (52-52511), 2.9m (9.5) straight RS232 cable (59-59000x-3), US power supply (46-00525) and documentation	638.00

Scanning - Orbit® 7100

SKU	SKU Type	SKU Description	List (\$)
MK7120-31A38	Stocking	USB Kit: black scanner (MS7120-38-3), mounting plate (45-45619), 2.8m (9.2) straight USB Type A cable (59-59235-N-3) and documentation	371.00
MK7120-31A62	Stocking	RS232 Verifone Kit: black scanner (MS7120-62-3), mounting plate (45-45619), 3.3m (10.7) coiled Ruby RS232 Verifone cable (MVC-3MPS-VR) and documentation	371.00
MK7120-31B41	Stocking	RS232 Kit: black scanner (MS7120-41-3), mounting plate (45-45619), 2.9m (9.5) straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation	371.00
MK7120-31B47	Standard	KBW Kit: black scanner (MS7120-47-3), mounting plate (45-45619), 2.9m (9.5) straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation	371.00
MK7120-31C47	Non standard	KBW Kit: black scanner (MS7120-47-3), mounting plate (45-45619), 2.9m (9.5) straight wedge KB cable (59-59002-3), EU power supply (46-00526) and documentation	400.00
MK7120-71A38	Standard	USB Kit: light gray scanner (MS7120-38), mounting plate (45-45619), 2.8m (9.2) straight USB Type A cable (54-54235B-N-3) and documentation	371.00
MK7120-71B41	Standard	RS232 Kit: light gray scanner (MS7120-41), mounting plate (45-45619), 2.9m (9.5) straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation	371.00
MK7120-71B47	Non standard	KBW Kit: light gray scanner (MS7120-47), mounting plate (45-45619), 2.9m (9.5) straight wedge KB cable (59-59002F-3), US power supply (46-00525) and documentation	371.00
MK7120-71C47	Non Standard	KBW Kit: light gray scanner (MS7120-47), mounting plate (45-45619), 2.9m (9.5) straight wedge KB cable (59-59002F-3), EU power supply (46-00526) and documentation	400.00



MK7180-31A138	rion otandara	USB Kit: black scanner, non-EAS (MS7180-138-3), mounting plate (45-45619), 2.9m (9.5) straight USB Type A cable (59-59084x-N-3) and documentation	400.00
MK7180-31A38-EAS	Non standard		440.00
MK7180-71A138	Non Standard	· · · · · · · · · · · · · · · · · · ·	400.00
Hardware - 7	120 Scanne	er Only - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
MS7120-106	Non Standard	Scanner: light gray, RS232/IBM 46xx RS485/USB, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-106-3	Non Standard	Scanner: black, RS232/IBM 46xx RS485/USB, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-38	Non standard	Scanner-only: light gray, low speed USB, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-38-3	Non standard	Scanner-only: black, low speed USB, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-41	Non standard	Scanner-only: light gray, RS232, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-41-3	Non standard	Scanner-only: black, RS232, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-47	Non standard	Scanner-only: light gray, KBW, Installation & Users Guide, mounting plate (45-45619)	360.00
MS7120-47-3	Non standard	Scanner-only: black, KBW, Installation & Users Guide, mounting plate (45-45619) er Only - cable sold separately	360.00
SKU	SKU Type	SKU Description	List (\$)
MS7180-106-3	Non standard	Scanner: black w/ EAS, Full Speed USB/IBM USB, Installation & Users Guide , mounting plate (45-45619)	382.00
MS7180-38-3	Non standard	Scanner-only: black W/OUT EAS, low speed USB, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-41	Non standard	Scanner: light gray w/ EAS, RS232, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-41-3	Non standard	Scanner: black w/ EAS, RS232, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-47	Non standard	Scanner: light gray w/ EAS, KBW, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-47-3	Non standard	Scanner: black w/ EAS, KBW, Installation & Users Guide, mounting plate (45-45619)	382.00
Hardware - S	canner Onl	ly - cable sold separately	
		SKU Description	List
SKU	SKU Type	Cito Description	(\$)
MS7180-120-3		Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619)	(\$) 382.00
MS7180-120-3	Non standard	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619)	382.00
MS7180-120-3 Global Service Price is per u	Non standard	·	382.00 ent.
MS7180-120-3 Global Service	Non standard	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) ce Contracts (Price if service purchased within 30 days of product shipme	382.00 ent. he
MS7180-120-3 Global Servio Price is per u term.) sku	Non standard	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description	382.00 ent. he
MS7180-120-3 Global Service Price is per uterm.)	Non standard Ces - Service Init per year SKU Type	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipmenr, except for packages noted as 3 year or 5 year - those are per unit for the	382.00 ent. he
MS7180-120-3 Global Service is per unterm.) sku HSVC7100-SMS3 HSVC7100-SMS5 Global Service	Non standard ces - Service Init per year SKU Type Preorder Preorder Preorder Ces - Service	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year	382.00 ent. he List (\$) 40.00 70.00 ent.
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterprice is per u	Non standard ces - Service Init per year SKU Type Preorder Preorder Preorder Ces - Service	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year ce Contracts (Price if service purchased within 30 days of product shipments)	382.00 ent. he List (\$) 40.00 70.00 ent. he
Global Service HSVC7100-SMS3 HSVC7100-SMS5 Global Service Price is per unterm.)	Non standard Ces - Service Init per year SKU Type Preorder Preorder Ces - Service Init per year	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) ce Contracts (Price if service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year ce Contracts (Price if service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year or 5 year - those are per unit for the service purchased within 30 days of product shipmour, except for packages noted as 3 year	382.00 ent. he List (\$) 40.00 70.00 ent. he
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W	Non standard ces - Service Init per year SKU Type Preorder Preorder Ces - Service Init per year SKU Type Preorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) ce Contracts (Price if service purchased within 30 days of product shipmenr, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year ce Contracts (Price if service purchased within 30 days of product shipmenr, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service is per unterm.)	Non standard Ces - Service Init per year SKU Type Preorder Preorder Ces - Service Init per year SKU Type Preorder Preorder Ces - Post St., unless re	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipmenr, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipmenr, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the service purchased for the entire fleet of development of the service contracts. Must be purchased for the entire fleet of development of the service purchased for the entire fleet of development of the service contracts.	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices cover	Non standard Ces - Service Init per year SKU Type Preorder Preorder SKU Type Preorder Ces - Service Init per year SKU Type Preorder Ces - Post Standard Ces - Post Standard	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipmedr, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipmedr, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the product of the contract of the entire fleet of devote in good working condition prior to purchase.	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service is per unterm.)	Non standard Ces - Service Init per year SKU Type Preorder Preorder Ces - Service Init per year SKU Type Preorder Preorder Ces - Post St., unless re	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipmenr, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipmenr, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the service purchased for the entire fleet of development of the service contracts. Must be purchased for the entire fleet of development of the service purchased for the entire fleet of development of the service contracts.	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$) 15.00 of 3 vices.
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices cover	Non standard Ces - Service Init per year SKU Type Preorder Preorder SKU Type Preorder Ces - Service Init per year SKU Type Preorder Ces - Post Standard Ces - Post Standard	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the period of the entire fleet of devote in good working condition prior to purchased. SKU Description 7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$) List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices coversku E-HSVC7100-SMS1	Non standard Ces - Service Init per year SKU Type Preorder Preorder Ces - Service Init per year SKU Type Preorder Ces - Post St., unless recorder SKU Type Preorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Cale Service Contracts - Price is per unit per year & requires a minimum of the service purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description 7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	382.00 ent. he List (\$) 15.00 of 3 vices. List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices coversku E-HSVC7100-SMS1	Non standard ces - Service init per year SKU Type Preorder Preorder SKU Type Preorder Preorder Ces - Post St. unless received must be sku Type Preorder Preorder Ces - Post St. unless received must be sku Type Preorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the ending an existing contract. Must be purchased for the entire fleet of dependence on the entire fleet of dependence of the entire fleet of dependence or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service Contracts - Price is per unit per year & requires a minimum of the sale service contracts - Price is per unit per year	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$) 15.00 of 3 vices. List (\$)
Global Service is per unterm.) HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices coversku E-HSVC7100-SMS1 Global Service year contract year year contract year year contract year year year year year year year year	Non standard Ces - Service Init per year SKU Type Preorder Ces - Service Init per year SKU Type Preorder Ces - Post St., unless recorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) See Contracts (Price if service purchased within 30 days of product shipmen, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year See Contracts (Price if service purchased within 30 days of product shipmen, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the entire fleet of devote in good working condition prior to purchase. SKU Description 7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per yea	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$) 15.00 of 3 vices. List (\$)
Global Service is per unterm.) HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices coversku E-HSVC7100-SMS1 Global Service year contract year year contract year year contract year year year year year year year year	Non standard ces - Service init per year SKU Type Preorder ces - Service init per year SKU Type Preorder ces - Post St., unless recorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) See Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year See Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of the entire fleet of decide in good working condition prior to purchase. SKU Description 7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of SMS3	382.00 ent. he List (\$) 15.00 of 3 vices. List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices covers SKU E-HSVC7100-SMS1 Global Service year contract Devices covers SKU	Non standard Ces - Service Init per year SKU Type Preorder Ces - Service Init per year SKU Type Preorder Ces - Post St., unless recorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) See Contracts (Price if service purchased within 30 days of product shipmen, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year See Contracts (Price if service purchased within 30 days of product shipmen, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the entire fleet of devote in good working condition prior to purchase. SKU Description 7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per year & requires a minimum of the service Contracts - Price is per unit per yea	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$) 25.00 of 3 vices. List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices covers SKU E-HSVC7100-SMS1 Global Service year contract Devices covers SKU	Non standard ces - Service init per year SKU Type Preorder ces - Service init per year SKU Type Preorder ces - Post St., unless recorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) See Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year See Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of the entire fleet of decide in good working condition prior to purchase. SKU Description 7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the entire ground of SMS3	382.00 ent. he List (\$) 25.00 of 3 vices. List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices covers SKU E-HSVC7100-SMS1 Global Service year contract Devices covers SKU	Non standard ces - Service init per year SKU Type Preorder Preorder SKU Type Preorder Preorder Ces - Post St., unless reserved must be sku Type Preorder Ces - Post St., unless reserved must be sku Type Preorder Ces - Post St., unless reserved must be sku Type Preorder Preorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the product of the entire fleet of devote in good working condition prior to purchase. SKU Description 7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the product of the entire fleet of devote in good working condition prior to purchased for the entire fleet of devote in good working condition prior to purchased for the entire fleet of devote in good working condition prior to purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description	382.00 ent. he List (\$) 15.00 of 3 vices. List (\$)
MS7180-120-3 Global Service is per unterm.) SKU HSVC7100-SMS3 HSVC7100-SMS5 Global Service is per unterm.) SKU HSVC7100-W Global Service year contract Devices covers sku E-HSVC7100-SMS1 Global Service year contract Devices covers sku E-HSVC7100-W E-HSVC7100-W E-HSVC7100-W	Non standard ces - Service init per year SKU Type Preorder Preorder SKU Type Preorder Preorder Ces - Post St., unless reserved must be sku Type Preorder Ces - Post St., unless reserved must be sku Type Preorder Ces - Post St., unless reserved must be sku Type Preorder Preorder	Scanner only: black w/ EAS,USB, Installation & Users Guide, mounting plate (45-45619) Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 3-Year 7100 Orbit,SMS 1-day turnaround, comprehensive coverage, 5-Year Ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description 7100 Orbit Extended Warranty, 1-Year Sale Service Contracts - Price is per unit per year & requires a minimum of the product of the entire fleet of devote in good working condition prior to purchase. SKU Description 7100 Orbit, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3 Sale Service Contracts - Price is per unit per year & requires a minimum of the product of the entire fleet of devote in good working condition prior to purchased for the entire fleet of devote in good working condition prior to purchased for the entire fleet of devote in good working condition prior to purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description	382.00 ent. he List (\$) 40.00 70.00 ent. he List (\$) 25.00 of 3 vices. List (\$)



46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
Accessorie	es - Cables		
SKU	SKU Type	SKU Description	List (\$)
59-59000-3	Non standard	Cable: RS232, black, DB9, 2.9m (9.5), straight, 5V external power	11.55
59-59002-3	Non standard	Cable: KBW, black, 2.4m (7.9), straight, 5V external power	18.90
59-59084-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, host power	11.55
Accessorie	es - Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List (\$)
45-45619A	Non standard	Horizontal Hard Mount	CFQ

Scanning - QuantumT® 3580

SKU	SKU Type	SKU Description	List (\$)
MK3580-31A11	Non Standard	IBM 46xx Kit: black scanner (MS3580-11), standard square weighted base (70-74588), 2.4m (8) straight RS485 Port 9 cable (MVC-3MPS-IB9) and documentation	364.00
MK3580-31A38	Stocking	USB Kit: black scanner (MS3580-38), standard square weighted base (70-74588), 2.8m (9.2) straight USB Type A cable (54-54235-N-3) and documentation	364.00
MK3580-31A40	Non Standard	USB Kit: black scanner (MS3580-40), standard square weighted base (70-74588), 3m (9.8) straight 5V locking USB cable (54-54213x-N-3) and documentation	364.00
MK3580-31A47	Non standard	KBW Kit: black scanner (MS3580-47), standard square weighted base (70-74588), 2.4m (8) straight wedge KB cable (54-54002-N-3) and documentation	364.00
MK3580-31A62	Standard	RS232 Verifone Kit: black scanner (MS3580-62), standard square weighted base (70-74588), 3.3m (10.7) straight Ruby RS232 Verifone cable (MVC-3MPS-VR) and documentation	364.00
MK3580-31B41	Standard	RS232 Kit: black scanner (MS3580-41), standard square weighted base (70-74588), 2.9m (9.5) straight RS232 cable (59-59000-3), US power supply (46-00525) and documentation	364.00
MK3580-31B47	Non standard	KBW Kit: black scanner (MS3580-47), standard square weighted base (70-74588), 2.9m (9.5) straight wedge KB cable (59-59002-3), US power supply (46-00525) and documentation	364.00
MK3580-32A38	Standard	USB Kit: black scanner (MS3580-38), 3 flex stand (46-00288), 2.8m (9.2) straight USB Type A cable (54-54235-N-3) and documentation	364.00
MK3580-32A47	Non Standard	KBW Kit: black scanner (MS3580-47), 3 flex stand (46-00288), 2.4m (8) straight wedge KB cable (54-54002x-N-3) and documentation	364.00
MK3580-33A38	Non Standard	USB Kit: black scanner (MS3580-38), 6 flex stand (46-00289), 2.8m (9.2) straight USB Type A cable (54-54235-N-3) and documentation	364.00
MK3580-35A38	Non Standard	USB Kit: black scanner (MS3580-38), 3 flex w/oval base (46-00291), 2.8m (9.2) straight USB Type A cable (54-54235x-N-3) and documentation	364.00
MK3580-36A38	Non Standard	USB Kit: black scanner (MS3580-38), 6 flex w/oval base (46-00292), 2.8m (9.2) straight USB Type A cable (54-54235x-N-3) and documentation	364.00

SKU	SKU Type	SKU Description	List (\$)
MS3580-11	Non Standard	Scanner-only: weighted base, IBM 46xx RS485, Installation & Users Guide	353.00
MS3580-11-7	Non Standard	Scanner-only: weighted base, light gray, IBM 46xx RS485, Installation & Users Guide	353.00
MS3580-38	Non Standard	Scanner-only: weighted base, low speed USB, Installation & Users Guide	353.00
MS3580-38-7	Non Standard	Scanner-only: weighted base, light gray, low speed USB, Installation & Users Guide	353.00
MS3580-41	Non standard	Scanner-only: weighted base, RS232, Installation & Users Guide	353.00
MS3580-41/WN	Non Standard	Scanner: weighted base, black, RS232, Wincor certified configuration (cable sold separately)	353.00
MS3580-41-7	Non Standard	Scanner-only: weighted base, light gray, RS232, Installation & Users Guide	353.00
MS3580-47	Non standard	Scanner-only: weighted base, black, KBW, Installation & Users Guide	353.00
MS3580-47/WN	Non Standard	Scanner: weighted base, black, KBW, Wincor certified configuration (cable sold separately)	353.00
MS3580-47-7	Non Standard	Scanner-only: weighted base, light gray, KBW, Installation & Users Guide	353.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC3580-SMS3	Preorder	3580 QuantumT,SMS 1-day turnaround, comprehensive coverage, 3-Year	40.00
HSVC3580-SMS5	Preorder	3580 QuantumT, SMS 1-day turnaround, comprehensive coverage, 5-Year	70.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)



Hardware - Scanner Only - cable sold separately

SKU	SKU Type	SKU Description	List (\$)
HSVC3580-W	Preorder	3580 QuantumT Extended Warranty, 1-Year	15.00
		Sale Service Contracts - Price is per unit per year & requires a minimum o	
		enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	rices.
SKU	SKU Type	SKU Description	List (\$)
E-HSVC3580-SMS1	Preorder	3580 QuantumT, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	25.00
		Sale Service Contracts - Price is per unit per year & requires a minimum o	
		enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	vices.
SKU	SKU Type	SKU Description	List
= 1101/00=00 M/			(\$)
E-HSVC3580-W	Preorder	3580 QuantumT, Extended Warranty, annual, Post Sale	20.00
Accessories	- Power		
sku	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
Accessories	- Cables		
SKU	SKU Type	SKU Description	List (\$)
59-59000-3	Non standard	Cable: RS232, black, DB9, 2.9m (9.5), straight, 5V external power	11.55
59-59002-3	Non standard	Cable: KBW, black, 2.4m (7.9), straight, 5V external power	18.90
Accessories	- Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List (\$)
46-00288	Non standard	Stand: black, presentation scanning, 7.5cm (3) flex pole with mountable base for MS3580 QuantumT	26.25
46-00289	Non standard	Stand: black, presentation scanning, 15cm (6) flex pole with mountable base for MS3580 QuantumT	26.25

Scanning - Solaris™ 7820

Preorder

HSVC7820-SMS5

Hardware - k	Cit		
SKU	SKU Type	SKU Description	List (\$)
MK7820-00B38	Non standard	USB Kit: black scanner (MS7820-118) mounting plate (70-73050), 2.9 (9.5) straight USB Type A cable (5S-5S235-N-3), US power supply (46-00862) and documentation	518.00
MK7820-00B41	Non standard	RS232 Kit: black scanner (MS7820-118), mounting plate (70-73050), 2.9m (9.5) straight RS232 cable (5S-5S000-3), US power supply (46-00862) and documentation	518.00
MK7820-00B47	Non standard	KBW Kit: black scanner (MS7820-118), mounting plate (70-73050), 2.9m (9.5) straight wedge KB cable (5S-5S002-3), US power supply (46-00862) and documentation	518.00
MK7820-01B38	Non standard	USB Kit: black scanner (MS7820-118), mounting plate (70-73050), flex pole stand (46-00868), 2.9m (9.5) straight USB Type A cable (5S-5S235-3), US power supply (46-00862) and documentation	545.00
Hardware - S	Scanner On	ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
MS7820-118	Non standard	Scanner-only: dark gray, RS232-TTL/USB/KBW/IBM 46xx RS485, Installation & Users Guide	467.00
		ce Contracts (Price if service purchased within 30 days of product shipmed ar, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description	
		•	(\$)
HSVC7820-SMS3	Preorder	7820 Solaris,SMS 1-day turnaround, comprehensive coverage, 3 -Year	70.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

7820 Solaris, SMS 1-day turnaround, comprehensive coverage, 5-Year



110.00

SKU	SKU Type	SKU Description	List
HSVC7820-W	Preorder	7820 Solaris Extended Warranty, 1-Year	25.00
		V.	
year contract	t, unless re	Sale Service Contracts - Price is per unit per year & requires a minimum in Penewing an existing contract. Must be purchased for the entire fleet of de Once in good working condition prior to purchase.	
SKU	SKU Type	SKU Description	List (\$)
E-HSVC7820-SMS1	Preorder	7820 Solaris, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	30.00
Global Service	es - Post S	Sale Service Contracts - Price is per unit per year & requires a minimum	of 3
		enewing an existing contract. Must be purchased for the entire fleet of de	
		pe in good working condition prior to purchase.	
SKU	SKU Type	SKU Description	List (\$)
E-HSVC7820-W	Preorder	7820 Solaris, Extended Warranty, annual, Post Sale	25.00
Accessories	- Cables		
SKU	SKU Type	SKU Description	List (\$)
57-57499-3	Non standard	Cable: RS232 Aux, black, 10-pin RJ45, 12V external power	11.55
5S-5S000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), straight, 12V external power	11.55
5S-5S002-3	Non standard	Cable: KBW, black, 2.9m (9.5), straight, 12V external power	18.90
5S-5S213-N-3		Cable: USB, black, 12V locking, 2.9m (9.5), straight, host power	18.90
5S-5S235-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), straight, 12V external power	18.90
Accessories	- Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List (\$)
46-00868	Non standard	Stand: gray, presentation scanning, 15cm (6) flex pole with weighted base for MS7820 Solaris	26.25
46-00869	Non standard	Stand: gray, presentation scanning, 7.5cm (3) flex pole with weighted base and mounting option for MS7820 Solaris	26.25
Accessories	- Miscellar	neous	
SKU	SKU Type	SKU Description	List (\$)
46-00867	Non standard	Window: clear field replaceable protective outer window for MS7820 Solaris	28.35

Scanning - Stratos® 24xx

SKU	SKU Type	SKU Description	List (\$)
MK2420KD-10B140	Non Standard	USB Kit: 399 mm (15.7) scanner with Mettler scale (MS2420-105KD), diamonex platter with single flip-up bar (46-00296), 4.0 m (13) straight USB+PWR cable (57-57227-N-3), NA power supply (70-74868) and documentation	2091.00
MK2420KD-10B141	Non Standard	RS232 Kit: 399mm scanner with Mettler scale (MS2420-105KD), diamonex platter with single flip-up bar (46-00296), 3.7m straight DB9 cable (57-57210-N-3), NA power supply (70-74868) and documentation	2091.00
MK2430KD-10B238	Non standard	USB Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KD), diamonex platter with single flip-up bar, 4 m (13) USB Type A non-locking cable (57-57201-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (70-74868) and documentation	2091.00
MK2430KD-10B241	Non Standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KD), diamonex platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (70-74868) and documentation	2091.00
MK2430KD-11B141	Standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KD), diamonex platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210-N-3), NA power supply (70-74868), Mettler remote scale display in pounds (46-00375) and documentation	2273.00
MK2430KD-11B241	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KD), diamonex platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (70-74868), Mettler remote scale	2273.00
MK2430KS-11B141	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KS), sapphire platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210x-N-3), NA power supply (70-74868), Mettler remote scale display in pounds (46-00375) and documentation	2373.00
MK2430KS-11B241	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2430-105KS), sapphire platter with single flip-up bar, 3.7 m (12) straight DB9 cable (57-57210x-N-3), 3.7 m (12) straight DB9 cable (57-57000x-N-3), NA power supply (70-74868), Mettler remote scale	2373.00
MK2431ND-00B138	Non Standard	USB Kit: 508 mm (20) scanner (MS2431-105D), diamonex platter, 4 m (13) USB Type A non-locking cable (57-57201-N-3), NA power supply (70-74868) and documentation	1391.00



Hardware - So	anner On	ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
MS2431-105S	Non Standard	Scanner-only: 508 mm (20.0), Sapphire platter (46-01086), RS232/USB/IBM 46xx	644.00
		ce Contracts (Price if service purchased within 30 days of product shipmar, except for packages noted as 3 year or 5 year - those are per unit for t	
SKU	SKU Type	SKU Description	List (\$)
HSVC23/2420-SMS3 HSVC23/2420-SMS5	Preorder Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 3-Year Package Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 5-Year Package	415.00 695.00
Price is per ui term.)	nit per yea	ce Contracts (Price if service purchased within 30 days of product shipm ar, except for packages noted as 3 year or 5 year - those are per unit for t	
SKU	SKU Type	SKU Description	List (\$)
HSVC23/2420-W	Preorder	Stratos 2320/2420+Scale,Extended Warranty, annual	130.00
		ce Contracts (Price if service purchased within 30 days of product shipm ar, except for packages noted as 3 year or 5 year - those are per unit for t	
HSVC23/24XX-SMS3	Preorder		(\$) 275.00
HSVC23/24XX-SMS5	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 3-Year Package Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 5-Year Package	455.00
		ce Contracts (Price if service purchased within 30 days of product shipm ar, except for packages noted as 3 year or 5 year - those are per unit for t SKU Description	
HSVC23/24XX-W	Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual	90.00
	nit per yea	ce Contracts (Price if service purchased within 30 days of product shipm ar, except for packages noted as 3 year or 5 year - those are per unit for t	
SKU	SKU Type	SKU Description	List (\$)
HSVCBioptic-AE5	Preorder	Bioptic scanners Advanced Exchange Adder to SMS5 (Call for quote). 100 unit minimum.	CFQ
year contract,	unless re	Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of debe in good working condition prior to purchase. SKU Description	
E-HSVC23/2420-SMS1	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year	(\$)
		of hardware or on time renewal of SMS3	
year contract, Devices cove	unless re red must	Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of de be in good working condition prior to purchase.	vices.
SKU	SKU Type	SKU Description	(\$)
E-HSVC23/2420-W	Preorder	Stratos 2320/2420+Scale,Extended Warranty, annual, Post Sale	165.00
year contract, Devices cove	unless re red must	Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of de be in good working condition prior to purchase.	vices.
SKU	SKU Type	SKU Description	(\$)
E-HSVC23/24XX-SMS1	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	135.00



SKU	SKU Type	SKU Description	Lis (\$
E-HSVC23/24XX-W	Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale	110.00
Accessories	- Remote D	Displays	
SKU	SKU Type	SKU Description	Lis (\$
46-00375	Standard	Remote Display: Mettler Diva scale, single-line, pounds for MS2420/MS2430 Stratos and MS2320 StratosH	172.20
46-01075	Standard	Remote Display: Mettler Diva scale, single-line, kilograms for MS2420/MS2430 Stratos and MS2320 StratosH	172.20
Accessories	- Power		
SKU	SKU Type	SKU Description	Lis (\$
46-00980	Non Standard	Power Supply: NA plug, 2.5A @ 5.2VDC & 0.8A @ 12VDC, 220VAC - 240VAC @ 50-60Hz	47.25
70-74866	Non standard	Power Supply: No AC cord, 6-pin, 3.8A @ 5.2VDC & 1.5A @ 12VDC, 90-255AC @ 50-60 HZ	86.10
70-74868	Non standard	Power Supply: NA plug, 6-pin, 3.8A @ 5.2VDC & 1.5A @ 12VDC, 90-255AC @50-60 HZ	86.10
Accessories	- Cables		
	- Cables SKU Type	SKU Description	
SKU		SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight	(\$
SKU 52-52511	SKU Type	Cable: Checkpoint EAS, 0.6m (2.0), straight	(\$
SKU 52-52511 52-52556	SKU Type Non standard Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight	11.55 11.55
SKU 52-52511 52-52556 54-54004-3	SKU Type Non standard Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight	11.55 11.55 18.90
52-52511 52-52556 54-54004-3 57-57000-N-3	SKU Type Non standard Non standard Non Standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Aux. Port Cable (Black)	11.55 11.55 18.90 18.90
52-52511 52-52556 54-54004-3 57-57000-N-3 57-57008-N-3	Non standard Non standard Non Standard Non Standard Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Aux. Port Cable (Black) Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power	11.55 11.55 18.90 18.90 36.75
52-52511 52-52556 54-54004-3 57-57000-N-3 57-57008-N-3	Non standard Non standard Non Standard Non standard Non standard Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Aux. Port Cable (Black) Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse)	(\$ 11.55 11.55 18.90 18.90 36.75 11.55
52-52511 52-52556 54-54004-3 57-57000-N-3 57-57008-N-3 57-57099-3 57-57099-3-12	Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Aux. Port Cable (Black) Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse) Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse)	(\$ 11.55 11.55 18.90 18.90 36.75 11.55
52-52511 52-52556 54-54004-3 57-57000-N-3 57-57008-N-3 57-57099-3 57-57099-3-12 57-57201-N-3	SKU Type Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Aux. Port Cable (Black) Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse) Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse)	(\$ 11.55 11.55 18.90 18.90 36.75 11.55 11.55 11.55
52-52511 52-52556 54-54004-3 57-57000-N-3 57-57008-N-3 57-57099-3 57-57099-3-12 57-57201-N-3 57-57210-N-3	Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Aux. Port Cable (Black) Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse) Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse) Cable: USB, black, Type A, 4.0m (13.1), straight, no power with ferrite	(\$ 11.55 11.55 18.90 18.90 36.75 11.55 11.55 11.55 11.55
52-52511 52-52556 54-54004-3 57-57000-N-3 57-57008-N-3 57-57099-3	Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Aux. Port Cable (Black) Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse) Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse) Cable: USB, black, Type A, 4.0m (13.1), straight, no power with ferrite Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: USB, black, 12V locking, 4.0m (13.1), straight, no power	Lis (\$ 11.55 18.90 18.90 36.75 11.55 11.55 11.55 11.55
52-52511 52-52556 54-54004-3 57-57000-N-3 57-57008-N-3 57-57099-3 57-57099-3-12 57-57201-N-3 57-57210-N-3 57-57227-N-3	Non standard	Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Aux. Port Cable (Black) Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse) Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse) Cable: USB, black, Type A, 4.0m (13.1), straight, no power with ferrite Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: USB, black, 12V locking, 4.0m (13.1), straight, no power Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	(\$ 11.55 11.55 18.90 18.90 36.75 11.55 11.55 11.55 36.75

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3

Scanning - Stratos® 2700

Stocking

46-00359

		ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
2753-MD001	Standard	Stratos 2700 (Scanner/Scale): 508mm (20), Diamonex glass, standard platter, Mettler scale (single range - lbs), Checkpoint EAS Cable and power supplies separate	2618.00
2753-MD011	Stocking	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Diamonex glass, standard platter, Mettler scale (single range - lbs), Checkpoint EAS Cable and power supplies separate	2945.00
2753-MS011	Standard	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Sapphire glass, standard platter, Mettler scale (single range - lbs), Checkpoint EAS Cable and power supplies separate	3045.00
2753-MS013	Non standard	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Sapphire glass, standard platter, Mettler scale (single range - lbs), Sensormatic EAS Cable and power supplies separate	3427.00
2753-ND001	Standard	Stratos 2700 (Scanner/Scale): 508mm (20), Diamonex glass, standard platter, Mettler scale (single range - kg), Checkpoint EAS Cable and power supplies separate	2618.00
2753-ND011	Stocking	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Diamonex glass, standard platter, Mettler scale (single range - kg), Checkpoint EAS Cable and power supplies separate	2945.00
2753-NS011	Standard	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Sapphire glass, standard platter, Mettler scale (single range - kg), Checkpoint EAS Cable and power supplies separate	3045.00
2753-NS013	Non standard	Stratos 2700 (Scanner/Scale): 508mm (20), Camera display, Sapphire glass, standard platter, Mettler scale (single range - kg), Sensormatic EAS Cable and power supplies separate	3427.00

Wire Seal Kit: Mettler Diva Scale Calibration Switch

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)



18.90

SKU	SKU Type	SKU Description	List (\$)
HSVC2700NS-SMS3	Preorder	Stratos 2700 Scanner only , No Scale, 3-day Turn, Comprehensive, 3-Years	275.00
HSVC2700NS-SMS5	Preorder	Stratos 2700 Scanner only , No Scale, 3-day Turn, Comprehensive, 5-Years	455.00
HSVC2700WS-SMS3	Preorder	Stratos 2700 with Scale, 3-day Turn, Comprehensive, 3-Years	485.00
HSVC2700WS-SMS5	Preorder	Stratos 2700 with Scale, 3-day Turn, Comprehensive, 5-Years	815.00
		Sale Service Contracts - Price is per unit per year & requires a minimum of	
		enewing an existing contract. Must be purchased for the entire fleet of device in good working condition prior to purchase.	/ices.
SKU	SKU Type	SKU Description	List (\$)
E-HSVC2700NS-SMS1	Preorder	Stratos 2700 Scanner only, No Scale, 3-day Turn, Comprehensive, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3.	135.00
E-HSVC2700WS-SMS1	Preorder	Stratos 2700 with Scale, 3-day Turn, Comprehensive, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3.	245.00
		ice Contracts (Price if service purchased within 30 days of product shipmear, except for packages noted as 3 year or 5 year - those are per unit for the	
SKU	SKU Type	SKU Description	List (\$)
HSVC2700NS-W	Preorder	Stratos 2700 Scanner only , Extended Warranty, 1-Year	90.00
HSVC2700WS-W	Preorder	Stratos 2700 with Scale, Extended Warranty, 1-Year	150.00
year contract,	unless r	Sale Service Contracts - Price is per unit per year & requires a minimum of enewing an existing contract. Must be purchased for the entire fleet of device be in good working condition prior to purchase. SKU Description	
			(Ψ)
E-HSVC2700NS-W	Preorder	Stratos 2700 Scanner only , Extended Warranty, 1-Year, Post Sale	110.00

SKU	SKU Type	SNO Description	(\$)
E-HSVC2700NS-W	Preorder	Stratos 2700 Scanner only, Extended Warranty, 1-Year, Post Sale	110.00
E-HSVC2700WS-W	Preorder	Stratos 2700 with Scale, Extended Warranty, 1-Year, Post Sale	190.00
	<u> </u>		

Accessories - Cables				
SKU	SKU Type	SKU Description	List (\$)	
CBL-140-370-S20-BP	Stocking	Cable: Stratos RS232, black, DB9 female, 3.7m (12), straight cable	18.90	
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90	
CBL-530-370-S20-BP	Stocking	Cable: Stratos Powered Locking USB, black, 12v Locking, 3.7m (12), straight cable	18.90	
CBL-540-370-S20-BP	Stocking	Cable: Stratos Locking USB, black, 12v Locking, 3.7m (12), straight cable	18.90	
CBL-541-370-S20-BP	Stocking	Cable: Stratos Standard USB, black, Type A, 3.7m (12), straight cable	18.90	
CBL-640-370-S20-BP	Stocking	Cable: Stratos IBM 46xx, black, 3.7m (12), straight cable	18.90	

Scanning - StratosH 23xx

Hardware - K	it		
SKU	SKU Type	SKU Description	List (\$)
MK2320KD-60B138	Non standard	USB Kit: 508mm scanner with Mettler scale (MS2320-40KD), diamonex platter with weigh bar (46-46806), 3.7m straight USB Type A cable (57-57006-N-3), NA power supply (46-46812) and documentation	2409.00
MK2320KD-60B141	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812) and documentation	2409.00
MK2320KD-60B238	Non standard	USB Kit: 508 mm (20) scanner with Mettler scale (MS2320-40KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight USB Type A cable (57-57006-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812) and documentation	2409.00
MK2320KD-60B241	Standard	RS232 Kit: 508mm scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7m straight DB9 cable (57-57000-N-3), 3.7m straight DB9 cable (57-57000-N-3), NA power supply (46-46812) and documentation	2409.00
MK2320KD-61B140	Non standard	USB Kit: 508mm scanner with Mettler scale (MS2320-40KD), diamonex platter with weigh bar (46-46806), 2.7m straight USB+PWR cable (57-57200-N-3), NA power supply (46-46812), Mettler remote scale display in pounds (46-00375) and documentation	2591.00
MK2320KD-61B141	Non standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote scale display in pounds (46-00375) and documentation	2591.00
MK2320KD-61B238	Standard	USB Kit: 508 mm (20) scanner with Mettler scale (MS2320-40KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight USB Type A cable (57-57006-N-3), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote sca	2591.00
MK2320KD-61B241	Standard	RS232 Kit: 508 mm (20) scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7 m (12) straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote scale	2591.00



MK2320KD-61H141	Non standard	RS232 Kit: 508mm scanner with Mettler scale (MS2320-14KD), diamonex platter with weigh bar (46-46806), 3.7m straight DB9 cable (57-57000-N-3), NA power supply (46-46812), Mettler remote scale display in kilograms (46-00376) and documentation	2591.00
MK2320KD-61H241	Non standard		2591.00
MK2320KS-60B141	Non standard	_ · · · · •	2509.00
MK2321ND-60B138	Non standard		1618.00
MK2321ND-60B141	Non standard		1255.00
		ce Contracts (Price if service purchased within 30 days of product shipm	
Price is per ur term.)	nit per yea	r, except for packages noted as 3 year or 5 year - those are per unit for t	he
SKU	SKU Type	SKU Description	List
1101/000/0400 01400		0	(\$)
HSVC23/2420-SMS3	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 3-Year Package	415.00
HSVC23/2420-SMS5	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 5-Year Package	695.00
HSVC23/24XX-SMS3	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 3-Year Package	275.00
HSVC23/24XX-SMS5	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 5-Year Package	455.00
HSVCBioptic-AE5	Preorder	Bioptic scanners Advanced Exchange Adder to SMS5 (Call for quote). 100 unit minimum.	CFQ
Global Service	es - Post S	Sale Service Contracts - Price is per unit per year & requires a minimum	of 3
		the contract of the contract o	
		newing an existing contract. Must be purchased for the entire fleet of de	vices.
Devices cover		be in good working condition prior to purchase.	
SKU	SKU Type	SKU Description	List
			(\$)
E-HSVC23/2420-SMS1	Preorder	Stratos 2320/2420+Scale, 3-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year	ar 210.00
		of hardware or on time renewal of SMS3	
E-HSVC23/24XX-SMS1	Preorder	Stratos 2321/2421/2422/2431 Scanner only, 3-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	135.00
	•		
Global Service	es - Servic	ce Contracts (Price if service purchased within 30 days of product shipm	ent.
Price is per ur	nit per vea	ir, except for packages noted as 3 year or 5 year - those are per unit for t	he
term.)	,	.,	
SKU	SKU Type	SKU Description	List
SKO	SKO Type	SNO Description	
HSVC23/2420-W			(4)
	Proordor	Stratos 2220/2420 i Scala Extended Warrenty appual	130.00
	Preorder	Stratos 2320/2420+Scale,Extended Warranty, annual Stratos 2320/2421/2421/2423 Scanner only, Extended Warranty, annual	130.00
HSVC23/24XX-W	Preorder Preorder	Stratos 2320/2420+Scale,Extended Warranty, annual Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual	
HSVC23/24XX-W	Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual	130.00
HSVC23/24XX-W Global Service	Preorder es - Post S	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum	130.00 90.00 of 3
HSVC23/24XX-W Global Service year contract,	Preorder es - Post S unless re	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of de	130.00 90.00 of 3
HSVC23/24XX-W Global Service year contract, Devices cover	Preorder es - Post S unless re ed must b	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depoin good working condition prior to purchase.	130.00 90.00 of 3
HSVC23/24XX-W Global Service year contract,	Preorder es - Post S unless re	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of de	130.00 90.00 of 3 evices.
HSVC23/24XX-W Global Service year contract, Devices cover sku	Preorder es - Post S unless re ed must b	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of de per in good working condition prior to purchase. SKU Description	130.00 90.00 of 3
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W	Preorder es - Post S unless re ed must b	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of de per in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale	130.00 90.00 of 3 evices.
HSVC23/24XX-W Global Service year contract, Devices cover sku	Preorder es - Post S unless re red must b sku Type	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of de per in good working condition prior to purchase. SKU Description	130.00 90.00 of 3 evices.
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W	Preorder es - Post S unless re red must k sku Type Preorder Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale	130.00 90.00 of 3 evices. List (\$)
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W	Preorder es - Post S unless re red must k sku Type Preorder Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale	130.00 90.00 of 3 evices. List (\$)
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories -	Preorder es - Post S unless re red must k sku Type Preorder Preorder Miscellan	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale	130.00 90.00 of 3 evices. List (\$) 165.00 110.00
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W	Preorder es - Post S unless re red must k sku Type Preorder Preorder	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale	130.00 90.00 of 3 vices. List (\$) 165.00 110.00
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku	Preorder es - Post S unless re red must k sku Type Preorder Preorder Miscellan sku Type	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depe in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale,Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description SKU Description	130.00 90.00 of 3 vices. List (\$) 165.00 110.00
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359	Preorder es - Post Sunless recorder ed must k sku Type Preorder Preorder Miscellan sku Type Stocking	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch	130.00 90.00 of 3 vices. List (\$) 165.00 110.00
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku	Preorder es - Post S unless re red must k sku Type Preorder Preorder Miscellan sku Type	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depe in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale,Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description SKU Description	130.00 90.00 of 3 vices. List (\$) 165.00 110.00
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359	Preorder es - Post Sunless recorder ed must be sku Type Preorder Preorder Miscellant Sku Type Stocking Standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch	130.00 90.00 of 3 vices. List (\$) 165.00 110.00
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - SKU 46-00359 46-46889	Preorder es - Post Sunless recorder ed must be sku Type Preorder Preorder Miscellant Sku Type Stocking Standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch	130.00 90.00 of 3 vices. List (\$) 165.00 110.00
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - SKU 46-00359 46-46889	Preorder es - Post Sunless recorder ed must be sku Type Preorder Preorder Miscellant Sku Type Stocking Standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch	130.00 90.00 90.00 of 3 evices. List (\$) 165.00 110.00 List (\$)
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories -	Preorder es - Post Sunless re ed must k sku Type Preorder Preorder Miscellan Sku Type Stocking Standard Cables	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of decining good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories -	Preorder es - Post Sunless re ed must k sku Type Preorder Preorder Miscellan Sku Type Stocking Standard Cables	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depe in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description	130.00 90.00 90.00 of 3 evices. List (\$) 165.00 110.00 List (\$)
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku	Preorder es - Post Sunless red must it sku Type Preorder Preorder Miscellan Sku Type Stocking Standard Cables Sku Type	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of dece in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 28.35
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511	Preorder es - Post Sunless red must it sku Type Preorder Preorder Miscellan Sku Type Stocking Standard Cables Sku Type	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of debe in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 28.35 List (\$) 11.55
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511 52-52556	Preorder es - Post Sunless re unless re ed must k sku Type Preorder Preorder Miscellan Sku Type Stocking Standard Cables Sku Type Non standard Non standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 18.90 28.35 List (\$) 11.55 11.55
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511 52-52556 57-57000-N-3	Preorder es - Post sunless red must it sku Type Preorder Preorder Miscellan Sku Type Stocking Standard Cables Sku Type Non standard Non standard Non standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: IBM 46xx, black, 4-pin SDL, straight, no power	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 18.90 28.35 List (\$) 11.55 11.55 18.90
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511 52-52556 57-57000-N-3 57-57006-N-3	Preorder es - Post sunless reduncts redunct reducts reducted redu	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Cable: RS232, black, D89 female, 3.6m (11.8), straight, no power Cable: USB, black, Type A, 3.6m (11.8), straight, no power	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 18.90 28.35 List (\$) 11.55 18.90 18.90 11.55
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511 52-52556 57-57000-N-3 57-57006-N-3 57-57008-N-3 57-57008-N-3	Preorder Preorder Preorder Preorder Preorder Preorder Preorder Miscellan SKU Type Stocking Standard Cables SKU Type Non standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of decide in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: IBM 46xx, black, 4-pin SDL, straight, no power Cable: USB, black, Type A, 3.6m (11.8), straight, no power Cable: USB, black, Type A, 3.6m (11.8), straight, no power Cable: USB, black, Type A, 3.6m (11.8), straight, no power	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 18.90 28.35 List (\$) 11.55 18.90 18.90 11.55 36.75
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511 52-52556 57-57000-N-3 57-57004-N-3 57-57008-N-3 57-57099-3	Preorder es - Post sunless red must it sku Type Preorder Preorder Miscellan Sku Type Stocking Standard Cables Sku Type Non standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum enewing an existing contract. Must be purchased for the entire fleet of depering on the entire fleet of depering	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 18.90 28.35 List (\$) 11.55 18.90 18.90 11.55 18.90 11.55 18.90 11.55 11.55
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511 52-52556 57-57000-N-3 57-57004-N-3 57-57008-N-3 57-57099-3 57-57099-3 57-57099-3-12	Preorder Preorder Preorder Preorder Preorder Preorder Preorder Miscellan SKU Type Stocking Standard Cables SKU Type Non standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum newing an existing contract. Must be purchased for the entire fleet of debe in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: IBM 46xx, black, 4-pin SDL, straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power (voyager/eclipse) Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse)	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 18.90 28.35 List (\$) 11.55 18.90 18.90 11.55 11.55 11.55 11.55 11.55 11.55
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511 52-52556 57-57000-N-3 57-57004-N-3 57-57008-N-3 57-57099-3 57-57099-3 57-57099-3-12 57-57200-N-3	Preorder Preorder Preorder Preorder Preorder Preorder Preorder Miscellan SKU Type Stocking Standard Cables SKU Type Non standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum newing an existing contract. Must be purchased for the entire fleet of debe in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: RS232, black, D89 female, 3.6m (11.8), straight, no power Cable: IBM 46xx, black, 4-pin SDL, straight, no power Cable: USB, black, Type A, 3.6m (11.8), straight, no power Cable: RS232 Aux, black, 10-pin RJ45, 2.9m (9.5), straight, host power (voyager/eclipse) Cable: USB, black, 12V locking, 2.7m (8.9), straight, no power with ferrite	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 18.90 28.35 List (\$) 11.55 11.55 18.90 11.55 11.55 36.75 11.55 36.75
HSVC23/24XX-W Global Service year contract, Devices cover sku E-HSVC23/2420-W E-HSVC23/24XX-W Accessories - sku 46-00359 46-46889 Accessories - sku 52-52511 52-52556 57-57000-N-3 57-57004-N-3 57-57008-N-3 57-57099-3 57-57099-3-12	Preorder Preorder Preorder Preorder Preorder Preorder Preorder Miscellan SKU Type Stocking Standard Cables SKU Type Non standard	Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual Sale Service Contracts - Price is per unit per year & requires a minimum newing an existing contract. Must be purchased for the entire fleet of debe in good working condition prior to purchase. SKU Description Stratos 2320/2420+Scale, Extended Warranty, annual, Post Sale Stratos 2321/2421/2422/2431 Scanner only, Extended Warranty, annual, Post Sale SKU Description Wire Seal Kit: Mettler Diva Scale Calibration Switch Window: clear field replaceable vertical window for MS2300/MS2100 Stratos series SKU Description Cable: Checkpoint EAS, 0.6m (2.0), straight Cable: Checkpoint EAS, 1.8m (6.0), straight Cable: RS232, black, DB9 female, 3.6m (11.8), straight, no power Cable: IBM 46xx, black, 4-pin SDL, straight, no power Cable: StratosSchool, RS232 Aux, black, straight, host power (voyager/eclipse) Cable: RS232 Aux, black, 10-pin RJ45, 3.7m (12), straight, host power (voyager/eclipse)	130.00 90.00 90.00 of 3 vices. List (\$) 165.00 110.00 List (\$) 18.90 28.35 List (\$) 11.55 18.90 18.90 11.55 11.55 11.55 11.55 11.55



Accessories	s - Power		
SKU	SKU Type	SKU Description	List (\$)
46-46812	Preorder	Power Supply: NA plug, 1.5A @ 5.2VDC & 1.5A @ 12VDC, 90-255VAC @ 50-60Hz	47.25
70-74865	Non standard	Power Supply: No AC cord, 3-pin, 3.8A @ 5.2VDC & 1.5A @ 12VDC, 90-255AC @50-60 HZ	86.10
70-74867	Non standard	Power Supply: NA plug, 3-pin, 3.8A @ 5.2VDC & 1.5A @ 12VDC, 90-255AC @50-60 HZ	86.10
Accessories	s - Remote D	Displays Control of the Control of t	
SKU	SKU Type	SKU Description	List (\$)
46-00375 46-01075	Standard Standard	Remote Display: Mettler Diva scale, single-line, pounds for MS2420/MS2430 Stratos and MS2320 StratosH Remote Display: Mettler Diva scale, single-line, kilograms for MS2420/MS2430 Stratos and MS2320 StratosH	172.20 172.20
	1	osS® 22xx	172.20
Accessories			
SKU	SKU Type	SKU Description	List (\$)
54-54004-3	Non Standard	Aux. Port Cable (Black)	18.90
Scannin Hardware -		ger® 1200g	
SKU	SKU Type	SKU Description	List
		·	(\$)
1200g-1KBW-1	Non standard	KBW Kit: 1D, ivory scanner (1200g-1), rigid presentation stand (STND-19R02-002-4), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	210.00
1200g-1USB-1	Standard	USB Kit: 1D, ivory scanner (1200g-1), rigid presentation stand (STND-19R02-002-4), USB Type A 3m coiled cable (CBL-500-300-C00) and documentation	210.00
1200g-2KBW-1	Standard	KBW Kit: 1D, black scanner (1200g-2), rigid presentation stand (STND-19R02-002-4), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	210.00
1200g-2USB-1	Stocking	USB Kit: 1D, black scanner (1200g-2), rigid presentation stand (STND-19R02-002-4), USBType A 3m coiled cable (CBL-500-300-C00) and documentation	210.00
Hardware -	Scanner On	y - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
1200g-1	Standard	Scanner only: 1D, ivory, RS232/USB/KBW/IBM	175.00
1200g-2	Standard	Scanner only: 1D, black, RS232/USB/KBW/IBM	175.00
	unit per yea	e Contracts (Price if service purchased within 30 days of product shipmer, except for packages noted as 3 year or 5 year - those are per unit for th	
SKU	SKU Type	SKU Description	List (\$)
HSVC1200g-SMS5	Preorder	Voyager 1200G, 1 DAY, COMPREHENSIVE, 5YR	30.00
Accessories	s - Power		
SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
Accessories	s - Cables		
SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90



CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90
Accessories -	Stands/H	olders	
SKU	SKU Type	SKU Description	List (\$)
HOLDER-004-U	Non standard	Holder: desktop/wall mount	18.90
HOLDER-005-W	Non standard		18.90
STND-19R02-002-4	Non standard		18.90
STND-23F02-002-4	Non standard		26.25
STND-23F03-002-4	Non standard		37.80
Accessories -	Miscellan	eous	
SKU	SKU Type	SKU Description	List
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	(\$) 46.20
Accessories -	Cables		
SKU	SKU Type	SKU Description	List
			(\$)
CBL-320-300-C00	Non standard		18.90
CBL-500-150-S00	Non standard	71 (7 0	10.91
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
Software - Soft of 10 licenses		enses includes 1yr Maintenance & Support - new customers minimum ord	ler
SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ
Software - So	ftware Ma	intenance & Support Extensions and Renewals	
SKU	SKU Type	SKU Description	List (\$)
	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO			
REM-MNT-SCAN-1MO-	R Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60

Hardware -	Kit		
SKU	SKU Type	SKU Description	List (\$)
1202g-1USB-5	Standard	USB Kit: ivory BT 10m scanner (1202g-1), charge & communication base (CCB00-010BT-01N), USB Type A 3m straight cable (CBL-500-300-S00), and documentation	515.00
1202g-2USB-5	Stocking	USB Kit: black BT 10m scanner (1202g-2), charge & communication base (CCB00-010BT-01N), USB Type A 3m straight cable (CBL-500-300-S00), and documentation	515.00
Hardware -	Scanner On	ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
1202g-1	Non standard	Scanner only: 1D, ivory, RS232/USB/KBW/IBM, Bluetooth 10m	342.00



CKU Decemination

CKII Tura

CIZII

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment	:.
Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the	
term.)	

SKU	SKU Type	Sko bescription	(\$)
HSVC1202k-SMS3	Preorder	Voyager 1202+base, SMS, 1-day turnaround, Comprehensive coverage, 3-Year Package	85.00
HSVC1202k-SMS5	Preorder	Voyager 1202+base, SMS, 1-day turnaround, Comprehensive coverage, 5-Year Package	165.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1202k-W	Preorder	Voyager 1202+base, Extended Warranty, Annual	40.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	Sku Description	(\$)
E-HSVC1202k-SMS1	Preorder	Voyager 1202+base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List
			(\$)
E-HSVC1202k-W	Preorder	Voyager 1202+base, Extended Warranty, Annual, Post Sale	45.00

Accessories - Chargers

SKU	SKU Type	SKU Description	List (\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
PS-05-1000W-A	Non standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90



CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.7
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90
Accessories	- Stands/H	olders	
sku	SKU Type	SKU Description	Lis (\$
HOLDER-005-W	Non standard	Holder: wall mount hook	18.90
Accessories	- Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	Lis (\$
CCB00-010BT-01N	Non standard	10m BT Charge/Comm base (only; cable and power must be purchased separately)	162.75
Accessories	- Cables		
SKU	SKU Type	SKU Description	Lis (\$
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
Software - So of 10 licenses		enses includes 1yr Maintenance & Support - new customers minimum ord	der
SKU	SKU Type	SKU Description	Lis (\$
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFC
Software - So	ftware Ma	intenance & Support Extensions and Renewals	
sku	SKU Type	SKU Description	Lis (\$
	Ctondord	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new	0.50
REM-MNT-SCAN-1MO	Standard	device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	
REM-MNT-SCAN-1MO		device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for	0.60

Hardware - Kit					
sku	SKU Type	SKU Description	List (\$)		
1250g-1USB Non standard USB Kit: 1D, ivory scanner (1250g-1), no presentation stand, USB Type A 3m coiled cable (CBL-500-30d documentation		7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	173.00		
1250g-2KBW-1	Non standard	KBW Kit: 1D, black scanner (1250g-2), flex neck presentation stand (STND-15F03-009-4), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation	198.00		
1250g-2USB	Standard	USB Kit: 1D, black scanner (1250g-2), no presentation stand, USB Type A 3m coiled cable (CBL-500-300-C00) and documentation	173.00		
1250g-2USB-1	2USB-1 Stocking USB Kit: 1D, black scanner (1250g-2), flex neck presentation stand (STND-15F03-009-4), USB Type A 3m coiled c (CBL-500-300-C00) and documentation		198.00		

Hardware - Scanner Only - cable sold separately					
SKU	SKU Type	SKU Description	List (\$)		
1250g-1	Non standard	Scanner only: 1D, ivory, RS232/USB/KBW/IBM	155.00		
1250g-2	Non standard	Scanner only: 1D, black, RS232/USB/KBW/IBM	155.00		

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the



SKU	SKU Type	SKU Description	List (\$)
HSVC1250-SMS5	Preorder	Voyager 1250g, 1 day turn around, comprehensive coverage, 5 year plan	30.00
Accessories -	Power		
SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
Accessories -	Cables		
SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-500-C00 CBL-600-400-C00	Stocking Non standard	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	36.75 63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90
Accessories -	- Stands/H	·	
SKU	SKU Type	SKU Description	List
HOLDER-009-U	Non standard	Holder: Universal holder (desk or wall)	18.90
STND-15F03-009-4	Non standard	Stand: gray, 15cm (6) flexible rod, weighted mid-sized universal base, Voyager 1250 cup	26.25
Accessories -	Cables		
SKU	SKU Type	SKU Description	List (\$)
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-500-150-S00		USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
Software - So of 10 licenses		enses includes 1yr Maintenance & Support - new customers minimum ord	ler
SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ
Software - So	ftware Ma	intenance & Support Extensions and Renewals	
SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-	R Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Voyager® 1400g

Hardware - Scanner Only - cable sold separately



SKU	SKU Type	SKU Description	List (\$)
1400G1D-1	Non standard	Scanner Only: Omni-directional, 1D, ivory, RS232/USB/KBW/IBM	202.00
1400g1D-2	Stocking	Scanner Only: Omni-directional, 1D, black, RS232/USB/KBW/IBM	202.00
1400G2D-1	Non standard	Scanner Only: Omni-directional 1D, PDF417, 2D, ivory, RS232/USB/KBW/IBM	320.00
1400g2D-2	Stocking	Scanner Only: Omni-directional 1D, PDF417, 2D, black, RS232/USB/KBW/IBM	320.00
1400GPDF-1	Non standard	Scanner Only: Omni-directional 1D, PDF417, ivory, RS232/USB/KBW/IBM	256.00
1400gPDF-2	Non standard	Scanner Only: Omni-directional 1D, PDF417, black, RS232/USB/KBW/IBM	256.00
Hardware - Kit	t		
SKU	SKU Type	SKU Description	List
5.1.5	one type	Cité Boostiphon	(\$)
1400g1D-2USB	Standard	USB Kit: Omni-directional, 1D, black, USB Type A 1.5m straight cable (CBL-500-150-S00)	220.00
1400g1D-2USB-1	Stocking	USB Kit: Omni-directional, 1D, black, rigid presentation stand (STND-19R02-002-4), USB Type A 1.5m straight cable	238.00
4.400~0D 0LICD	Ctondord	(CBL-500-150-S00)	220.00
1400g2D-2USB 1400g2D-2USB-1	Standard Stocking	USB Kit: Omni-directional 1D, PDF417, 2D, black, USB Type A 1.5m straight cable (CBL-500-150-S00) USB Kit: Omni-directional 1D, PDF417, 2D, black, rigid presentation stand (STND-19R02-002-4), USB Type A 1.5m straight	338.00 356.00
1400g2D-203B-1	Stocking	cable (CBL-500-150-S00)	330.00
1400gPDF-2USB	Non standard	USB Kit: Omni-directional 1D, PDF417, black, USB Type A 1.5m straight cable (CBL-500-150-S00)	275.00
1400gPDF-2USB-1	Standard	USB Kit: Omni-directional 1D, PDF417, black, rigid presentation stand (STND-19R02-002-4), USB Type A 1.5m straight cable (CBL-500-150-S00)	293.00
Global Sorvice	os - Sorvic	ce Contracts (Price if service purchased within 30 days of product shipme	nt
		ir, except for packages noted as 3 year or 5 year - those are per unit for th	
· ·	iit per yea	ii, except for packages noted as 3 year of 3 year - those are per unit for th	E
term.)	01/11 T	OWLD 1.4	
SKU	SKU Type	SKU Description	List (\$)
HSVC1400g-SMS3	Preorder	Voyager 1400G, 1 DAY, COMPREHENSIVE, 3YR	35.00
HSVC1400g-SMS5	Preorder	Voyager 1400G, 1 DAY, COMPREHENSIVE, 5YR	70.00
Global Sarvice	ne Boet 9	Sale Service Contracts - Price is per unit per year & requires a minimum o	f 2
		taran da antara da la companya da antara	
		newing an existing contract. Must be purchased for the entire fleet of dev	ices.
		pe in good working condition prior to purchase.	
SKU	SKU Type	SKU Description	List (\$)
E-HSVC1400g-SMS1	Preorder	Voyager 1400G, 1 DAY, COMPREHENSIVE, 1YR	25.00
Accessories -	Cables		
Accessories	Cabics		
SKU	SKU Type	SKU Description	List
ODI 000 000 000		0.11 P0000 (5) (1 1 1 1 1 P00 5 1 1 0 (9.0) 11 15) (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(\$)
CBL-020-300-C00 CBL-120-300-C00	Standard Non standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90 36.75
CBL-120-300-C00	NOIT Startuaru	Cable: N3232C (+/-12V signals), black, bbs Female, 3m (9.6), colled, 3V external power with option for host power on pin s	30.73
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible	18.90
		(dependent upon scanner and Stratos models)	
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00 CBL-GIL-300-S00-02	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard Non standard	Cable: RS232 (5V signals), Glibarco terminal, black, DB9 Female, 3m (9.8), straight Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power	
	- Non Standard	on pin 1	10.30
Accessories -	Power		
SKU	SKU Type	SKU Description	List
UNU	ono rype	ONO DESCRIPTION	(\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65



SKU	SKU Type	SKU Description	Li: (:
HOLDER-004-U	Non standard	Holder: desktop/wall mount	18.9
HOLDER-005-W	Non standard	Holder: wall mount hook	18.9
STND-19R02-002-4	Non standard	Stand: gray, 19cm (7.5) stand height, rigid Voyager-like plastic pole, weighted tripod base, Voyager 1200 cup	18.9
STND-23F02-002-4	Non standard	Stand: gray, 23cm (9) stand height, flexible rod, weighted tripod base, Voyager 1200 cup	26.2
STND-23F03-002-4	Non standard	Stand: gray, 23cm (9) stand height, flexible rod, weighted mid-sized universal base, Voyager 1200 cup	37.8
Software - So	ftware		
SKU	SKU Type	SKU Description	Lis (\$
SW-2D-scanner	Standard	Software: 2D license key for Voyager 1400g series of products	127.0
SW-PDF-scanner	Preorder	Software: PDF417 license key for Voyager 1400g series of products	64.0
of 10 licenses		enses includes 1yr Maintenance & Support - new customers minimum or SKU Description	uer
		·	
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.0
REM-CLIENT-SCAN REM-SERVER	Standard Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included Remote MasterMind - Server License (mandatory for all new customers - no charge)	(\$
REM-SERVER	Standard	, , , , , , , , , , , , , , , , , , , ,	19.0
Software - So	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	() 19.0 CF
Software - So	Standard ftware Mai	Remote MasterMind - Server License (mandatory for all new customers - no charge) intenance & Support Extensions and Renewals	(\$ 19.0 CF(
REM-SERVER	Standard ftware Mai SKU Type Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge) intenance & Support Extensions and Renewals SKU Description Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for	19.0

Scanning - Voyager® 9520

SKU	SKU Type	SKU Description	Lis
			(\$
MK9520-32A00	Non standard	RS232 LSO Kit: black scanner (9520-00-3), stand (46-46128E), coiled PowerLink cable (53-53109-3) and documentation	200.00
MK9520-32A38	Stocking	USB Kit: black scanner (MS9520-38-3), stand (46-46128E), coiled low speed USB direct cable (53-53235-N-3) and documentation	200.00
MK9520-32A47	Non standard	KBW Kit: black scanner (MS9520-47-3), stand (46-46128E), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9520-32A62	Non standard	RS232 Verifone Kit: black scanner (MS9520-62-3), stand (46-46128E), 1.8m coiled Veri-Ruby 10 pin RJ45 male cable (MVC-3MPS-VR) and documentation	200.00
MK9520-32B41	Standard	RS232 Kit: black scanner (MS9520-41-3), stand (46-46128E), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	200.00
MK9520-32B47	Non standard	KBW Kit: black scanner (MS9520-47-3), stand (46-46128E), US power supply (46-00525), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9520-37A38	Standard	USB Kit: black scanner (MS9520-38-3), stand (46-46128 and 46-46351), coiled low speed USB direct cable (53-53235-N-3) and documentation	207.00
MK9520-37A47	Non standard	KBW Kit: black scanner (MS9520-47-3), stand (46-46128 and 46-46351), coiled KBW PowerLink cable (53-53002-3) and documentation	207.00
MK9520-72A38	Stocking	USB Kit: light gray scanner (MS9520-38), stand (46-46128), coiled low speed USB direct cable (53-53235-N-3) and documentation	200.00
MK9520-72A47	Non standard	KBW Kit: light gray scanner (MS9520-47), stand (46-46128), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9520-72B41	Standard	RS232 Kit: light gray scanner (MS9520-41), stand (46-46128), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	200.00
MK9520-72B47	Non standard	KBW Kit: light gray scanner (MS9520-47), stand (46-46128), US power supply (46-00525), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9520-77B41	Non standard	RS232 Kit: light gray scanner (MS9520-41), stand (46-46128 and 46-46351), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	207.00
Hardware -	Scanner Onl	ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
MS9520-00	Non standard	Scanner-only: light gray, laser emulation, Installation & Users Guide	171.00
MS9520-11	Non standard	Scanner-only: light gray, IBM 46xx RS485, Installation & Users Guide	171.00



MS9520-11-3	Non standard	Scanner-only: black, IBM 46xx RS485, Installation & Users Guide	171.00
MS9520-38	Non standard	Scanner-only: light gray, low speed USB, Installation & Users Guide	171.00
MS9520-38-3	Non standard	Scanner-only: black, low speed USB, Installation & Users Guide	171.00
MS9520-40	Non standard	Scanner-only: light gray, full speed USB, Installation & Users Guide	171.00
MS9520-40-3	Non standard	Scanner-only: black, full speed USB, Installation & Users Guide	171.00
MS9520-41	Non standard	Scanner-only: light gray, RS232, Installation & Users Guide	171.00
MS9520-41-3	Non standard	Scanner-only: black, RS232, Installation & Users Guide	171.00
MS9520-47	Non standard	Scanner-only: light gray, KBW, Installation & Users Guide	171.00
MS9520-47-3	Non Standard	Scanner-only: black, KBW, Installation & Users Guide	171.00
		ce Contracts (Price if service purchased within 30 days of product s ir, except for packages noted as 3 year or 5 year - those are per unit	
SKU	SKU Type	SKU Description	Lis (\$)
HSVC9520/40-SMS5	Preorder	9520/40 Voyager, SMS 1-day turnaround, comprehensive coverage, 5-Year	30.00
Accessories	- Power		
SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
Accessories	- Cables		
SKU	SKU Type	SKU Description	List (\$)
53-53000-3	Non standard	Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power	11.55
53-53002-N-3	Non standard	Cable: KBW, black, 2.9m (9.5), coiled, host power	18.90
53-53020-3	Non standard	Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power	18.90
53-53213-N-3		Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power	36.75
53-53235-N-3	Non standard	Cable: USB, black, Type A, 2.9m (9.5), coiled, host power	18.90
MVC-3MPC-IB9		Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host power	36.75
Accessories	- Stands/H	olders/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List (\$)
46-46128	Non standard	Stand: gray, presentation scanning, 15cm (6) rigid pole for MS9520 Voyager and MS9540 VoyagerCG	18.90
40,40400.0		Stock block proportion contains 45 pp. (4) sink place for MCOSTO Very and MCOSTO Very and CO	40.00

Scanning - VoyagerCG 9540

SKU	SKU Type	SKU Description	List (\$)
MK9540-32A00	Non standard	RS232 LSO Kit: black scanner (9540-00-3), stand (46-46128), coiled PowerLink cable (53-53109-3) and documentation	200.00
MK9540-32A38	Stocking	USB Kit: black scanner (9540-38-3), stand (46-46128), coiled low speed USB direct cable (53-53235-N-3) and documentation	200.00
MK9540-32A47	Non standard	KBW Kit: black scanner (9540-47-3), stand (46-46128), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9540-32A62	Non standard	RS232 Verifone Kit: black scanner (MS9540-62-3), stand (46-46128), 1.8m coiled Veri-Ruby 10 pin RJ45 male cable (MVC-3MPS-VR) and documentation	200.00
MK9540-32B41	Standard	RS232 Kit: black scanner (MS9540-41-3), stand (46-46128), US power supply (46-00525), coiled RS232 PowerLink cable (53-53089C-3) and documentation	200.00
MK9540-32B47	Non standard	KBW Kit: black scanner (MS9540-47-3), stand (46-46128), US power supply (46-00525), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9540-37A38	Non standard	USB Kit: black scanner (MS9540-38-3), stand (46-46128 and 46-46351), coiled low speed USB direct cable (53-53235-N-3) and documentation	207.00
MK9540-37A47	Non standard	KBW Kit: black scanner (MS9540-47-3), stand (46-46128 and 46-46351), coiled KBW PowerLink cable (53-53002-3) and documentation	207.00
MK9540-72A11	Non standard	IBM 46xx Kit: light gray scanner (MS9540-11), stand (46-46128), 1.8m coiled RS485 Port 9 cable (MVC-3MPC-IB9) and documentation	200.00
MK9540-72A38	Stocking	USB Kit: light gray scanner (MS9540-38), stand (46-46128), coiled low speed USB direct cable (53-53235-N-3) and documentation	200.00
MK9540-72A40	Non standard	USB Kit: light gray scanner (MS9540-40), stand (46-46128), coiled 5V Locking PlusPower USB cable (53-53213-N-3-FR) and documentation	200.00
MK9540-72A47	Non standard	KBW Kit: light gray scanner (MS9540-47), stand (46-46128), coiled KBW PowerLink cable (53-53002-3) and documentation	200.00
MK9540-72A48	Non standard	KBW Kit: light gray scanner (MS9540-47), stand (46-46128), coiled stand-alone KBW PowerLink cable (53-53020-3) and documentation	200.00

Non standard Stand: black, presentation scanning, 15cm (6) rigid pole for MS9520 Voyager and MS9540 VoyagerCG

Non standard Stand: gray, wall mount hanger for MS9520 Voyager and MS9540 VoyagerCG

Non standard Stand: gray, presentation scanning with hard mount option, 15cm (6) rigid pole for MS9520 Voyager and MS9540



18.90

18.90

18.90

46-46128-3

46-46351

46-46508

MK9540-72B47 Non standard KBW Kit: light gray scanner (MS9540-47), stand (46-46128), US power standard (53-53002-3) and documentation MK9540-77A38 Non standard USB Kit: light gray scanner (MS9540-38), stand (46-46128 and 46-46351) (53-53235-N-3) and documentation MK9540-77B41 Non standard RS22 Kit: light gray scanner (MS9540-41), stand (46-46128 and 46-46351) (53-53235-N-3) and documentation Hardware - Scanner Only - cable sold separately SKU SKU Type SKU Description MS9540-00 Non standard Scanner-only: light gray, laser emulation, Installation & Users Guide MS9540-00-3 Non standard Scanner-only: light gray, IBM 46xx RS485, Installation & Users Guide MS9540-11-3 Non standard Scanner-only: light gray, low speed USB, Installation & Users Guide MS9540-38-3 Non Standard Scanner-only: light gray, low speed USB, Installation & Users Guide MS9540-40 Non Standard Scanner-only: light gray, USB Full Speed MS9540-40-3 Non standard Scanner-only: light gray, USB Full Speed USB, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, full speed USB, Wincor certified configuration, In MS9540-41-3 Non standard Scanner-only: light gray, Full Speed USB, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, Full Speed USB, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, Full speed USB, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, RS232, Users Guide MS9540-41-3 Non standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, In Speado-41-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration MS9540-47-3 Non standard Scanner-only: light gray, RS232, Installation	stallation & Users Guide	200.00 207.00 207.00 207.00 List (\$) 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00
(53-53235-N-3) and documentation RS232 Kit: light gray scanner (MS9540-41), stand (46-46128 and 46-4632 PowerLink cable (53-53000-3) and documentation Hardware - Scanner Only - cable sold separately SKU SKU Type SKU Description SKU Type SKU Description MS9540-00 Non standard Scanner-only: light gray, laser emulation, Installation & Users Guide MS9540-00-3 Non standard Scanner-only: black, laser emulation, Installation & Users Guide MS9540-11 Non standard Scanner-only: light gray, IBM 46xx RS485, Installation & Users Guide MS9540-38 Non Standard Scanner-only: light gray, low speed USB, Installation & Users Guide MS9540-38-3 Non standard Scanner-only: light gray, low speed USB, Installation & Users Guide MS9540-40WN Non Standard Scanner-only: light gray, USB Full Speed MS9540-40WN Non Standard Scanner-only: light gray, full speed USB, Mincor certified configuration, In MS9540-41-3 Non standard Scanner-only: light gray, Full speed USB, Installation & Users Guide MS9540-41/WN Non Standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, RS232, Unicor certified configuration, Installation MS9540-41-3 Non standard Scanner-only: light gray, RS232, Unicor certified configuration, Installation MS9540-41-3 Non standard Scanner-only: light gray, RS232, Unicor certified configuration, Installation MS9540-41-3 Non standard Scanner-only: light gray, RS232, Unicor certified configuration, Installation MS9540-41-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified co	stallation & Users Guide	207.00 List (\$) 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00
Hardware - Scanner Only - cable sold separately SKU SKU Type SKU Description MS9540-00 Non standard Scanner-only: light gray, laser emulation, Installation & Users Guide MS9540-00-3 Non standard Scanner-only: black, laser emulation, Installation & Users Guide MS9540-11 Non standard Scanner-only: light gray, IBM 46xx RS485, Installation & Users Guide MS9540-31 Non Standard Scanner-only: light gray, low speed USB, Installation & Users Guide MS9540-38 Non Standard Scanner-only: light gray, low speed USB, Installation & Users Guide MS9540-38-3 Non standard Scanner-ight gray, USB Full Speed MS9540-40 Non Standard Scanner: light gray, USB Full Speed MS9540-40-3 Non standard Scanner-only: light gray, full speed USB, Installation & Users Guide MS9540-41 Non standard Scanner-only: light gray, full speed USB, Installation & Users Guide MS9540-41 Non standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, RS232, Wincor certified configuration, Installation MS9540-41 Non standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, KBW, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, KBW, Installation & Users Guide	stallation & Users Guide	List (\$) 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00
MS9540-00 Non standard Scanner-only: light gray, laser emulation, Installation & Users Guide MS9540-00-3 Non standard Scanner-only: black, laser emulation, Installation & Users Guide MS9540-11 Non standard Scanner-only: light gray, IBM 46xx RS485, Installation & Users Guide MS9540-11-3 Non standard Scanner-only: black, IBM 46xx RS485, Installation & Users Guide MS9540-38 Non Standard Scanner-only: black, IBM 46xx RS485, Installation & Users Guide MS9540-38 Non standard Scanner-only: black, low speed USB, Installation & Users Guide MS9540-38-3 Non standard Scanner-only: black, low speed USB, Installation & Users Guide MS9540-40 Non Standard Scanner: light gray, USB Full Speed MS9540-40/WN Non Standard Scanner-only: light gray, full speed USB, Wincor certified configuration, In MS9540-40-3 Non standard Scanner-only: black, full speed USB, Installation & Users Guide MS9540-41 Non standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41/WN Non Standard Scanner-only: black, RS232, Installation & Users Guide MS9540-41-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified	n & Users Guide	(\$) 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00
MS9540-00 Non standard MS9540-00-3 Non standard MS9540-11 Non standard MS9540-11 Non standard MS9540-11-3 Non standard MS9540-38 Non Standard MS9540-38 Non standard MS9540-40 MS9540-40 MS9540-40 MS9540-40 MS9540-40 MS9540-40-3 Non standard MS9540-41 Non standard MS9540-41 Non standard MS9540-41 Non standard MS9540-41-3 Non standard MS9540-41-3 Non standard MS9540-47 Non standard MS9540-47 Non standard MS9540-47 Non standard MS9540-47-3 No	n & Users Guide	(\$) 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00
MS9540-00-3 Non standard MS9540-11 Non standard MS9540-11 Non standard MS9540-11-3 Non standard MS9540-38 Non Standard MS9540-38 Non Standard MS9540-38-3 Non Standard MS9540-40 MS9540-40 MS9540-40 MS9540-40-30 Non Standard MS9540-40-31 Non standard MS9540-40-31 Non standard MS9540-41 Non Standard MS9540-41 Non Standard MS9540-41/WN Non Standard MS9540-41-3 Non Standard MS9540-41-3 Non Standard MS9540-47 Non Standard MS9540-47 Non standard MS9540-47 Non standard MS9540-47-3 Non standard MS954	n & Users Guide	171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00 171.00
MS9540-00-3 Non standard MS9540-11 Non standard MS9540-11 Non standard MS9540-11-3 Non standard MS9540-38 Non Standard MS9540-38 Non Standard MS9540-38-3 Non Standard MS9540-40 MS9540-40 MS9540-40 MS9540-40-30 Non Standard MS9540-40-31 Non standard MS9540-40-31 Non standard MS9540-41 Non Standard MS9540-41 Non Standard MS9540-41/WN Non Standard MS9540-41-3 Non Standard MS9540-41-3 Non Standard MS9540-47 Non Standard MS9540-47 Non standard MS9540-47 Non standard MS9540-47-3 Non standard MS954	n & Users Guide	171.00 171.00 171.00 171.00 182.00 171.00 171.00 171.00
MS9540-11-3 Non standard MS9540-38 Non Standard MS9540-38-3 Non standard MS9540-40 Non Standard MS9540-41 Non standard MS9540-41 Non Standard MS9540-41-3 Non Standard MS9540-41-3 Non Standard MS9540-41-3 Non Standard MS9540-41 Non Standard MS9540-47 No	n & Users Guide	171.00 171.00 171.00 182.00 171.00 171.00 171.00
MS9540-38 Non Standard Scanner-only: light gray, low speed USB, Installation & Users Guide MS9540-38-3 Non Standard Scanner-only: black, low speed USB, Installation & Users Guide MS9540-40 Non Standard Scanner: light gray, USB Full Speed MS9540-40/WN Non Standard Scanner-only: light gray, full speed USB, Wincor certified configuration, In MS9540-40-3 Non standard Scanner-only: black, full speed USB, Installation & Users Guide MS9540-41 Non standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41/WN Non Standard Scanner-only: dark gray, RS232, Wincor certified configuration, Installatio MS9540-41-3 Non standard Scanner-only: black, RS232, Installation & Users Guide MS9540-41-WN-EAS Non Standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47 Non standard Scanner-only: light gray, KBW, Installation & Users Guide Global Services - Service Contracts (Price if service purchased with Price is per unit per year, except for packages noted as 3 year or 5 term.)	n & Users Guide	171.00 171.00 182.00 171.00 171.00 171.00
MS9540-38-3 Non standard Scanner-only: black, low speed USB, Installation & Users Guide MS9540-40 Non Standard Scanner: light gray, USB Full Speed MS9540-40/WN Non Standard Scanner-only: light gray, full speed USB, Wincor certified configuration, In MS9540-40-3 Non standard Scanner-only: black, full speed USB, Installation & Users Guide MS9540-41 Non standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41/WN Non Standard Scanner-only: dark gray, RS232, Wincor certified configuration, Installation MS9540-41-WN-EAS Non Standard Scanner-only: black, RS232, Installation & Users Guide MS9540-47 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Insta	n & Users Guide	171.00 182.00 171.00 171.00 171.00
MS9540-38-3 Non standard Scanner-only: black, low speed USB, Installation & Users Guide MS9540-40 Non Standard Scanner: light gray, USB Full Speed MS9540-40/WN Non Standard Scanner-only: light gray, full speed USB, Wincor certified configuration, In MS9540-40-3 Non standard Scanner-only: black, full speed USB, Installation & Users Guide MS9540-41 Non standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41/WN Non Standard Scanner-only: dark gray, RS232, Wincor certified configuration, Installation MS9540-41-WN-EAS Non Standard Scanner-only: black, RS232, Installation & Users Guide MS9540-47 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Insta	n & Users Guide	182.00 171.00 171.00 171.00 171.00
MS9540-40WN Non Standard Scanner-only: light gray, full speed USB, Wincor certified configuration, In MS9540-40-3 Non standard Scanner-only: black, full speed USB, Installation & Users Guide MS9540-41 Non Standard Scanner-only: light gray, RS232, Installation & Users Guide MS9540-41/WN Non Standard Scanner-only: dark gray, RS232, Wincor certified configuration, Installation MS9540-41-3 Non standard Scanner-only: black, RS232, Installation & Users Guide MS9540-41-WN-EAS Non Standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation MS9540-47-3 Non standard Scanner-only: light gray, RS232, Unstallation & Users Guide MS9540-47-3 Non standard Scanner-only: black, KBW, Installation & Users Guide Global Services - Service Contracts (Price if service purchased with Price is per unit per year, except for packages noted as 3 year or 5 term.)	n & Users Guide	171.00 171.00 171.00 171.00
MS9540-40-3 Non standard MS9540-41 Non standard MS9540-41 Non Standard MS9540-41 Non Standard MS9540-41 Non Standard MS9540-41-3 Non Standard MS9540-41-WN-EAS Non Standard MS9540-47 Non standard MS9540-41 Non standard MS9540-47 N	n & Users Guide	171.00 171.00 171.00
MS9540-41 Non standard MS9540-41/WN Non Standard MS9540-41/WN Non Standard MS9540-41-30 Non Standard MS9540-41-30 Non Standard MS9540-41-30 Non Standard MS9540-47 Non standard MS9540-47 Non standard MS9540-47 Non standard MS9540-47-30		171.00 171.00
MS9540-41/WN Non Standard Scanner-only: dark gray, RS232, Wincor certified configuration, Installation MS9540-41-3 Non standard Scanner-only: black, RS232, Installation & Users Guide MS9540-41-WN-EAS Non Standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47 Non standard Scanner-only: light gray, RS232, Checkpoint EAS, Wincor certified configuration, Installation & Users Guide MS9540-47 Non standard Scanner-only: light gray, KBW, Installation & Users Guide Global Services - Service Contracts (Price if service purchased with Price is per unit per year, except for packages noted as 3 year or 5 term.)		171.00
MS9540-41-3 Non standard MS9540-41-WN-EAS Non Standard MS9540-47 Non standard MS9540-47 Non standard MS9540-47-3 Non stan		
MS9540-41-3 Non standard MS9540-41-WN-EAS Non Standard MS9540-47 Non standard MS9540-47 Non standard MS9540-47-3 Non stan		171.00
MS9540-47 Non standard Scanner-only: light gray, KBW, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: black, KBW, Installation & Users Guide Global Services - Service Contracts (Price if service purchased with Price is per unit per year, except for packages noted as 3 year or 5 term.)	uration, Installation & Users Guide	
MS9540-47 Non standard Scanner-only: light gray, KBW, Installation & Users Guide MS9540-47-3 Non standard Scanner-only: black, KBW, Installation & Users Guide Global Services - Service Contracts (Price if service purchased with Price is per unit per year, except for packages noted as 3 year or 5 term.)		171.00
MS9540-47-3 Non standard Scanner-only: black, KBW, Installation & Users Guide Global Services - Service Contracts (Price if service purchased with Price is per unit per year, except for packages noted as 3 year or 5 term.)		171.00
Price is per unit per year, except for packages noted as 3 year or 5 term.)		171.00
SKU SKU Type SKU Description		List (\$)
HSVC9520/40-SMS5 Preorder 9520/40 Voyager, SMS 1-day turnaround, comprehensive coverage, 5-Ye	ar	30.00
Accessories - Power		
SKU SKU Type SKU Description		List (\$)
46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz		34.65
Accessories - Cables		
SKU SKU Type SKU Description		List
53-53000-3 Non standard Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power		11.55
53-53002-N-3 Non standard Cable: KBW, black, 2.9m (9.5), coiled, host power		18.90
53-53020-3 Non standard Cable: Single keyboard cable, black, 2.9m (9.5), coiled, 5V external power	•	18.90
53-53213-N-3 Non standard Cable: USB, black, 12V locking, 2.9m (9.5), coiled, host power		36.75
53-53235-N-3 Non standard Cable: USB, black, Type A, 2.9m (9.5), coiled, host power		18.90
MVC-3MPC-IB9 Non standard Cable: IBM 46xx, black, Port 9 4-pin SDL, 3.1m (10.2), coiled, 9V host port	ver	36.75
Accessories - Stands/Holders/Cordless Bases/Access Points		
		List
SVII SVII Tyma SVII Depayintion		(\$)
SKU SKU Type SKU Description		
SKU SKU Type SKU Description 46-46128 Non standard Stand: gray, presentation scanning, 15cm (6) rigid pole for MS9520 Voyage	ger and MS9540 VoyagerCG	18.90
		18.90 18.90
46-46128 Non standard Stand: gray, presentation scanning, 15cm (6) rigid pole for MS9520 Voyage 46-46128-3 Non standard Stand: black, presentation scanning, 15cm (6) rigid pole for MS9520 Voyage 46-46351 Non standard Stand: gray, presentation scanning with hard mount option, 15cm (6) rigid	ger and MS9540 VoyagerCG	
46-46128 Non standard Stand: gray, presentation scanning, 15cm (6) rigid pole for MS9520 Voyage 46-46128-3 Non standard Stand: black, presentation scanning, 15cm (6) rigid pole for MS9520 Voyage 46-46128-3	ger and MS9540 VoyagerCG pole for MS9520 Voyager and MS9540	18.90
46-46128 Non standard Stand: gray, presentation scanning, 15cm (6) rigid pole for MS9520 Voyage 46-46128-3 Non standard Stand: black, presentation scanning, 15cm (6) rigid pole for MS9520 Voyage 46-46351 Non standard Stand: gray, presentation scanning with hard mount option, 15cm (6) rigid VoyagerCG	ger and MS9540 VoyagerCG pole for MS9520 Voyager and MS9540	18.90 18.90

Hardware - K	it		
SKU	SKU Type	SKU Description	List (\$)
MK9590-60A38-A	Standard	USB Kit: dark gray scanner (MS9590-106), coiled USB cable (53-53809-N-3) and documentation	173.00
MK9590-60A40-A12	Non standard	USB Kit: dark gray scanner (MS9590-106), coiled 5V Locking PlusPower USB cable (53-53813-N-3) and documentation	173.00
MK9590-60A47	Non standard	KBW Kit: dark gray scanner (MS9590-47), coiled KBW cable (53-53802-N-3) and documentation	173.00



MK9590-60B14	Non standard	RS232 Kit: dark gray scanner (MS9590-14), US power supply (46-00525), coiled RS232 PowerLink cable (53-53000-3) and documentation	173.0
MK9590-61A38-A	Stocking	USB Kit: dark gray scanner (MS9590-106), stand (46-00709), coiled USB cable (53-53809-N-3) and documentation	187.0
MK9590-61A38-A-EAS	Non Standard	USB Kit: dark gray scanner w/ EAS (MS9590-38-EAS), stand (46-00709), coiled USB EAS cable (55-55809x-N-E-3) and documentation	235.0
MK9590-61A47	Non standard	KBW Kit: dark gray scanner (MS9590-47), stand (46-00709), coiled KBW cable (53-53802-N-3) and documentation	187.0
MK9590-61B14	Non standard	RS232 Kit: dark gray scanner (MS9590-14), stand (46-00709), coiled RS232 PowerLink cable (53-53000-3) and documentation	187.0
Hardware - Ki	t (HD)		
SKU	SKU Type	SKU Description	Li (
MK9591-60A38	Non standard	USB Kit: high-density, dark gray scanner (MS9591-106), coiled USB cable (53-53809-N-3) and documentation	200.0
Hardware - Sc	anner On	ly - cable sold separately	
SKU	SKU Type	SKU Description	Li (
MS9590-106	Non standard	Scanner-only: dark gray, RS232-TTL/USB/IBM 46xx RS485, Installation & Users Guide	162.0
MS9590-106-7	Non Standard		162.0
MS9590-14	Non standard		162.0
MS9590-14/WN	Non Standard	Scanner-only: dark gray, RS232, Wincor certified configuration, Installation & Users Guide	162.0
MS9590-14-7		Scanner-only: light gray, RS232, Installation & Users Guide	162.0
MS9590-14-7/WN	Non Standard	Scanner-only: light gray, RS232, Wincor certified configuration, Installation & Users Guide	162.0
MS9590-47	Non Standard	Scanner-only: dark gray, KBW, Installation & Users Guide	162.0
MS9590-47-7	Non Standard	Scanner-only: light gray, KBW, Installation & Users Guide	162.0
Price is per un term.)	nit per yea	ce Contracts (Price if service purchased within 30 days of product shipmed ar, except for packages noted as 3 year or 5 year - those are per unit for the	е
Price is per ur term.) sku		or, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description	
Price is per unterm.) sku HSVC9590-SMS5	SKU Type Preorder	r, except for packages noted as 3 year or 5 year - those are per unit for th	e Li (
Price is per ur term.) sku	SKU Type Preorder	or, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description	e Li (
Price is per unterm.) sku HSVC9590-SMS5 Accessories -	SKU Type Preorder	or, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description	Li (0
Price is per unterm.) SKU HSVC9590-SMS5 Accessories -	SKU Type Preorder Power	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year	Li (
Price is per unterm.) sku HSVC9590-SMS5 Accessories -	SKU Type Preorder Power SKU Type Standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description	Li (
Price is per unterm.) SKU HSVC9590-SMS5 Accessories - SKU 46-00525 Accessories -	SKU Type Preorder Power SKU Type Standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description	Li (30.6
Price is per unterm.) sku HSVC9590-SMS5 Accessories - sku H6-00525 Accessories -	SKU Type Preorder Power SKU Type Standard Cables	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description	Li () 34.6
Price is per unterm.) SKU HSVC9590-SMS5 Accessories - SKU 46-00525 Accessories - SKU 53-53000-3	SKU Type Preorder Power SKU Type Standard Cables SKU Type	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	Li ((30.6)
Price is per unterm.) sku HSVC9590-SMS5 Accessories - sku HSVC9590-SMS5 Accessories - sku HSVC9590-SMS5 Accessories - sku HSVC9590-SMS5	SKU Type Preorder Power SKU Type Standard Cables SKU Type Non standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power	Li () 34.6
Price is per unterm.) 6KU HSVC9590-SMS5 Accessories - 6KU 46-00525 Accessories - 6KU 53-53000-3 53-53802-N-3 53-53809-N-3	SKU Type Preorder POWER SKU Type Standard Cables SKU Type Non standard Non standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power	Li (30.0
Price is per unterm.) 6KU HSVC9590-SMS5 Accessories - 6KU 66-00525 Accessories - 6KU 63-53000-3 63-53802-N-3 63-53809-N-3	SKU Type Preorder Power SKU Type Standard Cables SKU Type Non standard Non standard Non standard Non standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: USB, black, Type A and 2 wire pigtail, straight, host power with EAS	Li (30.6
Price is per unterm.) 6KU HSVC9590-SMS5 Accessories - 6KU 46-00525 Accessories - 6KU 53-53000-3 53-53802-N-3 53-53809-N-E-3 Accessories -	SKU Type Preorder Power SKU Type Standard Cables SKU Type Non standard Non standard Non standard Non standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: USB, black, Type A and 2 wire pigtail, straight, host power with EAS	Li (30.6
Price is per unterm.) 6KU HSVC9590-SMS5 Accessories - 6KU 46-00525 Accessories - 6KU 53-53000-3 53-53802-N-3 53-53809-N-2 55-55809-N-E-3 Accessories -	SKU Type Preorder Power SKU Type Standard Cables SKU Type Non standard Non standard Non standard Non standard Stands/H	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: USB, black, Type A and 2 wire pigtail, straight, host power with EAS Olders SKU Description	Li (30.6 Li (11.5 18.5 11.6 18.5 Li ()
Price is per unterm.) 6KU HSVC9590-SMS5 Accessories - 6KU 46-00525 Accessories - 6KU 53-53000-3 53-53802-N-3 53-53809-N-3 55-55809-N-E-3 Accessories - 6KU	SKU Type Preorder Power SKU Type Standard Cables SKU Type Non standard Non standard Non standard Non standard Stands/H SKU Type Non standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: USB, black, Type A and 2 wire pigtail, straight, host power with EAS Olders SKU Description	Li (30.6
Price is per unterm.) 6KU HSVC9590-SMS5 Accessories - 6KU G-00525 Accessories - 6KU G-3-53000-3 G-53802-N-3 G-53809-N-3 G-55809-N-E-3 Accessories - 6KU G-00885-3 Accessories -	SKU Type Preorder Power SKU Type Standard Cables SKU Type Non standard Non standard Non standard Non standard Stands/H SKU Type Non standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: USB, black, Type A and 2 wire pigtail, straight, host power with EAS olders SKU Description Stand: black, wall mount/desktop and weighted base for MS9590 VoyagerGS	Li () 30.6 Li () () 34.6 Li () () 11.5 18.5 Li () 26.2 Li ()
Price is per un term.) SKU HSVC9590-SMS5 Accessories - SKU 46-00525 Accessories - SKU 53-53000-3 53-53802-N-3 53-53809-N-3 55-55809-N-E-3 Accessories - SKU 46-00885-3 Accessories - SKU	SKU Type Preorder Power SKU Type Standard Cables SKU Type Non standard Non standard Non standard Non standard Non standard Stands/H SKU Type Non standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: USB, black, Type A and 2 wire pigtail, straight, host power with EAS olders SKU Description Stand: black, wall mount/desktop and weighted base for MS9590 VoyagerGS olders/Cordless Bases/Access Points SKU Description	Li (30.0 Li (11.5 18.9 11.5 18.9 Li (26.2
Price is per unterm.) SKU HSVC9590-SMS5 Accessories - SKU 46-00525 Accessories - SKU 53-53000-3 53-53802-N-3 53-53809-N-3 55-55809-N-E-3 Accessories - SKU 46-00885-3 Accessories -	SKU Type Preorder Power SKU Type Standard Cables SKU Type Non standard Non standard Non standard Non standard Non standard Stands/H SKU Type Non standard	SKU Description 9590 VoyagerGS, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SKU Description Cable: RS232, black, DB9 female, 2.9m (9.5), coiled, 5V external power Cable: KBW, black, 2.9m (9.5), coiled, host power Cable: USB, black, Type A, 2.9m (9.5), coiled, host power Cable: USB, black, Type A and 2 wire pigtail, straight, host power with EAS olders SKU Description Stand: black, wall mount/desktop and weighted base for MS9590 VoyagerGS SKU Description Stand: black, presentation scanning, 15cm (6) flexible pole and weighted base for MS9590 VoyagerGS	Li (33.4.4) Li (11.8.5) 11.8.5 Li (26.5)

Hardware -	Scanner On	ly - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
3310g-4	Standard	Scanner: 1D, PDF417, 2D gray scanner (3310g-4) RS232/USB/KBW	431.00
3310g-4-1D	Non standard	Scanner: 1D only, gray scanner (3310g-4) RS232/USB/KBW	408.00
3310g-4-EIO	Non standard	Scanner: 1D, PDF417, 2D gray scanner (3310g-4) RS232/USB/KBW, External IO license	575.00



SKU SKU SKU Uppe SKU Description (a) ST00-HEWYO Non alanded Score (A) Provided (A) St00-HEWYO Non alanded Score (A) Provided (A) St00-HEWYO St00-HEW (A) St00-HEWYO St00-HEW (A) St00-HEW (3310g-4-EZD 3310g-4-OCR	Non standard	Scanner: 1D, PDF417, 2D gray scanner (3310g-4) RS232/USB/KBW, EasyDL (TF-EasyDL-33xx) Scanner: 1D, PDF417, 2D, OCR, gray scanner (3310g-4) RS232/USB/KBW	531.00 480.00
Stocking Stocking Class Kerr D. PDF417, 2D gray scanner (3310g-4), 2-9m (9.5) straight KRW PS2 5V cable (52-52569-N-FR) and 475.00 Cooker Class Kerr Clas	Hardware - K	it		
Stocking Stocking Stocking USB Kit ID. PIPH11, 2D gray scanner (3310g-4), 2-9m (9.5) straight USB Type A, cable (52-52594-N-5-FR), 475.00	SKU	SKU Type	SKU Description	
Strong-Husb-ole220 Non standard USB Kit 10, IPP417, 20 gay scanner (3310g-4), 2.9n (9.5) straight USB Type A, cable (92-92599-N-9-FR), 575.00 documentation, EasyOL (Fl-EasyOL-25xxx) Stronger (19.5)	3310g-4KBW-0	Non standard		475.00
Global Services - Service Contracts (Price if service purchased within 30 days of product shipment, Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.) SKU Type SKU Type SKU Description SKU SKU Type SKU Description Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices, Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing condition prior to purchase. Global Services - Service Contracts (Price if service purchased within 30 days of product shipment, Price is per unit per year & requires a minimum of 3 year of 5 year - those are per unit for the term.) Sku Sku Type Sku Description Sku Sku Type Sku Description VuCuest 3310g, Exended Warranty, 1-Year Sku Sku Type Sku Description List Sku Type Sku Description List Sku Type Sku Description Sku Description List Sku Type Sku Description Sku Description List Sku Type Sku Description List Sku Type Sku Description List Sku Type Sku Description Sku Description List Sku Type Sku Description Sku Description Sku Description List Sku Sku Type Sku Description Sku Description List Sku Sku Type Sku Description Sku Description List Sku Sku Type Sku Description		Stocking		475.00
Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.) SKU Type SKU Description Uses SKU Type SKU Description Uses 3310g. SKI State turnaround, comprehensive coverage, 3-Year 4.00.00 Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description Uses SKU Type SKU Description Uses Individual to the state of the state	3310g-4USB-0EZD	Non standard		575.00
SKU			taran da antara da la companya da antara	
SKU SKU Type SKU Description Usis	and the second of the second o	nit per yea	ir, except for packages noted as 3 year or 5 year - those are per unit for tr	ne
HSVC3310g-SMS Preorder VuQuest 3310g, SMS 1-day turnaround, comprehensive coverage, 5-Year 70.00		SKU Type	SKU Description	
Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.) SkU SkU Description List (9) HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year 15:00 Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SkU SkU Type SkU Description List (9) E-HSVC3310g-W Perorder VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales 2000 Accessories - Cables SkU SkU Type SkU Description List (9) 2-22559-3-FR Non standard Cable RS232, black, DB9, 5V, 2-9n (9.5) straight 11:55 2-22559-3-FR Non standard Cable RS232, black, DB9, 5V, 2-9n (9.5) straight 11:55 2-22559-3-FR Non standard Cable RS232, black, DB9, 5V, 2-9n (9.5) straight 11:55 2-22559-3-FR Non standard Cable RS232, black, DB9, 5V, 2-9n (9.5) straight, External IO 15:50 Accessories - Power SkU SkU Type SkU Description List (9) 4-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz SkU SkU Type SkU Description List (9) 4-00525 Standard Vuquest presentation-tray stand Vugest presentation-tray stand Vugest presentation-tray stand Vugest presentation-tray stand Software: External Input Output (EIO) license key for Vuquest 33100 45:60 SkU Sku Type SkU Description List (9) Sku EIO-3300 Standard Software: External Input Output (EIO) license key for Vuquest 33100 45:60 Sku Sku Standard Software: External Input Output (EIO) license key for Vuquest 33100 45:60 Sku Sku Standard Software: External Input O				
Vacar contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SkU SkU Type SkU Description Vacuest 3310g, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 130 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term. SkU SkU Type SkU Description Ust (8)				
SKU Type SKU Description List (5) E-HSVC3310g-SMS1 Preorder VuQuest 3310g, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of 25.00 Interview purchase of the service	year contract	, unless re	newing an existing contract. Must be purchased for the entire fleet of dev	
E-HSVC3310g-SMS1 Preorder VuQuest 3310g, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of 25.00 hardware purchases (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.) SKU SKU Type SKU Description List (8) HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year 15.00 Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description List (8) E-HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales 20.00 Accessories - Cables SKU SKU Type SKU Description List (9) 52-525563-78 Non standard Cable: KBX, Biack, DB9, 5V, 2.9m (9.5) straight 11.55 52-525563-78 Non standard Cable: KBX, Biack, DB9, 5V, 2.9m (9.5) straight 11.55 52-525563-78 Non standard Cable: KBX, Biack, DB9, 5V, 2.9m (9.5) straight, External IO 13.90 Accessories - Power SKU SKU Type SKU Description List (9) 46-00825 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 2 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (9) 46-01210 Non standard Vuquest presentation-tray stand 5.50 straight, External IO 1.55 Software - Software SKU SKU Type SKU Description List (9) SKU SKU Type SKU Description List (9) 46-01210 Non standard Vuquest presentation-tray stand 5.50 straight, External IO 1.55 Software - Software - Software External Input Output (EIO) license key for Vuquest 3310 4.650				
Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.) SKU SKU Type SKU Description List (5) HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year 15.00 Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description List (5) E-HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales 20.00 Accessories - Cables SKU SKU Type SKU Description List (5) 52-52555-3-FR Non standard Cable: RS232, black, D89, 5V, 2.9m (9.5) straight 11.55 52-52555-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight 11.55 52-525551-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 Accessories - Dower Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (5) SKU SKU Type SKU Description List (6) 46-01210 Non standard Vuquest presentation-tray stand 5.76 Scoftware - Software SKU SKU Type SKU Description List (6) 46-01210 Non standard Vuquest presentation-tray stand 5.76 Scoftware - Software SKU SKU Type SKU Description List (6) 46-01210 Sku Type SKU Description List (6)	E-HSVC3310a-SMS1	Preorder	VuQuest 3310g. SMS. 1-day turnaround. Comprehensive coverage. 1-Year. Post Sale. must be purchased within 1 year of	
Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.) SKU SKU Type SKU Description List (5) HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year 15.50 Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description List (5) E-HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales 20.00 Accessories - Cables SKU SKU Type SKU Description List (5) 52-52557-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight 11.55 52-52558-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 52-525567-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 Accessories - Power SKU SKU Type SKU Description List (5) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU SKU Type SKU Description List (5) Geometry Company of the presentation of the presen		1	hardware purchase	
Etrm.) SRU SKU Type SKU Description List (%) HISVC3310g-W Precorder VuCluest 3310g, Extended Warranty, 1-Year 15.00 Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description List (%) E-HSVC3310g-W Preorder VuCluest 3310g, Extended Warranty, 1-Year, Post-Sales 20.00 Accessories - Cables SKU SKU Type SKU Type SKU Description List (%) 52-52557-3-FR Non standard Cable: RS232, black, D89, 5V, 2.9m (9.5) straight 11.55 52-52559-N-3-FR Non standard Cable: WSB, black, Type A, SV, 2.9m (9.5) straight, External I (O 18.90 52-52559-N-3-FR Non standard Cable: RS232, black, D89, 5V, 2.9m (9.5) straight, External I (O 18.90 Accessories - Power SKU SKU Type SKU Description List (%) 46-01210 Non standard Cable: RS232, black, D89, 5V, 2.9m (9.5) straight, External I (O </td <td></td> <td></td> <td></td> <td></td>				
HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year Sloop Special Services Post Sale Service Contracts - Price Sper unit per year & requires a minimum of 3 Year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SkU SkU Type SkU Description SkU SkU SkU Perorder VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales 20.00	term.)			
Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description List (\$) E-HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales 20.00 Accessories - Cables SKU SKU Type SKU Description List (\$) 52-2557-3-FR Non standard Cable: RSU32, black, DB9, 5V, 2.9m (9.5) straight 11.55 52-25559-N-3-FR Non standard Cable: LSB, black, 3.0m (9.8), colled. 5V external power with ferrite 11.55 52-25551-3-FR Non standard Cable: USB, black, 7.ype A, 5V, 2.9m (9.5) straight, External IO 11.55 52-25551-3-FR Non standard Cable: LSB, black, Type A, 5V, 2.9m (9.5) straight, External IO 11.55 52-25551-3-FR Non standard Cable: RSU32, black, DB9, 5V, 2.9m (9.5) straight, External IO 11.55 52-25551-3-FR Non standard Cable: RSU32, black, DB9, 5V, 2.9m (9.5) straight, External IO 11.55 52-25551-3-FR Non standard Cable: RSU32, black, DB9, 5V, 2.9m (9.5) straight, External IO 11.55 52-25551-3-FR Non standard Cable: RSU32, black, DB9, 5V, 2.9m (9.5) straight, External IO 11.55 52-25551-3-FR Non standard Cable: RSU32, black, DB9, 5V, 2.9m (9.5) straight, External IO 11.55 52-52552-7-10-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-		SKU Type	·	
year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase. SKU SKU Type SKU Description (5) E-HSVC3310g-W Preorder VuCuest 3310g, Extended Warranty, 1-Year, Post-Sales 20.00 Accessories - Cables SKU SKU Type SKU Description List (6) 52-62557-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight 11.55 52-52558-3-FR Non standard Cable: RS8W, black, 3.0m (9.8), colled, 5V external power with ferrite 11.55 52-525561-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight External IO 18.90 Accessories - Power SKU SKU Type SKU Description List (6) 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 2 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (6) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU SKU Type SKU Description List (6) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU SKU Type SKU Description List (6) 46-01210 SKU Description List (6) 46-01210 SKU Description List (6) SKU SKU Type SKU Description List (6) 46-01210 SKU Type SKU Description List (6) 46-01210 SKU Description List (6)				
SKU SKU Type SKU Description List (S) E-HSVC3310g-W Preorder VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales 20.00 Accessories - Cables SKU SKU Type SKU Description List (S) 52-52557-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight 11.55 52-52558-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight 11.55 52-52559-N-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight 11.55 52-52561-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 52-52562-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight, External IO 18.90 52-52562-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight, External IO 18.90 52-52562-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight, External IO 18.90 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type </td <td></td> <td></td> <td></td> <td></td>				
E-HSVC3310g-W				l iet
Accessories - Cables SKU SKU Type SKU Description List (\$) 52-52557-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight 11.55 52-52558-3-FR Non standard Cable: KBW, black, 3.0m (9.8), coiled, 5V external power with ferrite 18.90 52-52561-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 52-52562-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 Accessories - Power SKU SKU Type SKU Description List (\$) 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (\$) 46-01210 Non standard Vuquest presentation-tray stand 78.75 SKU SKU Type SKU Description List (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00			·	(\$)
SKU SKU Type SKU Description List (\$) 52-52557-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight 11.55 52-52558-3-FR Non standard Cable: KBW, Dack, 3.0m (9.8), coiled, 5V external power with ferrite 18.90 52-52559-N-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight 11.55 52-52561-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 52-52562-3-FR Non standard Cable: USB, black, DB9, 5V, 2.9m (9.5) straight, External IO 18.90 Accessories - Power SKU SKU Type SKU Description List (\$) 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (\$) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU SKU Description List (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vu			VuQuest 3310g, Extended Warranty, 1-Year, Post-Sales	20.00
Space				
52-52558-3-FR Non standard Cable: KBW, black, 3.0m (9.8), coiled, 5V external power with ferrite 18.90 52-52559-N-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight 11.55 52-52561-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 Accessories - Power SKU SKU Type SKU Description List (\$) 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (\$) 46-01210 Non standard Vuguest presentation-tray stand 78.75 Software - Software SKU SKU Type SKU Description List (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00	SKU	SKU Type	SKU Description	
52-52559-N-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight 11.55 52-52561-3-FR Non standard Cable: USB, black, Type A, 5V, 2.9m (9.5) straight, External IO 18.90 52-52562-3-FR Non standard Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight, External IO 18.90 Accessories - Power SKU SKU Type SKU Description List (\$) 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (\$) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU SKU Type SKU Description List (\$) SKU SKU Type SKU Description List (\$) SKU SKU SKU SKU Type SKU Description List (\$) SOFTWARE - SOFTWARE SKU SKU SKU Type SKU Description List (\$) SKU SKU Type SKU Description List (\$) SKU SKU Type SKU Description List (\$)				
SKU SKU Type SKU Description List SKU SKU Type SKU Description List 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description (\$) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU Type SKU Description List (\$) 46-01230x SKU Type SKU Description (\$) SKU SKU SKU Type SKU Description (\$) SOFTWARE - SOFTWARE SKU SKU SKU Type SKU Description (\$) SKU SKU SKU Type SKU Description (\$) SKU SKU SKU Type SKU Description (\$) SKU SKU SKU SKU Type SKU Description (\$) SKU SKU SKU Type SKU Description (\$) SKU SKU SKU Type SKU Description (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310				
Accessories - Power SKU SKU Type SKU Description List 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (\$) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU SKU Type SKU Description List (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00			, , ,, , , , , , , , , , , , , , , , , ,	
SKU SKU Type SKU Description List (\$) 46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65 Accessories - Stands/Holders SKU SKU Type SKU Description List (\$) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU SKU Type SKU Description List (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00			Cable: RS232, black, DB9, 5V, 2.9m (9.5) straight, External IO	18.90
46-00525 Standard Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz 34.65			SVII Description	Liet
Accessories - Stands/Holders SKU SKU Type SKU Description List (\$) 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU SKU Type SKU Description List (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00			•	(\$)
SKU SKU Type SKU Description List 46-01210 Non standard Vuquest presentation-tray stand 78.75 Software - Software SKU Type SKU Description List (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00			····	34.65
Content of the cont		- Stanos/Fl	olders	
SKU SKU Type SKU Description SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00	SKU	Otalias/ii		
SKU Type SKU Description List (\$) SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00			SKU Description	
SW-EIO-33xx Standard Software: External Input Output (EIO) license key for Vuquest 3310 45.00		SKU Type Non standard		(\$)
		SKU Type Non standard		(\$)
Fredrer Software: EasyBCBP license key for Xenon, vuquest 100.00	Software - So	SKU Type Non standard oftware	Vuquest presentation-tray stand	78.75 List
	Software - So sku SW-EIO-33xx	SKU Type Non standard oftware SKU Type Standard	Vuquest presentation-tray stand SKU Description Software: External Input Output (EIO) license key for Vuquest 3310	(\$) 78.75 List (\$) 45.00



TF2-EZDL	Preorder	Software: EasyDL license key for Xenon, VuQuest, and Captuvo	100.00
TF2-EZGS1	Preorder	Software: EasyGS1 license key for Xenon, Vuquest	100.0
TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00
Software - Sof	tware		
SKU	SKU Type	SKU Description	Lis (\$
SW-OCR-33xx	Preorder	Software: OCR license key for Vuquest 3310	45.00
Software - Soft of 10 licenses	tware Lie	censes includes 1yr Maintenance & Support - new customers minimum ord	der
SKU	SKU Type	SKU Description	Lis (\$
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFC
Software - Sof	tware Ma	aintenance & Support Extensions and Renewals	
SKU	SKU Type	SKU Description	Lis (\$
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.5
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.6
		CLIENTS ARE NOT FORCHASED	

Scanning - Xenon 1500

Accessories -	Accessories - Cables				
SKU	SKU Type	SKU Description	Lis (\$		
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90		
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90		
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90		
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90		
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75		
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75		
Accessories -	Stands/H	olders/Cordless Bases/Access Points			
SKII	SKII Tyne	SKILDescription	List		

SKU Type	SKU Description	List (\$)
Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
Non standard	Stand: gray, 8cm (3) height, rigid rod, weighted base, Xenon cradle	37.80
Standard	Stand: gray, 15cm (6) height, rigid rod, weighted base, Xenon cradle	37.80
Stocking	Stand: gray, 22cm (9) height, flexible rod, weighted base, Xenon cup	37.80
Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75
	Standard Non standard Standard Stocking	Standard Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit Non standard Stand: gray, 8cm (3) height, rigid rod, weighted base, Xenon cradle Standard Stand: gray, 15cm (6) height, rigid rod, weighted base, Xenon cradle Stocking Stand: gray, 22cm (9) height, flexible rod, weighted base, Xenon cup

Scanning - Xenon 1900

SKU	SKU Type	SKU Description	Lis (\$
1900gER-1	Non standard	Scanner: 1D, PDF417, 2D, ER focus, ivory, RS232/USB/KBW/IBM	449.0
1900gER-2	Non standard	Scanner: 1D, PDF417, 2D, ER focus, black, RS232/USB/KBW/IBM	449.0
1010 ED 0	Non standard	Scanner Only: 1D, PDF417, 2D, ER focus, laser aimer, black, RS232/USB/KBW/IBM	467.0
Hardware -		ly (HD) - cable sold separately	407.0
			467.0 Lis (\$
Hardware -	- Scanner Onl	ly (HD) - cable sold separately	Lis
Hardware · sкu	- Scanner Onl	ly (HD) - cable sold separately SKU Description	Li (



	SKU Type	SKU Description	List (\$)
1900gHD-2USB	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, black scanner (1900gHD-2), USB Type A 3m straight cable (CBL-500-300-S00)	467.00
1900hHD-0USB	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings scanner (1900hHD-0), USB Type A 3m straight cable (CBL-500-300-CBD)	504.00
1900hHD-0USB-EZ	Non standard	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings scanner (1900hHD-0), USB Type A 3m straight cable (CBL-500-300-S00), EasyDL Software (TF-EasyDL-19xx)	595.00
Hardware - Sc	anner Onl	ly (SR) - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
1900gSR-1	Standard	Scanner: 1D, PDF417, 2D, SR focus, ivory, RS232/USB/KBW/IBM	449.00
1900gSR-2	Stocking	Scanner: 1D, PDF417, 2D, SR focus, black, RS232/USB/KBW/IBM	449.00
1900gSR-2-2-EZ	Non standard	Scanner: 1D, PDF417, 2D, SR focus, black, integrated ratchet stand, EasyDL	655.00
1900gSR-2-EZ	Stocking	Scanner: 1D, PDF417, 2D, SR focus, black, EasyDL	540.00
1900gSR-2-OCR	Non standard	Scanner: 1D, PDF417, 2D, OCR, SR focus, black scanner (1900gSR-2), RS232/USB/KBW/IBM	495.00
1900hSR-0	Non standard	Scanner: 1D, PDF417, 2D, SR focus, white disinfectant-ready housing, RS232/USB/KBW/IBM	485.00
Hardware - Sc	anner Onl	ly (Ratchet Stand) - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
1900gSR-2-2	Stocking	Scanner: 1D, PDF417, 2D, SR focus, black, integrated ratchet stand	564.00
ů			
Hardware - Kit	(SK)		
SKU	SKU Type	SKU Description	List (\$)
1900gSR-2KBW	Stocking	KBW Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00)	467.00
1900gSR-2USB	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2), USB Type A 3m straight cable (CBL-500-300-S00)	467.00
1900gSR-2USB-EZ	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2), USB Type A 3m straight cable (CBL-500-300-S00),	558.00
1900hSR-0USB	Standard	EasyDL Software (TF-EasyDL-19xx) USB Kit: 1D, PDF417, 2D, SR focus, white disinfectant-ready housings scanner (1900hSR-0), USB Type A 3m straight	504.00
		cable (CBL-500-300-S00)	
Hardware - Kit	(Ratchet	Stand)	
SKU	SKU Type	SKU Description	List (\$)
1900gSR-2USB-2	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2-2), USB Type A 3m straight cable (CBL-500-300-S00), integrated ratchet stand	582.00
1900gSR-2USB-2EZ	Standard	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1900gSR-2-2), USB Type A 3m straight cable (CBL-500-300-S00), integrated ratchet stand, EasyDL Software (TF-EasyDL-19xx)	673.00
Global Service	s - Sarvio	ce Contracts (Price if service purchased within 30 days of product shipme	nt
Price is per un		r, except for packages noted as 3 year or 5 year - those are per unit for the	
term.)	SKU Type	OVU Personinting	
		SKU Description	List
1101/04000 01405	Dunandan		(\$)
HSVC1900-SMS5	Preorder	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year	
Accessories -			(\$)
			70.00 List
Accessories -	Cables SKU Type	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description	(\$) 70.00 List (\$)
Accessories -	Cables	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year	70.00 List
Accessories - sku CBL-020-300-C00	Cables SKU Type Standard	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	(\$) 70.00 List (\$) 18.90
Accessories - sku CBL-020-300-C00 CBL-120-300-C00	SKU Type Standard Non standard	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for	(\$) 70.00 List (\$) 18.90 36.75
Accessories - sku CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00	SKU Type Standard Non standard Non standard	SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible	(\$) 70.00 List (\$) 18.90 36.75
Accessories - SKU CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-320-300-C00	SKU Type Standard Non standard Non standard Non standard	SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	(\$) 70.00 List (\$) 18.90 36.75 18.90
Accessories - SKU CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-320-300-C00 CBL-420-300-C00	SKU Type Standard Non standard Non standard Non standard Non standard Non standard	SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on	(\$) 70.00 List (\$) 18.90 36.75 18.90 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-320-300-C00 CBL-420-300-C00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-150-S00 CBL-500-300-C00	SKU Type Standard Non standard Standard	SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	(\$) 70.00 List (\$) 18.90 36.75 18.90 18.90 63.00 10.91 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-320-300-C00 CBL-420-300-C00 CBL-431-300-S00 CBL-500-150-S00 CBL-500-300-C00 CBL-500-300-S00	SKU Type Standard Non standard Non standard Non standard Non standard Non standard Non standard Standard Standard Standard	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	(\$) 70.00 List (\$) 18.90 36.75 18.90 18.90 63.00 10.91 18.90 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-120-300-C00 CBL-320-300-C00 CBL-420-300-C00 CBL-420-300-C00 CBL-4500-150-S00 CBL-500-150-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-500-C00	SKU Type Standard Non standard Non standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 3m (9.8), straight, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	(\$) 70.00 List (\$) 18.90 36.75 18.90 18.90 18.90 10.91 18.90 18.90 18.90
Accessories - SKU CBL-020-300-C00 CBL-120-300-C00 CBL-220-300-C00 CBL-320-300-C00 CBL-420-300-C00 CBL-421-300-S00 CBL-500-150-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-500-C00 CBL-503-300-C00	SKU Type Standard Non standard Non standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Non standard Standard Standard Non standard	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	(\$) 70.00 List (\$) 18.90 36.75 18.90 18.90 18.90 18.90 18.90 18.90 18.90 18.90
CBL-020-300-C00 CBL-120-300-C00 CBL-120-300-C00 CBL-320-300-C00 CBL-420-300-C00 CBL-420-300-C00 CBL-4500-150-S00 CBL-500-150-S00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-300-C00 CBL-500-500-C00	SKU Type Standard Non standard Non standard Non standard Non standard Non standard Non standard Standard Standard Standard Standard Standard	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year SKU Description Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 USB Type A HSM 5V 1.5m (5) straight cable Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power Cable: USB, black, Type A, 3m (9.8), straight, 5V host power Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	(\$) 70.00 List (\$) 18.90 36.75 18.90 18.90 18.90 10.91 18.90 18.90 18.90



CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90
Accessories -	Power		
SKU	SKU Type	SKU Description	List
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
		olders/Cordless Bases/Access Points	34.03
Accessories -		olucia/colulesa dases/Accesa i olilis	
SKU	SKU Type	SKU Description	List (\$)
300001630	Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
STND-08R00-000-4	Non standard	Stand: gray, 8cm (3) height, rigid rod, weighted base, Xenon cradle	37.80
STND-15R00-000-4	Standard	Stand: gray, 15cm (6) height, rigid rod, weighted base, Xenon cradle	37.80
STND-22F00-001-4	Stocking	Stand: gray, 22cm (9) height, flexible rod, weighted base, Xenon cup	37.80
UCOVERXENON	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75
Software - Sof	tware		
SKU	SKU Type	SKU Description	List
TEO EZDODO	Droondon	Coftware Four DCDD license law for Venes Virguest	(\$)
TF2-EZBCBP	Preorder	Software: EasyBCBP license key for Xenon, Vuquest	100.00
TF2-EZDL	Preorder	Software: EasyDL license key for Xenon, VuQuest, and Captuvo	100.00
TF2-EZGS1	Preorder	Software: EasyGS1 license key for Xenon, Vuquest	100.00
TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00
Software - Sof	tware		
SKU	SKU Type	SKU Description	List (\$)
SW-OCR-19xx	Preorder	Software: OCR license key for Xenon series of products including Xenon 1900 and Xenon 1902	45.00
Software - Sof	tware Lic	enses includes 1yr Maintenance & Support - new customers minimum ord	der
of 10 licenses			
SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFQ
Software - Sof	tware Mai	intenance & Support Extensions and Renewals	
SKU	SKU Type	SKU Description	List
			(\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-F	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners -	0.60
	C Stariuaru	use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	
REM-MNT-SCAN-1YR	Standard	use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW	6.00
REM-MNT-SCAN-1YR	Standard	use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and	6.00
REM-MNT-SCAN-1YR Scanning	Standard - Xenc	use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00
REM-MNT-SCAN-1YR Scanning	Standard - Xenc	use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing. 1900 Color	List
Scanning Hardware - Sc	- Xencanner On	use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing. In 1900 Color Ly (HD) - cable sold separately SKU Description	List (\$)
Scanning Hardware - Sc	- Xencanner On	use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing. On 1900 Color Iy (HD) - cable sold separately	List



List (\$)

522.00

Non standard Scanner Only: 1D, PDF417, 2D, SR focus, black, RS232/USB/KBW/IBM, color imaging

Hardware - Scanner Only (SR) - cable sold separately

SKU Description

SKU Type

SKU

1900gSR-2-COL

476.	\cap
4/0.	UU

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment
Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the
term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1900-SM	S5 Preorder	Service: Xenon 1900, SMS 1-day turnaround, comprehensive coverage, 5-Year	70.00

Accessories - Miscellaneous

SKU	SKU Type	SKU Description	List (\$)
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20
200003830	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with Xenon 1902	26.25

Accessories - Cables

SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-500-300-C00	Standard	Cable: USB, black, Type A, 3m (9.8), coiled, 5V host power	18.90
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90

Accessories - Power

SKU	SKU Type	SKU Description	List (\$)
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65

Accessories - Stands/Holders/Cordless Bases/Access Points

SKU	SKU Type	SKU Description	List (\$)
300001630	Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
STND-08R00-000-4	Non standard	Stand: gray, 8cm (3) height, rigid rod, weighted base, Xenon cradle	37.80
STND-15R00-000-4	Standard	Stand: gray, 15cm (6) height, rigid rod, weighted base, Xenon cradle	37.80
STND-22F00-001-4	Stocking	Stand: gray, 22cm (9) height, flexible rod, weighted base, Xenon cup	37.80
UCOVERXENON	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75

Software - Software

SKU	SKU Type	SKU Description	List (\$)
TF2-EZBCBP	Preorder	Software: EasyBCBP license key for Xenon, Vuquest	100.00
TF2-EZDL	Preorder	Software: EasyDL license key for Xenon, VuQuest, and Captuvo	100.00
TF2-EZGS1	Preorder	Software: EasyGS1 license key for Xenon, Vuquest	100.00
TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00

Software - Software



			(\$)
SW-OCR-19xx	Preorder	Software: OCR license key for Xenon series of products including Xenon 1900 and Xenon 1902	45.00
Software - Soft of 10 licenses		enses includes 1yr Maintenance & Support - new customers minimum or	der
SKU	SKU Type	SKU Description	List (\$)
REM-CLIENT-SCAN REM-SERVER	Standard Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included Remote MasterMind - Server License (mandatory for all new customers - no charge)	19.00 CFQ
Software - Sof	tware Ma	intenance & Support Extensions and Renewals	
SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-F	R Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00
Scanning	- Xenc	on 1902	
Hardware - Sc	anner On	ly (ER) - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
1902gER-2	Non standard		844.00
1912gER-2	•	Scanner Only: 1D, PDF417, 2D, ER focus, laser aimer, black, Bluetooth	862.00
Hardware - Sc	anner On	ly (HD) - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
1902gHD-2	Non standard	Scanner: 1D, PDF417, 2D, HD focus, black, Bluetooth	844.00
1902hHD-0	Standard	Scanner: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, Bluetooth	875.00
Hardware - Ki	t (HD)		
SKU	SKU Type	SKU Description	List (\$)
1902gHD-2USB-5	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, black scanner (1902gHD-2), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)	1176.00
1902hHD-0USB-5	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings scanner (1902hHD-0), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)	1225.00
1902hHD-0USB-5F	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings, charge & communication base, FIPS certification, USB Type A 3m straight cable (CBL-500-300-S00)	1362.00
1902hHD-0USB-8FAP	Standard	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings, Access Point with FIPS certification, USB Type A 3m straight cable (CBL-500-300-S00), battery charger required - purchase MB4-BAT-SCN01xxx0 or COB01	1387.00
1902hHD-0USB-8NAP	Stocking	USB Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings scanner (1902hHD-0), Access Point (AP-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), battery charger required - purchase MB4-BAT-SCN01xxx0	1149.00
1902hHD-0USBA-7NAP	Stocking	Charge-Only Base Kit: 1D, PDF417, 2D, HD focus, white disinfectant-ready housings, Access Point (AP-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), Charge-Only Base (COB01); NA power supply (46-00525)	1251.00
Hardware - Sc	anner On	ly (SR) - cable sold separately	
SKU	SKU Type	SKU Description	List (\$)
1902gSR-1	Non standard	Scanner: 1D, PDF417, 2D, SR focus, ivory, Bluetooth	838.00
1902gSR-2	Standard	Scanner: 1D, PDF417, 2D, SR focus, black, Bluetooth	838.00
1902gSR-2-EZ 1902hSR-0	Stocking Non standard	Scanner: 1D, PDF417, 2D, SR focus, black, Bluetooth, EasyDL Scanner: 1D, PDF417, 2D, SR focus, white disinfectant-ready housing, Bluetooth	929.00 875.00
Hardware - Kit		Common 15, 151 TH, 25, OK 10005, White distilled and floating, Diagnosti	070.00
SKU	SKU Type	SKU Description	List
1902gSR-2USB-5	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1902gSR-2), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)	1189.00
	•	21	



SKU

SKU Type

SKU Description

1902gSR-2USB-5EZ	Stocking	USB Kit: 1D, PDF417, 2D, SR focus, black, charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), EasyDL Software (TF-EasyDL-19xx)	1280.00
1902gSR-2USB-5F	Non standard		1325.00
1902gSR-2USB-8NAP	Non standard	USB Kit: 1D, PDF417, 2D, SR focus, black scanner (1902gSR-2), Access Point (AP-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), battery charger required - purchase MB4-BAT-SCN01xxx0	1215.00
1902hSR-0USB-5	Non standard	USB Kit: 1D, PDF417, 2D, SR focus, white disinfectant-ready housings scanner (1902hSR-0), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)	1225.00
Hardware - St	ands/Hold	lers/Cordless Bases/Access Points	
SKU	SKU Type	SKU Description	List (\$)
AP-010BT-07F	Non standard	Access Point: Class 1 Bluetooth, 10m (33), up to 7 scanners can be connected, FIPS certification, RS232/USB/KBW/IBM (cable sold separately)	393.00
AP-010BT-07N	Standard	Access Point: Class 2 Bluetooth, 10m (33), up to 7 scanners can be connected, RS232/USB/KBW/IBM (cable sold separately)	256.00
CCB01-010BT-07F	Non standard	Base: charging, Class 1 Bluetooth, 10m (33), up to 7 scanners can be connected, FIPS certification, RS232/USB/KBW/IBM host interfaces (cable sold separately)	462.00
CCB01-010BT-07N	Stocking	Base: charging, Class 2 Bluetooth, 10m (33), up to 7 scanners can be connected, RS232/USB/KBW/IBM host interfaces (cable sold separately)	325.00
COB01	Non standard	Charge-Only Base: only 1 scanner can be charged at a time, power supply must be purchased separately	102.00
term.)	SKU Type	ar, except for packages noted as 3 year or 5 year - those are per unit for the SKU Description	1 e List (\$)
HSVC1902k-SMS3	Preorder	Service: Xenon 1902 +base , SMS 1-day turnaround, comprehensive coverage, 3-Year	85.00
HSVC1902k-SMS5	Preorder	Service: Xenon 1902 +base, SMS 1-day turnaround, comprehensive coverage, 5-Year	165.00
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.00
HSVC4BAY-SMS5	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 5-year package	65.00
HSVCCordless-AE5	Preorder	Cordless Scanner & base Advanced Exchange Adder to SMS5. 100 unit minimum.	39.00
		enewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase. SKU Description	List
E-HSVC1902k-SMS1	Preorder	Xenon 1902+base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00
		ce Contracts (Price if service purchased within 30 days of product shipment, except for packages noted as 3 year or 5 year - those are per unit for the	
SKU	SKU Type	SKU Description	List (\$)
HSVC1902k-W HSVC4BAY-W	Preorder Preorder	Service: Xenon 1902 +base, Extended Warranty 10-day turnaround, 1-Year 4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended	40.00 11.00
TISVO4BAT-W	- reorder	Warranty, 10-day turn, 1 year term	11.00
year contract,	, unless re	Sale Service Contracts - Price is per unit per year & requires a minimum or Pnewing an existing contract. Must be purchased for the entire fleet of devote in good working condition prior to purchase.	
SKU	SKU Type	SKU Description	List (\$)
E-HSVC1902k-W	Preorder	Service: Xenon 1902 +base, Extended Warranty 10-day turnaround, 1-Year, Post Sale	45.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00
Accessories -	· Miscellan	neous	
SKU	SKU Type	SKU Description	List (\$)
200003829	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20
200003830	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with Xenon 1902	26.25
Accessories -			
SKU	SKU Type	SKU Description	List (\$)



CBL-129-09-00-000 Non standard Cable 1952/26 (+1272 signate), black . DBS Areasta, mile (B), collect, 597 entering power with option for host power on pin 9 of 567. CBL-209-000-000 Non standard Cable 1952/26 (+1272 signate), black . DBS Males, am (8.8), collect, external power with option for host power on pin 9 for connections to Wincor Reports. CBL-209-000-000 Non standard Cable 1952/22 (1974 signate), black . DBS Males, am (19.6), collect, external power with option for host power on pin 9 for connections to Wincor Reports. CBL-209-000-000 Non standard Cable 1952/22 (1974 signate), have reported located Strato Aux, black . 10 pin modular, 3m (8.6), collect, 1952/26 (1974 signate), have reported located Strato Aux, black . 10 pin modular, 3m (8.6), collect, 1952/26 (1974 signate), have reported located Strato Aux, black . 10 pin modular, 3m (8.6), collect, 1952/26 (1974 signate), have reported located Strato Aux, black . 10 pin modular, 3m (8.6), collect, 1952/26 (1974 signate), have reported located Strato Aux, black . 10 pin modular, 3m (8.6), collect, 1952 (1974 signate), have reported located Strato Aux, black . 10 pin modular, 3m (8.6), collect, 1958 and pin 18, signate and 1952 signate	REM-SERVER	04 '	Demosts MantageMad. Common Unique of Joseph det. (1997)	^
Self-290-000-000 Non-standard Cables R5232 (1-172 signals), black, DB8 Fernials, 3m (9.8), coled, 5f vaternal power with option for host power on pin 9 for connection to Wincom Revents Cables R5232 (1-172 signals), black, DB8 Male, 3m (9.8), colled, celeral power with option for host power on pin 9 for connection to Wincom Revents Cables R5232 (1-172 signals), black, DB9 Male, 3m (9.8), colled, steerinal power with option for host power on pin 9 for connection to Wincom Revents Cables R5232 (1-172 signals), black, DB9 Male, 3m (9.8), colled, celerans power with option for host power on pin 9 for connection to Wincom Revents Cables R5232 (1-172 signals), black, DB9 Male, 3m (9.8), colled, celerans power with option for host power on pin 9 for connection to Wincom Revents Cables R523 (1-172 signals), black, DB9 Male, 3m (9.8), colled, celerans power with option for host power on pin 9 for connection to Wincom Revents Cables R523 (1-172 signals), black, DB9 Male, 3m (9.8), colled, celerans power with option for host power on pin 9 for connection to Wincom Revents R54 (1-172 signals), without R54 places R54 (REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
261-120-200-CO0				Lis
CBL-129-030-C00 Non standard Cable RE3232 (4-1/2V signals), black, DBB Male, 3m (8.8), colled, external power with option for host power on pin 9 for 18.50 (200-050-050) Non standard Cable RE3242 (4-1) signals), black, DBB Male, 3m (8.8), colled, external power with option for host power on pin 9 for 18.50 (200-050-050) Non standard Cable RE3242 (4-1) signals), black, DBB Male, 5m (8.4), straight, external power with option for host power on pin 9 for 18.50 (201-050-050) Non standard Cable RE3242 (4-1) signals), black, DBB Male, 5m (16.4), straight, external power with option for host power on pin 9 for 18.50 (201-050-050) Non standard Cable RE3242 (4-1) signals), black, DBB Male, 5m (16.4), straight, external power with option for host power on pin 9 for 18.50 (201-050-050) Non standard Cable RE3242 (4-1) signals), black, DBB Male, 3m (16.4), straight, black, 5 pin modular, 3m (9.8), coiled, host power power of 50 (201-050-050) Non standard Cable LUSE, black, 179 a A 3m (16.4), straight, stop power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 a A 3m (16.4), straight, stop power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), coiled, 5V host power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), coiled, 5V host power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), coiled, 5V host power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), coiled, 5V host power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), coiled, 5V host power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), straight, on the power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), straight, on the power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), straight, straight, sectoral power with option for 5V host power 19.50 (201-050-050) Non standard Cable LUSE, black, 179 hosting, 3m (8.8), straight, 179 hosting, 3m (8.8), straight,	SW-OCR-19xx			45.00
CBL-129-030-C00	SKU	SKU Type	SKU Description	
CRIL-120-300-C00 Non standard Cable: R8232 (1-12V signals), black, DBS Franke, 3m (8.8), coiled, determine power with option for host power on pin 9 for contection to Whroat Bearies Cable: R8232 (1-12V signals), black, DBS Male, 3m (8.8), coiled, acternal power with option for host power on pin 9 for contection to Whroat Bearies Cable: R8232 (1-12V signals), black, DBS Male, 3m (8.8), coiled, acternal power with option for host power on pin 9 for 18.90 (2000-2000-2000-2000-2000-2000-2000-20	Software - Sof	tware		
CRL-120-300-C00 Non standard Cabler R8232 (14-12V signals), black, DBP Fernale. 3m (8.8), colled, setermal power with option for host power on pin 9 367.7	TF2-EZMVC	Preorder	Software: EasyMVC license key for Xenon, Vuquest	100.00
CRL-120-300-C00 Non standard Cabler R8232 (14-12V signals), black, DBP Fernale. 3m (8.8), colled, setermal power with option for host power on pin 9 367.7	TF2-EZGS1			
CBL-120-300-C00 Non standard Cable: RS232 (+5/ signals), black, DB9 Maile, 3m (9.8), coiled, 5V external power with option for host power on pin 9 for cornection to Viricor Beetlet CBL-220-500-C00 Non standard Cable: RS232 (+6V signals), black, DB9 Maile, 3m (9.8), coiled, external power with option for host power on pin 9 for cornection to Viricor Beetlet CBL-220-500-C00 Non standard Cable: RS232 (+6V signals), black, DB9 Maile, 5m (16-4), straight, external power with option for host power on pin 9 for CBL-120-300-C00 Non standard Cable: RS232 (+12V signals), black, DB9 Maile, 5m (16-4), straight, external power with option for host power on pin 9 for CBL-120-300-C00 Non standard Cable: RS232 (4V-12V signals), black, DB9 Maile, 5m (16-4), straight, external power with option for host power on pin 9 for CBL-120-300-C00 Non standard Cable: RS232 (4V-12V signals), black, DB9 Maile, 5m (16-4), straight, external power with option for host power on pin 9 for CBL-120-300-C00 Non standard Cable: RS232 (4V-12V signals), Verifione Ruby, Sapphire and Topaz Terminals, black, 8 pin modular, straight, host power on pin 9 for CBL-500-300-S00 Standard Cable: USB, black, Type A, 5m (16-4), colled, 5V host power Non standard Cable: USB, black, Type A, 5m (16-4), colled, 5V host power Non standard Cable: USB, black, Type A, 5m (16-4), colled, 5V host power Non standard Cable: USB, black, Type A, 5m (16-4), colled, 5V host power Non standard Cable: USB, black, Type Noting for Non standard Cable: USB, black, Type Noting for Noting Not	TF2-EZDL	Preorder	<u> </u>	
CBL-120-300-C00 Non standard Cable: R5232 (+6V signals), black, DB9 Famale, 3m (9.8), coiled, 5V external power with option for host power on pin 9 dor connection to Wincor Beetle CBL-220-300-C00 Non standard Cable: R5232 (+6V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-300-C00 Non standard Cable: R5232 (+4V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-300-C00 Non standard Cable: R5232 (+4V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor provided Cable: R5232 (+4V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor provided Cable: R5232 (+4V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor provided Cable: R5232 (+4V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor provided Cable: R5232 (+4V signals), black, DB9 Male, 5m (16.4), straight cable. CBL-300-300-500 Non standard USS Type A 15m (54) straight cable. CBL-300-300-500 Non standard Cable: USB, black, Type A, 5m (16.4), colled, 5V host power 18.9 (CBL-300-300-500 Non standard Cable: USB, black, Type A, 5m (16.4), colled, 5V host power 18.9 (CBL-300-300-500 Non standard Cable: USB, black, Type A, 5m (16.4), colled, 5V host power 18.9 (CBL-300-300-500 Non standard Cable: USB, black, Type A, 5m (16.4), colled, 5V host power 18.9 (CBL-300-300-500 Non standard Cable: USB, black, Type A, 5m (16.4), colled, 5V host power 18.9 (CBL-300-300-500 Non standard Cable: USB, black, Type A, 5m (16.4), colled, 5V host power 18.9 (CBL-300-300-500 Non standard Cable: USB, black, Type A, 5m (16.4), colled, 5V host power 18.9 (CBL-300-300-500-500-500-500-500-500-500-500		Preorder	Software: EasyBCBP license key for Xenon, Vuquest	100.00
CBL-120-300-C00 Non standard Cabler RS232 (1+5V signals), black, DBS Female, 3m (9.8), colled, 5V external power with option for host power on pin 9 86.75 (BL-120-300-C00 Non standard Cabler RS232 (1+5V signals), black, DBS Male, 3m (9.8), colled, external power with option for host power on pin 9 for 18.96 (CBL-120-300-C00 Non standard Cabler RS232 (1+5V signals), black, DBS Male, 3m (9.8), colled, external power with option for host power on pin 9 for 18.96 (CBL-120-300-C00 Non standard Cabler RS232 (1+7V signals), black, DBS Male, 3m (9.8), colled, external power with option for host power on pin 9 for 18.96 (CBL-120-300-C00 Non standard Cabler RS232 (1+7V signals), Verifore Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 9 for 19.96 (CBL-120-300-S00 Non standard Cabler RS232 (1+7V signals), Verifore Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 9 for 19.96 (CBL-120-300-S00 Non standard Cabler USB Index, 17 you for flow Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 9 for 19.96 (CBL-120-300-S00 Non standard Cabler USB, black, 17 you for 19.96 (CBL-120-300-S00 Non standard Cabler USB, black, 17 you for 19.96 (CBL-120-300-S00 Non standard Cabler USB, black, 17 you for 19.96 (CBL-120-300-S00 Non standard Cabler USB, black, 12 volcing, 3m (88), straight, 5V host power 19.96 (CBL-120-300-S00 Non standard Cabler USB, black, 12 volcing, 3m (88), straight, 5V host power 19.96 (CBL-120-300-S00 Non standard Cabler USB, black, 12 volcing, 3m (88), straight, 5V host power 19.96 (CBL-120-300-S00 Non standard Cabler USB, black, 12 volcing, 3m (88), straight, 5V host power 19.96 (CBL-120-300-S00-20 Non standard Cabler USB, black, 12 volcing, 3m (88), straight, 5V host power 19.96 (CBL-120-300-S00-20 Non standard Cabler USB, black, 12 volcing, 3m (88), straight, 5V host power 19.96 (CBL-120-300-S00-20 Non standard Cabler USB, black, 12 volcing, 3m (88), straight, 5V host power 19.96 (CBL-120-300-S00-20 Non st	SKU	SKU Type	SKU Description	
CBL-120-300-C00				
CBL-120-300-C00	UCOVERXENON			
CBL-120-300-C00 Non standard Cable: RS232 (C+/12V signals), black, DB9 Male, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 (CBL-220-300-C00 Non standard Cable: RS232 (14-V3 signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beatles. CBL-220-500-S00 Non standard Cable: RS232 (14-V3 signals), black, DB9 Male, 5m (14-4), straight, external power with option for host power on pin 9 for connection to Wincor Beatles. CBL-320-300-C00 Non standard Cable: RS232 (14-V3 signals), black, DB9 Male, 5m (14-4), straight, external power with option for host power on pin 9 18.90 (dependent upon scanner and Stratos Models) CBL-420-300-C00 Non standard Cable: RS232 (14-V12V signals), black, DB9 Male, 5m (14-4), straight, external power with option for host power on pin 9 18.90 (dependent upon scanner and Stratos Models) CBL-431-300-S00 Non standard Cable: RS232 (14-V12V signals), Verifione Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 18.90 (DBL-500-300-S00 Standard Cable: USS), black, Type A. 3m (3.8), straight; SV host power 18.90 (DBL-500-300-S00 Standard Cable: USS, black, Type A. 5m (16-4), coiled, 5V host power 18.90 (DBL-500-300-C00 Standard Cable: USS, black, Type A. 5m (16-4), coiled, 5V host power 18.90 (DBL-500-300-C00 Non standard Cable: USB, black, T2V locking, 5m (16-4), coiled, 5V host power 18.90 (DBL-500-300-C00 Non standard Cable: USB, black, T2V locking, 5m (16-4), coiled, 5V host power 18.90 (DBL-600-300-C00 Non standard Cable: USB, black, T2V locking, 5m (16-4), coiled, 5V host power 18.90 (DBL-600-300-C00 Non standard Cable: USB, black, T2V locking, 5m (16-4), coiled, 5V host power 18.90 (DBL-600-300-C00 Non standard Cable: USB, black, T2V locking, 5m (16-4), coiled, 5V host power 19.90 (DBL-600-300-C00 Non standard Cable: USB, black, T2V locking, 5m (16-4), coiled, 5V host power 19.90 (DBL-600-300-C00 Non standard Cable: USB, black, T2V locking, 5m (16-4), coile		_		
CBL-120-300-C00		_	, , , , , , , , , , , , , , , , , , , ,	
CBL-120-300-C00	300001490	Non standard	system is subjected to turbulent movement	
CBI-120-300-C00 Non standard Cable: RS232 (+6/12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 connection to Wincor Beetle connection to	SKU	SKU Type	SKU Description	
CBL-120-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 CBL-220-300-C00 Non standard Cable: RS232 (+6V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle 18.95 CBL-220-500-S00 Non standard Cable: RS232 (+12V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle 18.90 CBL-320-300-C00 Non standard Cable: RS232 (+12V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle 18.90 CBL-320-300-C00 Non standard Cable: RS232 (+12V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+12V signals), black, DB9 Male, 5m (16.4), pin modular, 3m (9.8), coiled, host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+12V signals), black, DB9 Male, 5m (16.4), pin modular, 3m (9.8), coiled, host power on pin 9 for connection to Wincor Beetle Cable: RS232 (+12V signals), black, DB9 Male, 3m (9.8), coiled, straight, for pin modular, 3m (9.8), coiled, host power on pin 9 for connection to Wincor Beetle Cable: RS232 (FV signals), black, DB9 Male, 3m (9.8), straight, external power with option for host power on pin 9 for connection to Wincor Beetle Cable: RS232 (FV signals), blore, to pin for both power on pin 9 for connection to Wincor Beetle Cable: LSB, black, Type A, 3m (9.8), straight, to whost power cable Cable: LSB, black, Type A, 3m (9.8), straight, to whost power on pin 9 for cable: LSB, bl	Accessories -	Stands/H	olders/Cordless Bases/Access Points	
CBL-120-300-C00 Non standard Cable: RS232 (- 1/- 12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 (- 1/- 12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (- 1/- 5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (- 1/- 5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (- 1/- 2V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (- 1/- 2V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (- 1/- 2V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (- 1/- 2V signals), black, DB9 Male, 3m (9.8), coiled, 5v bast power on pin 9 for connection to Wincor Beetle CBL-431-300-S00 Non standard Cable: SB, black, Type A, 5m (16.4), coiled, 5v host power CBL-500-300-C00 Non standard Cable: USB, black, Type A, 5m (16.4), coiled, 5v host power CBL-500-300-C00 Non standard Cable: USB, black, T2V locking, 3m (9.8), coiled, 5v host power CBL-720-300-C00 Non standard Cable: USB, black, T2V locking, 3m (9.8), coiled, 5v host power CBL-720-300-C00 Non standard Cable: USB, black, PS2, 3m (9.8), coiled, 5v testernal power with option for host power CBL-720-300-C00 Non standard Cable: USB, black, PS2, 3m (9.8), coiled, 5v testernal power with option for host power CBL-720-300-C00 Non standard Cable: RSP, 326-KPS, 3m (, , , ,	
CBL-120-300-C00 Non standard Cable: RS232 (+V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 CBL-220-300-C00 Non standard Cable: RS232 (+V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+VS signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+V2V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+V2V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+V2V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+V-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+V-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-431-300-S00 Non standard Cable: RS232 (+V-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 9 for connection to Wincor Beetle CBL-500-500-500 Standard Cable: USB, black, Type A, 5m (16-4), coiled, 5V host power CBL-500-500-C00 Standard Cable: USB, black, Type A, 5m (16-4), coiled, 5V host power CBL-503-500-C00 Non standard Cable: USB, black, Type A, 5m (16-4), coiled, 5V host power CBL-503-500-C00 Non standard Cable: USB, black, Type A, 5m (16-4), coiled, 5V host power CBL-700-300-C00 Non standard Cable: USB, black, Type A, 5m (16-4), coiled,			·	(\$
CBL-120-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 (200-200-200-200-200-200-200-200-200-200	Accessories -			
CBL-220-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+7-12V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power on pin 9 18.90 clb-420-300-C00 CBL-430-300-C00 Non standard Cable: RS232 (1/-12V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) CBL-431-300-S00 Non standard Cable: RS232 (1/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular, straight, host power on pin 9 18.90 clb-500-150-S00 CBL-500-150-S00 Non standard Cable: USB, black, Type A, 3m (9.8), straight, 5V host power 18.90 clb-500-500-C00 Standard Cable: USB, black, Type A, 3m (16.4), coiled, 5V host power 18.90 clb-503-300-S00 CBL-503-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power 18.90 clb-503-500-C00 CBL-503-500-C00 Standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power 18.90 clb-503-500-C00 CBL-503-500-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power 18.90 clb-503-500-C00 CBL-503-500-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power 18.90 clb-503-500-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power 18.90 clb-503-500-C00 CBL-503-500-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power 18.90 clb-503-500-C00 clb-503-500 clb-503-500 clb-503-500 clb-503-500 clb-503-500 clb-503-500 clb-50			Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions	361.20
CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 (CBL-220-300-C00) Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+7-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (4V-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 (CBL-420-300-C00) Non standard Cable: RS232 (4V-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 18.90 (CBL-500-300-S00) CBL-500-300-S00 Standard Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power CBL-503-300-C00 Non standard Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power CBL-503-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-500-300-C00 Stocking Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-500-300-C00 Stocking Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-500-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-500-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power CBL-500-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-500-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-500-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power CBL-500-300-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V h	MB4-BAT-SCN01NAD0	Standard		
CBL-120-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 (CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 (CBL-420-300-C00 Non standard Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos model) RS232 (5V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 (CBL-500-150-S00 Non standard Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 (CBL-500-300-S00 Standard Cable: USB, black, Type A, 3m (9.8), straight, 5V host power (CBL-503-300-C00 Standard Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power (CBL-503-300-C00 Stocking Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power (CBL-500-500-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power (CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power (CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power (CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power (CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host powe	SKU	SKU Type	SKU Description	
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+712V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+712V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-431-300-C00 Non standard Cable: RS232 (5V signals), honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power on pin 9 for connection to Wincor Beetle CBL-500-150-S00 Non standard Cable: RS232 (+7-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 9 for connection to Wincor Beetle CBL-500-300-S00 Standard Cable: USB, black, 15M (5) straight cable CBL-500-300-S00 Standard Cable: USB, black, 7ype A, 5m (16.4), coiled, 5V host power 18.90 CBL-503-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power 18.90 CBL-503-300-C00 Stocking Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power 36.75 CBL-503-500-C00 Stocking Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power 36.76 CBL-503-300-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power 36.76 CBL-503-500-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power 36.76 CBL-503-500-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power 36.76 CBL-503-500-C00 Non standard Cable: USB, black, 12V locking, 5	Accessories -	Chargers		
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 CBL-500-150-S00 Non standard Cable: USB, black, 15 ppe A, 3m (9.8), straight, 5V host power CBL-500-300-S00 Standard Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power CBL-503-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power CBL-503-500-C00 Stocking Cable: USB, black, 12V locking, 3m (16.4), coiled, 5V host power CBL-503-500-C00 Non standard Cable: USB, black, 12V locking, 3m (16.4), coiled, 5V host power CBL-500-400-C00 Non standard Cable: USB, black, 12V locking, 3m (16.4), coiled, 5V host power CBL-500-400-C00 Non standard Cable: USB, black, 12V locking, 3m (16.4), coiled, 5V host power CBL-500-500-C00 Stocking Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power CBL-503-00-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power CBL-503-500-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power CBL-503-500-C00 Non standard Cable: USB, black, 12V loc			Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power	
CBL-220-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+7-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-420-300-C00 Non standard Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) CBL-431-300-S00 Non standard Cable: RS232 (+7-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 CBL-500-150-S00 Non standard Cable: USB, black, Type A, 3m (9.8), straight, 5V host power CBL-503-300-C00 Non standard Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power CBL-503-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-503-300-C00 Stocking Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-503-500-C00 Stocking Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power CBL-600-400-C00 Non standard Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power CBL-600-400-C00 Non standard Cable: USB, black, 12V l				
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.78 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-420-300-C00 Non standard Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 CBL-500-150-S00 Non standard Cable: USB, black, Type A, 3m (9.8), straight, 5V host power CBL-500-300-C00 Standard Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power CBL-503-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power CBL-503-300-C00 Stocking Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power 36.76 36.77 36.79 36.79 36.79 36.79 36.79 36.79 36.79 36.79		_		
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.75 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-420-300-C00 Non standard Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 CBL-500-150-S00 Non standard Cable: USB Type A HSM 5V 1.5m (5) straight cable CBL-500-300-S00 Standard Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power 18.90 CBL-503-300-C00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power 18.90 CBL-503-300-S00 Non standard Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power 36.75				
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.78 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-500-150-S00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.90 CBL-500-150-S00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for hos		_		
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.79 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-420-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male,	CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.9
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.7. CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.9 CBL-420-300-C00 Non standard Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8 CBL-500-150-S00 Non standard USB Type A HSM 5V 1.5m (5) straight cable		_		
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.7 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.9 CBL-420-300-C00 Non standard Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models) CBL-431-300-S00 Non standard Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8			, , , , , , , , , , , , , , , , , , ,	
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.7 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.9 CBL-320-300-C00 Non standard Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 18.9 CBL-420-300-C00 Non standard Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible 18.9			pin 8	
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.7 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for 18.9 CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for 18.9 CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for 18.9	CBL-420-300-C00	Non standard		18.9
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.7 CBL-220-300-C00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for 18.9 CBL-220-500-S00 Non standard Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for 18.9	CBL-320-300-C00	Non standard		18.9
CBL-120-300-C00 Non standard Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9 36.7	CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for	18.9
	CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for	18.9
CBL-020-300-C00 Standard Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9		_		



SKU	SKU Type	SKU Description	List (\$)
REM-MNT-SCAN-1MO	Standard	Remote MasterMind - Bioptic Scanner Software Maint. & Support True-up - one month ext use to Align existing and new device maint. expiry date to match (co-termination). Pls go to http://remotemastermind.honeywellaidc.com/onlinequote for assistance	0.50
REM-MNT-SCAN-1MO-R	Standard	Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW CLIENTS ARE NOT PURCHASED	0.60
REM-MNT-SCAN-1YR	Standard	Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.	6.00

Scanning - Xenon 1902 Color

SKU	SKU Type	SKU Description	Lis (\$
1902hHD-0-COL	Non standard	Scanner Only: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, Bluetooth, color imaging	947.0
1902hHD-0-COLC	Non standard	Scanner Only: 1D, PDF417, 2D, HD focus, white disinfectant-ready housing, Bluetooth, color imaging capable (ColorFusion license required)	902.0
SKU	SKU Type	SKU Description	Li:
SKU 1902qSR-2-COL	SKU Type Non standard	•	Li: (\$ 911.0
SKU 1902gSR-2-COL 1902gSR-2-COLC		Scanner Only: 1D, PDF417, 2D, SR focus, black, Bluetooth, color imaging	(

.011111/			
SKU	SKU Type	SKU Description	List (\$)
HSVC1902k-SMS3	Preorder	Service: Xenon 1902 +base , SMS 1-day turnaround, comprehensive coverage, 3-Year	85.00
HSVC1902k-SMS5	Preorder	Service: Xenon 1902 +base, SMS 1-day turnaround, comprehensive coverage, 5-Year	165.00
HSVC4BAY-SMS3	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), 1-day turnaround, comprehensive, 3-year package	39.00
HSVC4BAY-SMS5	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820i, 4820i & 6320dpm Lithium-ion batteries), 1-day	65.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1902k-SMS1	Preorder	Xenon 1902+base, SMS, 1-day turnaround, Comprehensive coverage, 1-Year, Post Sale, must be purchased within 1 year of hardware or on time renewal of SMS3	60.00

Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the term.)

SKU	SKU Type	SKU Description	List (\$)
HSVC1902k-W	Preorder	Service: Xenon 1902 +base, Extended Warranty 10-day turnaround, 1-Year	40.00
HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820, 4820i & 6320dpm Lithium-ion batteries), Extended Warranty, 10-day turn, 1 year term	11.00

Global Services - Post Sale Service Contracts - Price is per unit per year & requires a minimum of 3 year contract, unless renewing an existing contract. Must be purchased for the entire fleet of devices. Devices covered must be in good working condition prior to purchase.

SKU	SKU Type	SKU Description	List (\$)
E-HSVC1902k-W	Preorder	Service: Xenon 1902 +base, Extended Warranty 10-day turnaround, 1-Year, Post Sale	45.00
E-HSVC4BAY-W	Preorder	4-bay battery charger (for use with Xenon 1902, 3820, 3820i, 4820i, 4820i & 6320dpm Lithium-ion batteries), Post Sales, Extended Warranty, 10-day turn, 1 year term	15.00

Accessories - Miscellaneous



200003829 200003830	SKU Type	SKU Description	List (\$)
200003830	Non standard	Miscellaneous: White tool-free (thumbwheel) end cap for use with Xenon 1902 with white disinfectant-ready housings	46.20
	Non standard	Miscellaneous: Gray tool-free (thumbwheel) end cap for use with Xenon 1902	26.25
Accessories -	Cables		
SKU	SKU Type	SKU Description	List (\$)
CBL-020-300-C00	Standard	Cable: RS232 (5V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	18.90
CBL-120-300-C00	Non standard	Cable: RS232C (+/-12V signals), black, DB9 Female, 3m (9.8), coiled, 5V external power with option for host power on pin 9	36.75
CBL-220-300-C00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-220-500-S00	Non standard	Cable: RS232 (+5V signals), black, DB9 Male, 5m (16.4), straight, external power with option for host power on pin 9 for connection to Wincor Beetle	18.90
CBL-320-300-C00	Non standard	Cable: RS232 (+/-12V signals), black, DB9 Male, 3m (9.8), coiled, external power with option for host power on pin 9	18.90
CBL-420-300-C00	Non standard	Cable: RS232 (5V signals), Honeywell Bioptic Stratos Aux, black, 10 pin modular, 3m (9.8), coiled, host power possible (dependent upon scanner and Stratos models)	18.90
CBL-431-300-S00	Non standard	Cable: RS232 (+/-12V signals), Verifone Ruby, Sapphire and Topaz Terminals, black, 8 pin modular; straight, host power on pin 8	63.00
CBL-500-150-S00	Non standard	USB Type A HSM 5V 1.5m (5) straight cable	10.91
CBL-500-300-S00	Standard	Cable: USB, black, Type A, 3m (9.8), straight, 5V host power	18.90
CBL-500-500-C00	Standard	Cable: USB, black, Type A, 5m (16.4), coiled, 5V host power	18.90
CBL-503-300-C00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), coiled, 5V host power	18.90
CBL-503-300-S00	Non standard	Cable: USB, black, 12V locking, 3m (9.8), straight, 5V host power	36.75
CBL-503-500-C00	Stocking	Cable: USB, black, 12V locking, 5m (16.4), coiled, 5V host power	36.75
CBL-600-400-C00	Non standard	Cable: IBM 46xx Port 9b, 12V Power, coiled, 4m (13.1)	63.00
CBL-720-300-C00	Non standard	Cable: KBW, black, PS2, 3m (9.8), coiled, 5 V external power with option for host power	18.90
CBL-GIL-300-S00-02	Non standard	Cable: RS232 (5V signals), Gilbarco terminal, black, DB9 Female, 3m (9.8), straight	18.90
CBL-NCR-300-S00	Non standard	Cable: RS232 (5V signals), NCR 787x, black, 8 pin modular, 3m (9.8), straight, external power with option for 5V host power on pin 1	18.90
Accessories -	Chargers		
SKU	SKU Type	SKU Description	List
MD4 D4T CONO4NADO		01 41 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	(\$)
MB4-BAT-SCN01NAD0	Standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA desktop power supply (PS-050-4000D-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
MB4-BAT-SCN01NAW0	Non standard	Charger: 4-bay battery charger (NA) for use with Voyager 1202g, Xenon 1902, 3820, 3820i, 4820 & 4820i Lithium-ion batteries, NA wallmount power supply (PS-050-4000W-NA), two mounting screws (100006897), and Instructions (MBC-INST)	361.20
Accessories -	Power		
SKU	SKU Type	SKU Description	List
		D. 1. 1811 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(\$)
100000495	Stocking	Battery: Lithium-ion battery for Voyager 1202, Xenon 1902, 3820, 3820i, 4820, and 4820i cordless scanners	58.80
46-00525	Standard	Power Supply: NA plug, 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz	34.65
Accessories -	Stands/H	olders/Cordless Bases/Access Points	
sku	SKU Type	SKU Description	List (\$)
200004504	Standard	Accessory: Sheet metal bracket with pre-drilled holes enables horizontal or vertical mounting of a cordless system	37.80
	Standard	Holder Kit: Plastic bracket facilitates mounting of scanner to wall, 2 mounting screws included in kit	26.25
300001501	Otandara	Holder: belt holster stores Xenon 1902, 3820, 3820i, 4820, or 4820i cordless scanner and one spare lithium-ion battery	53.55
300001630	Non standard		
300001630 HOLSTERE	Non standard		
300001630 HOLSTERE UCOVERXENON	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	
300001630 HOLSTERE UCOVERXENON Software - Sof	Non standard	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon	36.75
300001630 HOLSTERE UCOVERXENON Software - Sof	Non standard tware SKU Type	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon SKU Description	36.75 List (\$)
300001630 HOLSTERE UCOVERXENON Software - Sof SKU TF2-EZBCBP	Non standard tware SKU Type Preorder	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon SKU Description Software: EasyBCBP license key for Xenon, Vuquest	36.75 List (\$)
300001630 HOLSTERE UCOVERXENON Software - Sof SKU TF2-EZBCBP TF2-EZDL	Non standard tware SKU Type Preorder Preorder	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon SKU Description Software: EasyBCBP license key for Xenon, Vuquest Software: EasyDL license key for Xenon, VuQuest, and Captuvo	36.75 List (\$) 100.00 100.00
300001630 HOLSTERE UCOVERXENON Software - Sof SKU TF2-EZBCBP TF2-EZDL TF2-EZGS1	Non standard TWARE SKU Type Preorder Preorder Preorder Preorder	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon SKU Description Software: EasyBCBP license key for Xenon, Vuquest Software: EasyDL license key for Xenon, VuQuest, and Captuvo Software: EasyGS1 license key for Xenon, Vuquest	36.75 List (\$) 100.00 100.00
300001630 HOLSTERE UCOVERXENON Software - Sof SKU TF2-EZBCBP TF2-EZDL TF2-EZGS1 TF2-EZMVC	Non standard TWARE SKU Type Preorder Preorder Preorder Preorder Preorder	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon SKU Description Software: EasyBCBP license key for Xenon, Vuquest Software: EasyDL license key for Xenon, VuQuest, and Captuvo	36.75 List (\$) 100.00 100.00
300001630 HOLSTERE UCOVERXENON Software - Sof SKU TF2-EZBCBP TF2-EZDL TF2-EZGS1	Non standard TWARE SKU Type Preorder Preorder Preorder Preorder Preorder	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon SKU Description Software: EasyBCBP license key for Xenon, Vuquest Software: EasyDL license key for Xenon, VuQuest, and Captuvo Software: EasyGS1 license key for Xenon, Vuquest	36.75 List (\$) 100.00 100.00
300001630 HOLSTERE UCOVERXENON Software - Sof SKU TF2-EZBCBP TF2-EZDL TF2-EZGS1 TF2-EZMVC	Non standard TWARE SKU Type Preorder Preorder Preorder Preorder Preorder	Miscellaneous: Padded fabric boot cover with hanging ring for Xenon SKU Description Software: EasyBCBP license key for Xenon, Vuquest Software: EasyDL license key for Xenon, VuQuest, and Captuvo Software: EasyGS1 license key for Xenon, Vuquest	36.75 List (\$) 100.00 100.00 100.00 List (\$)



List

SKU

SKU Type

SKU Description

of 10 licenses	SKU Type	SKU Description	Lis (\$
REM-CLIENT-SCAN	Standard	Remote MasterMind - 1D or 2D Scanner license with one year of software maintenance and support included	19.00
REM-SERVER	Standard	Remote MasterMind - Server License (mandatory for all new customers - no charge)	CFC
SKU	SKU Type	nintenance & Support Extensions and Renewals SKU Description	L
			Li (

Remote MasterMind - 1D or 2D Scanning Device Renewals - one month maintenance extension for managed scanners - use for: Post-sales maintenance renewals, months and year equivalents, ALLMAINTENANCE RENEWALS WHERE NEW

Remote MasterMind - 1D or 2D Scanning Device Maintenance & Support Extension - one year term maintenance and

support extension per managed scanner (must be ordered with matching new client license) to obtain this special pricing.

Global Services contracts availability varies per region. Note: Services such as Service Made Simple (SMS) are available in the EU, USA & Canada. For countries outside of the EU, USA & Canada, please contract a Honeywell representative to confirm availability. Prices are recommended resell prices only. HSM Distributors and Partners are free to define their own prices. Honeywell official pricelist is the one regularly updated and published on this site.

All prices are subject to change without notice and will be confirmed upon reception of orders.



0.60

6.00

assistance

CLIENTS ARE NOT PURCHASED

REM-MNT-SCAN-1MO-R Standard

Standard

REM-MNT-SCAN-1YR

For more information on our products: www.honeywellaidc.com

Honeywell Scanning & Mobility 9680 Old Bailes Road Fort Mill, SC 29707 800.582.4263 www.honeywell.com

Honeywell