

# PulseLARSEN

Series: Embedded Antenna


**Description: 2.4-2.5GHz Sheet Metal PIFA** 

PART NUMBER: W3317



#### Features:

- 2400-2500MHz
- Gain 4dBi
- Radiation Efficiency 77%
- Size 22.4 x 3 x 6.25mm
- VSWR 2:1



# **Applications:**

- · Wi-Fi, Bluetooth, ZigBee
- 2.4GHz ISM band radios
- Routers, Gateways
- IoT terminals
- M2M
- Automation, security, transportation

All dimensions are in mm / inches

Issue: 1649

In the effort to improve our products, we reserve the right to make changes judged to be necessary.  $\texttt{CONFIDENTIAL} \ \texttt{AND} \ \texttt{PROPRIETARY} \ \texttt{INFORMATION}$ 

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



**Description: 2.4-2.5GHz Sheet Metal PIFA** 

**Series: Embedded Antenna** 

**PART NUMBER: W3317** 

ELECTRICAL SPECIFICATIONS		
Frequency	2400-2500	MHz
Nominal Impedance	50	Ω
VSWR	2:1	
Average efficiency	77	%
Peak Gain	4	dBi +/- 1 dB
Polarization:	linear	
Power withstanding	5	W

## Note:

1. Performance measured on standard 100x100x1mm evaluation board, refer to page 5.



**Description: 2.4-2.5GHz Sheet Metal PIFA** 

**Series: Embedded Antenna** 

**PART NUMBER: W3317** 

#### **MECHANICAL SPECIFICATIONS**

Material Cu Copper-Nickel-Zinc Alloy

Weight 0.27 g

Thickness 0.4[0.016] mm[inch]

Overall Length 22.2[0.874] mm[inch]

#### **ENVIRONMENTAL SPECIFICATIONS**

Operating temperature -40/+105 ° C

Low temperature -30 ° C 500 hours

High temperature +85 ° C 500 hours

Humidity +85°C and 90-95 % r.h. 96 hours

Vibration X&Y directions 2 hours

Z directions 4 hours

Thermal Shock -30 ° C /+85 ° C 5 cycles








**Series: Embedded Antenna** 

**PART NUMBER: W3317** 

## **MECHANICAL DRAWING**










Series: Embedded Antenna

**PART NUMBER: W3317** 


## **OTHER SPECIFICATIONS**

## **PCB LAYOUT**

1. PCB material, FR4, size, 100X100X1mm



# 2. Clearance area (Top)








Series: Embedded Antenna

PART NUMBER: W3317


#### **OTHER SPECIFICATIONS**

# **PCB LAYOUT**

3. Clearance area (Bottom)



## 4. PCB features








**Series: Embedded Antenna** 

**PART NUMBER: W3317** 

#### **OTHER SPECIFICATIONS**

# ANTENNA MOUNTING ON PCB 5, Antenna on test PCB



## Others:

- 1. This antenna is designed for manual or semi automated assembly.
- 2. While soldering of the antenna it is recommend to use process jig to keep the placement of the antenna stable.






**Series: Embedded Antenna** 

**PART NUMBER: W3317** 

#### **CHARTS**

### **VSWR**

VSWR vs Frequency measured with 100mm\*100mm ground W3317 measured at Pulse Suzhou



Issue: 1649

ROHS



**Description: 2.4-2.5GHz Sheet Metal PIFA** 


**Series: Embedded Antenna** 

PART NUMBER: W3317

#### **CHARTS**

# Efficiency

Efficiency vs Frequency measured with 100mm\*100mm ground W3317 measured at Pulse Suzhou










**Series: Embedded Antenna** 

PART NUMBER: W3317

#### **CHARTS**

### Peak Gain

Peak Gain vs Frequency measured with 100mm\*100mm ground W3317 measured at Pulse Suzhou










Series: Embedded Antenna

PART NUMBER: W3317

#### **CHARTS**








**Series: Embedded Antenna** 

**Description: 2.4-2.5GHz Sheet Metal PIFA** 

**PART NUMBER: W3317** 

#### **CHARTS**

# Gain plots



Issue: 1649

ROHS






Series: Embedded Antenna

**Description: 2.4-2.5GHz Sheet Metal PIFA** 

**PART NUMBER: W3317** 

#### **CHARTS**

# Gain plots



Issue: 1649

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





**Description: 2.4-2.5GHz Sheet Metal PIFA** 

**PART NUMBER: W3317** 

# **Series: Embedded Antenna**

#### **PACKAGING**

Tray packing 50PCS/Tray 2000PCS/Carton box

