

Bus system T-connector - SAC-5PT-FB/2XMB PBDP SH - 1424711

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Bus system T-connector, PROFIBUS DP (12 Mbps), 5-position, shielded, Socket straight M12 SPEEDCON, B-coded, on Plug straight M12 SPEEDCON, B-coded and Plug straight M12 SPEEDCON, B-coded

Why buy this product

- Safe use in the field, thanks to a high degree of protection
- ☑ Reliable signal transmission 360° shielding in environments with electromagnetic interference
- Save time, thanks to installation with SPEEDCON fast locking system



Key Commercial Data

Packing unit	1		
GTIN	4 055626 376745		
GTIN	4055626376745		

Technical data

Ambient conditions

Degree of protection	IP65
	IP67

General

Rated current at 40°C	4 A (Contact 1 and 3)		
	1 A (Contact 2 and 4)		
Rated voltage	60 V DC		
Number of positions	5		
Coding	B-coded		
Standards/regulations	M12 connector IEC 61076-2-101		

04/11/2017 Page 1 / 3



Bus system T-connector - SAC-5PT-FB/2XMB PBDP SH - 1424711

Technical data

General

Signal type/category	PROFIBUS DP, 12 Mbps		
Status display	No		
Overvoltage category	II		
Degree of pollution	3		
Insertion/withdrawal cycles	≥ 100		
Torque	0.4 Nm (M12 connector)		

Material

Flammability rating according to UL 94	V0		
Contact material	CuZn (pin) / CuSn (socket)		
Contact surface material	Ni/Au		
Contact carrier material	PBT		
Material of grip body	PBT		
Material, knurls	Zinc die-cast, nickel-plated		
Sealing material	Viton		

Standards and Regulations

Standard designation	M12 connector	
Standards/regulations	IEC 61076-2-101	
Flammability rating according to UL 94	V0	

Drawings

Schematic diagram



Schematic diagram



Pin assignment M12 male connector, 5-pos., B-coded, male side

Pin assignment M12 socket, 5-pos., B-coded, female side



Bus system T-connector - SAC-5PT-FB/2XMB PBDP SH - 1424711

Circuit diagram 1 2 2 2 3 4 5

Contact assignment of the M12 plug and the M12 socket

Approvals			
Approvals			
Approvals			
EAC			
Ex Approvals			
Approval details			
EAC	ERC		EAC-Zulassung

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com