

6

5

4

3






2

1

Rev	AWO #	Description	Date	Appr
-		RELEASED	11/26/13	

APPROVED: _____

DATE: _____ TITLE: _____



FFC/FPC DIMENSION
THICKNESS: 0.3mm

Positions: 4 thru 32

A = .031 [0.80] x No. of (Positions-1)

B = A + .096 [2.44]

C = A + .228 [5.80]

D = A + .280 [7.10]

SPECIFICATIONS:

Material:

Insulator: Hi-temp thermoplastic, rated UL 94V-0

Insulator color: White

Latch: Hi-temp thermoplastic, rated UL 94V-0

Latch color: Black

Contacts: Phosphor Bronze

Plating:

Tin over Copper underplate overall

Electrical:

Operating voltage: 50 VAC max

Current rating: 0.5 Amps max

Contact resistance: 30 mohms max initial

Insulation resistance: 500 Mohms min

Dielectric withstanding voltage: 500 VAC for 1 minute

Temperature Rating:

Operating temperature: -40°C to +85°C

Environmental:

Lead free, RoHS compliant



ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .005
APPROVALS				DATE			
DRAWN	AY			11/26/13			
CHECKED	KW			11/26/13			
APPROVED							

ADAM TECH

909 Railway Avenue, Union, NJ 07083

Phone: 908-687-5000 Fax: 908-687-5710

ZIF FLEX CIRCUIT CONNECTOR

SIDE ENTRY, UPPER & LOWER CONTACT, SMT

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES				HOLDERS INCHES			
.X	± .10	Ø.X	± .10	.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015	.XX	± .015	Ø.XX	± .010
.XXX	± .015	Ø.XXX	± .010	.XXX	± .010	Ø.XXX	± .010
APPROVALS			DATE				
DRAWN		AY		11/26/13			
CHECKED		KW		11/26/13			
APPROVED							

ADAM TECH			
909 Rahway Avenue, Union, NJ 07083			
Phone: 908-687-5000 Fax: 908-687-5710			
TITLE			
ZIF FLEX CIRCUIT CONNECTOR			
SIDE ENTRY, UPPER & LOWER CONTACT, SMT			
SIZE		PART NO.	
X		PCA-5-XX-HX-3	
REF: S00030T	SCALE: NTS	SHEET 1	OF 1
		REV. -	