


NOTES:
1. MATERIALS AND FINISHES:
BODY - BRASS, GOLD PLATING, .000030 [0.8] THICK
CONTACT - SPRING ALLOY, GOLD PLATING, .000030 [0.8] THICK
INSULATOR - PTFE
2. ELECTRICAL:
A. IMPEDANCE: 50 OHM
B. FREQUENCY RANGE: DC - 6 GHz
3. PHYSICAL:
A. DURABILITY: 500 CYCLES MIN.
B. TEMPERATURE RANGE: -65° C TO 165° C
4. PACKAGING:
A. QUANTITY: SINGLE PACK
B. MARKING:
AMPHENOL
908-22109
DATE CODE

908-22109		REVISIONS				
DRAWING NO.	REV	DESCRIPTION		DATE	ECO	APPR
FIRST ANGLE PROJ. 	A	RELEASE TO MFG		3/1/04	44830	CPM



CUSTOMER OUTLINE DRAWING
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:
2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES
 $\pm .015$ (0.381 mm) $\pm .005$ (0.127 mm) $\pm 1^\circ$

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL	DRAWN OWEN BARTHELME	DATE 24-Sep-01	TITLE MMCX (F) PCB JACK SMT REAR MOUNT OR TOP MOUNT	Amphenol Amphenol Corporation Communication and Network Products Division Danbury, CT U.S.A. 06810
	ENGINEER OWEN BARTHELME	DATE 24-Sep-01		
	REFERENCE GEN# ASSYF11_MMCFX EAR# 1293 615X-1740-100	APPROVED OWEN BARTHELME		
		DATE 3/1/04		
	CAD FILE I:\MMCX\908-22109	CODE ID 74868	DWG SIZE B	DRAWING NO. 908-22109