# Product data sheet

Specifications



## APC 24 Port 10/100 Ethernet Switch

AP9224110

To be discontinued on: Dec 31, 2026

To be end-of-service on: Dec 26, 2027

Discontinued - Service only

## Main

| | |
|---|---|
| **Main Input Voltage** | 100 V<br>120 V<br>200 V<br>208 V<br>230 V |
| **Product or component type** | Ethernet switch |
| **Input Connection Type** | IEC 60320 C14 |
| **Number of rack unit** | 1U |
| **Number of cables** | 1 |
| **Provided equipment** | User manual<br>Rack mounting brackets |

## Physical

| | |
|---|---|
| **Colour** | Black |
| **Height** | 37 mm |
| **Width** | 250 mm |
| **Depth** | 132 mm |
| **Product weight** | 1.18 kg |
| **Mounting location** | Front<br>Rear |
| **Mounting preference** | No preference |
| **Mounting mode** | Rack-mounted |

## Conformance

| | |
|---|---|
| **Product certifications** | cUL listed<br>CE<br>TÜV<br>UL listed |
| **Standards** | EN 60950<br>FCC part 15 class A |

## Environmental

| | |
|---|---|
| **Ambient air temperature for operation** | 0…45 °C |
| **Relative humidity** | 10…90 % |
| **Ambient air temperature for storage** | -15…65 °C |
| **Storage Relative Humidity** | 10…90 % |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Downloaded from Arrow.com.

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 10.2 cm |
| **Package 1 Width** | 21.3 cm |
| **Package 1 Length** | 52.1 cm |
| **Package 1 Weight** | 2 kg |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 24 |



Downloaded from Arrow.com.

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **7 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **7 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **0.2 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **0.1 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **No** |
| Packaging without single use plastic | **No** |
| SCIP Number | **422663a7-baeb-4cb7-bbc6-b99e5d0c5821** |
| EU RoHS Directive | **Compliant By Exemption** |
| REACh Regulation | **Reference contains Substances of Very High Concern above the threshold** |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | **No** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **95** |
| End of life manual availability | **No need of specific recycling operations** |
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins** |



Downloaded from Arrow.com.

Image of product / Alternate images

**Alternative**







Downloaded from Arrow.com.