





THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT - By -	ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





M	108-115042	30u'' MIN.	1.125	1.375	-6.125	1.5	14.0	2.0	14.0	1-2199119-6
		15u'' MIN.								1-2199119-5
		10u'' MIN.								1-2199119-4
	108-115049	GOLD FLASH								1-2199119-3
A	108-115042	10u'' MIN.	1.375	1.125	6.625	14.5	1.0	14.5	1.5	1-2199119-2
E					2.625	10.5	5.0	10.5	5.5	1-2199119-1
B					5.625	13.5	2.0	13.5	2.5	1-2199119-0
A	108-115042	30u'' MIN.			6.625	14.5	1.0	14.5	1.5	2199119-9
		15u'' MIN.								2199119-8
	108-115049	GOLD FLASH								2199119-7
E	108-115042	30u'' MIN.			2.625	10.5	5.0	10.5	5.5	2199119-6
B					5.625	13.5	2.0	13.5	2.5	2199119-5
E		15u'' MIN.			2.625	10.5	5.0	10.5	5.5	2199119-4
B					5.625	13.5	2.0	13.5	2.5	2199119-3
E	108-115049	GOLD FLASH			2.625	10.5	5.0	10.5	5.5	2199119-2
B					5.625	13.5	2.0	13.5	2.5	3-2199119-1
										2199119-1
KEY ID.	PRODUCT SPEC.	GOLD SPEC.	DIM. G	DIM. F	DIM. E	DIM. D	DIM. C	DIM. B	DIM. A	PART NO.

KEY ID.		PRODUCT SPEC.		GOLD SPEC.		DIM. G		DIM. F		DIM. E		DIM. D		DIM. C		DIM. B		DIM. A		PART NO.					
THIS DRAWING IS A CONTROLLED DOCUMENT.						DWN SIMON WU 90CT2012		 TE Connectivity																	
						CHK SIMON LI 90CT2012																			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.30 1 PLC ± 0.30 2 PLC ± 0.20 3 PLC ± 0.10 4 PLC ± - ANGLES ± 3°				APVD COREL WANG 90CT2012		NAME M.2(NGFF)MINI CARD MOUNTING TYPE 0.50mm PITCH 67 POS 3.2mm H DOUBLE SIDED MODULE																	
						PRODUCT SPEC																			
						APPLICATION SPEC		SIZE A3																	
						WEIGHT 0																			
MATERIAL -		FINISH -				CAGE CODE 00779														DRAWING NO C-2199119				RESTRICTED TO -	
CUSTOMER DRAWING						SCALE 4:1				SHEET 2 OF 5				REV F											

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES: (APPLIED TO CURRENT SHEET)

1. THE DIRECTION OF EACH CONNECTOR ON A EMBOSS IS REFERRED TO THIS DRAWING.
2. GENERAL TOLERANCE: ± 0.5 , $\pm 3^\circ$
3. PACKAGED IN EMBOSS TAPE AND PLASTIC RELL 1200PCS PER REEL.



M	1-2199119-6
	1-2199119-5
	1-2199119-4
	1-2199119-3
A	1-2199119-2
E	1-2199119-1
B	1-2199119-0
A	2199119-9
	2199119-8
	2199119-7
E	2199119-6
B	2199119-5
E	2199119-4
B	2199119-3
E	2199119-2
B	2199119-1
KEY ID.	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SIMON WU 90CT2012	TE Connectivity		
		CHK SIMON LI 90CT2012			
		APVD COREL WANG 90CT2012	NAME M.2(NGFF)MINI CARD MOUNTING TYPE 0.50mm PITCH 67 POS 3.2mm H DOUBLE SIDED MODULE		
DIMENSIONS: mm		PRODUCT SPEC	SIZE A3		CAGE CODE 00779
		APPLICATION SPEC	DRAWING NO C-2199119		RESTRICTED TO -
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT	SCALE N/A		SHEET 4 of 5
MATERIAL -		FINISH -	CUSTOMER DRAWING		REV F

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.



© COPYRIGHT — By —

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




NOTES: (APPLIED TO CURRENT SHEET)

1. THE DIRECTION OF EACH CONNECTOR ON A EMBOSS IS REFERRED TO THIS DRAWING.
2. GENERAL TOLERANCE: ± 0.5 , $\pm 3^\circ$
3. PACKAGED IN EMBOSS TAPE AND PLASTIC RELL 1200PCS PER REEL.




SECT A-A

USER DIRECTION OF UNREELING




(K1)4.15

USER DIRECTION OF UNREELING

SECT B-B
N.I.S

B	3-2199119-1
KEY ID.	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	± 0.30
1 PLC	± 0.30
2 PLC	± 0.20
3 PLC	± 0.10
4 PLC	$\pm -$
ANGLES	$\pm 3^\circ$

MATERIAL

FINISH

DWN 90CT2012

SIMON WU

CHK 90CT2012

SIMON LI

APVD 90CT2012

COREL WANG

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

M.2(NGFF)MINI CARD MOUNTING TYPE

0.50mm PITCH 67 POS 3.2mm H

DOUBLE SIDED MODULE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2199119

SCALE N/A

SHEET 5 OF 5

REV F