

**Part Number** : 479502011

**Product Description:** 2.4GHz / 5GHz Wi-Fi Stand Alone Antenna, 16.00mm Width, 200.00mm Cable Length, Compatible with U.FL / I-PEX MHF Connectors

Series Number: 47950

Status: Not Recommended For New Design

**Product Category:** Antennas



### **Documents & Resources**

### **Specifications**

PK-47950-001-001.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains 2-Methyl-1-(4- methylthiophenyl)-2- morpholinopropan-1-one per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

### **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# <u>Substances of Interest</u>

• PFAS

# **EU RoHS Certificate of Compliance**

## <u>Additional Product Compliance Information</u>

## **Part Details**

### General

Status	Not Recommended For New Design
Category	Antennas
Series	47950
Description	2.4GHz / 5GHz Wi-Fi Stand Alone Antenna, 16.00mm Width, 200.00mm Cable Length, Compatible with U.FL / I-PEX MHF Connectors
Component Type	Flexible Antenna with Cable
Function	Signal
Product Name	2.4GHz SMD Stand Alone
Protocol	BLE, BT, Thread, Wi-Fi, Wireless Hart, Zigbee
Туре	Wi-Fi Antenna
UPC	884982682054

## **Electrical**

Band#1 F_End (MHz)	2483.5
Band#1 F_Start (MHz)	2400
Band#2 F_End (MHz)	5900
Band#2 F_Start (MHz)	4800
Electrical Connectivity	Cable
Peak Gain (dBi)	2.6 @ 2.4 GHz, 4.4 @ 5 GHz
Return Loss - S11 (dB)	< -10, < -9
Total Efficiency	>75% @ 5 GHz, >80% @ 2.4 GHz

# **Physical**

Cable Length	200.00mm
Length	35.90mm

Mounting Style	Adhesive
Net Weight	0.960/g
Packaging Type	Tray
Polarization	Linear
Radiation Pattern	Omnidirectional
Thickness	0.10mm
Width	15.90mm

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
MCRF Jack, Straight, PCB Receptacle, Surface Mount, 1.25mm Mounted Height, 50 Ohms	<u>734120110</u>

This document was generated on Sep 22, 2025