Part Number : 1731121747
Product Description : FCT Removal Tool for Size 8 Contacts
Series Number : 173112
Status : Active
Product Category : Crimp Presses and Crimp Hand Tools
Engineering Part Number : 1731121747-FCT



Documents and Resources

Drawings

1731121747_sd.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Not Reviewed per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Downloaded from Arrow.com.

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Crimp Presses and Crimp Hand Tools
Series	173112
Description	FCT Removal Tool for Size 8 Contacts
Function	Insertion/Extraction
Geographic Area	Global
Level of Automation	Manual
Product Name	FCT Products
Tool Type	Extraction Hand Tool, Insertion Hand Tool
UPC	193264163137
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Downloaded from Arrow.com.

Physical

Net Weight	73.000/g

Applicable Parts

Description	Part Number
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	1727040128
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1727040129
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	1727040130
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	1727040131
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1727040132
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	1727040133
FCT High Voltage Contact, Male, Straight, Solder Cup, 1.30µm Gold Mating Plating, with Plastic Retention Clip, 2.0A, 20 AWG or smaller	1727040134
FCT High Voltage Contact, Female, Straight, Solder Cup, 1.30µm Gold Mating Plating, with Plastic	1727040135

Downloaded from Arrow.com.

Retention Clip, 2.0A, 20 AWG or smaller	
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	1727040142
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 14-12 AWG,	1727040143
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Plating, 20.0A, 14-12 AWG,	1727040144
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 10-8 AWG	1727040145
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	1727040146
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	1727040147
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 18-2 AWG	1727040148
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 30.0A, 12-10 AWG	1727040149
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold	1727040150

Downloaded from Arrow.com.

Termination Plating, Split Tine, 10.0A, 20-16 AWG	
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 14-12 AWG,	1727040151
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 20.0A, 14-12 AWG,	1727040152
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 10-8 AWG	1727040153
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	1727040154
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 16-12 AWG	1727040155
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 18-2 AWG	1727040156
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 30.0A, 12-10 AWG	1727040157
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 18-2 AWG	1727040187
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold	1727040188

Downloaded from Arrow.com.

Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 18-2 AWG	
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 5.08mm Four Pronged Footprint	1727040189
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 5.08mm Four Pronged Footprint	1727040190
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, with O-Ring, 30.0A, 12-10 AWG	1731100403
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, with O-Ring, 30.0A, 12-10 AWG	1731100404
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 10.0A, 20-16 AWG	1731120029
FCT High Voltage Contact, Male, Right-Angle, Solder Cup, 1.30µm Gold Mating Plating, with Plastic Retention Clip, 2.0A, 20 AWG or smaller	1731120030
FCT High Voltage Contact, Female, Right-Angle, Solder Cup, 1.30µm Gold Mating Plating, with Plastic Retention Clip, 2.0A, 20 AWG or smaller	1731120031
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel	1731120032

Downloaded from Arrow.com.

Termination Plating, 10.0A, 20-16 AWG	
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine, 10.0A, 20-16 AWG	1731120033
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, 20.0A, 14-12 AWG,	1731120034
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine, 20.0A, 14-12 AWG,	1731120035
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, 40.0A, 10-8 AWG	1731120036
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine, 40.0A, 10-8 AWG	1731120037
FCT High Power Contact, Male, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 10.0A, 20-16 AWG	1731120038
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 10.0A, 20-16 AWG	1731120039

Downloaded from Arrow.com.

FCT High Power Contact, Male, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 16-12 AWG	1731120040
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 16-12 AWG	1731120041
FCT High Power Contact, Male, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 18-2 AWG	1731120042
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 18-2 AWG	1731120043
FCT High Power Contact, Early Mate/Late Break, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	1731120044
FCT High Power Contact, Early Mate/Late Break, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	1731120045
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731120046
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731120047

Downloaded from Arrow.com.

FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120048
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120049
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120050
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120051
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	1731120052
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	1731120053
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-179BU or RG-187AU Cable	1731120054
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-179BU or RG-187AU Cable	1731120055
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	1731120079
FCT High Power Contact, Female, Right-Angle, PCB Through Hole,	1731120080

Downloaded from Arrow.com.

0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	1731120081
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	1731120082
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	1731120083
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	1731120084
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	1731120085
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	1731120086
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Plating, 10.0A, 20-16 AWG	1731120091

Downloaded from Arrow.com.

FCT Pneumatic Contact, Male, Straight, Silver Plating, 2.60mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120133
FCT Pneumatic Contact, Male, Straight, Silver Plating, 2.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120134
FCT Pneumatic Contact, Male, Straight, Silver Plating, 3.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120135
FCT Pneumatic Contact, Male, Straight, Silver Plating, 4.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120136
FCT Pneumatic Contact, Female, Straight, Silver Plating, 2.60mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120137
FCT Pneumatic Contact, Female, Straight, Silver Plating, 2.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120138
FCT Pneumatic Contact, Female, Straight, Silver Plating, 3.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120139
FCT Pneumatic Contact, Female, Straight, Silver Plating, 4.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120140
FCT Pneumatic Contact, Male, Right-Angle, Silver Plating, 2.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120141
FCT Pneumatic Contact, Male, Right-Angle, Silver Plating, 3.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731120142
FCT Pneumatic Contact, Female,	1731120144

Downloaded from Arrow.com.

Right-Angle, Silver Plating, 3.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	
FCT High Voltage Contact, Male, Straight, PCB Through Hole, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic Retention Clip, 2.0A	1731120145
FCT High Voltage Contact, Female, Straight, PCB Through Hole, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic Retention Clip, 2.0A	1731120146
FCT High Voltage Contact, Female, Straight, Crimp, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic Retention Clip, 2.0A, 30-24 AWG	1731120147
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine, 20.0A, 16-12 AWG	1731120152
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	1731120154
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	1731120156
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating,	1731120157

Downloaded from Arrow.com.

5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	1731120159
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	1731120160
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	1731120161
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	1731120162
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	1731120163
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-180BU Cable	1731120164

Downloaded from Arrow.com.

FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	1731120165
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	1731120166
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-180BU Cable	1731120167
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	1731120168
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	1731120169
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, Short Version, for RG-179BU or RG-187AU Cable	1731120170
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, Short Version, for RG-179BU or RG-187AU Cable	1731120171
FCT Coaxial Contact, Male, Right-Angle, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	1731120172
FCT Coaxial Contact, Female, Right-Angle, Solder Cable	1731120175

Downloaded from Arrow.com.

Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	
FCT Coaxial Contact, Female, Right-Angle, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731120176
FCT Coaxial Contact, Female, Right-Angle, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	1731120177
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	1731120178
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	1731120179
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-180BU Cable	1731120180
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-180BU Cable	1731120181
FCT Coaxial Contact, Male, Right-Angle, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120182
FCT Coaxial Contact, Female, Right-Angle, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120184
FCT Coaxial Contact, Female, Right-Angle, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58 C/U Cable	1731120185
FCT Coaxial Contact, Male, Right-Angle, Crimp, 75 Ohms, 1.30µm	1731120186

Downloaded from Arrow.com.

Gold Plating, for RG-179BU or RG-187AU Cable	
FCT Coaxial Contact, Female, Right-Angle, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120187
FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	1731120188
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	1731120189
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating, for D-sub Shell Size 5 Only	1731120190
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating, for D-sub Shell Size 5 Only	1731120191
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	1731120192
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating, for D-sub Shell Size 5 Only	1731120193
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	1731120194
FCT Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120196
FCT Coaxial Contact, 5 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120197
FCT High Power Contact, Female, Right-Angle, PCB Through Hole,	1731120231

Downloaded from Arrow.com.

0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120268
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 10.0A, 20-16 AWG	1731120269
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 2.90mm PCB Drilling Diameter	1731120270
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 2.90mm PCB Drilling Diameter	1731120271
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 16-12 AWG	1731120280
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 30.0A, 12-10 AWG	1731120281
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 30.0A, 12-10 AWG	1731120282
FCT High Power Contact, Male, Right-Angle, PCB Through Hole,	1731120290

Downloaded from Arrow.com.

0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 30.0A, 12-10 AWG	1731120293
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 18-2 AWG	1731120303
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 12-10 AWG	1731120305
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 10.0A, 20-16 AWG	1731120308
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 16-12 AWG	1731120309
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 12-10 AWG	1731120318
FCT High Power Contact, Male, Right-Angle, PCB Press-Fit, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 12-10 AWG	1731120321
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel	1731120322

Downloaded from Arrow.com.

Termination Plating, Split Tine, 40.0A, 10-8 AWG	
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 2.90mm PCB Drilling Diameter	1731120323
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 14-12 AWG,	1731120326
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 14-12 AWG,	1731120327
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Mating Plating, 3.00-5.00µm Nickel Termination Plating, 10.0A, 20-16 AWG	1731120328
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Mating Plating, 3.00-5.00µm Nickel Termination Plating, 40.0A, 10-8 AWG	1731120329
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 30.0A, 3.50mm PCB Drilling Diameter	1731120340
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	1731120347
FCT High Voltage Contact, Female, Straight, Crimp, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic	1731120348

Downloaded from Arrow.com.

Retention Clip, 2.0A, 16 AWG or smaller	
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 2.90mm PCB Drilling Diameter	1731120350
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 40.0A, 10-8 AWG	1731120384
FCT High Power Contact, Male, Straight, Solder Cup, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	1731120385
FCT High Power Contact, Female, Straight, Solder Cup, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 16-12 AWG	1731120386
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 5.08mm Four Pronged Footprint	1731120387
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A	1731120389
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 18-2 AWG	1731120390
FCT High Power Contact, Female, Straight, Solder Cup, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 18-2 AWG	1731120391

Downloaded from Arrow.com.

FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 12-10 AWG	1731120392
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG	1731120393
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	1731120396
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	1731120397
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 10-8 AWG	1731120411
FCT DIN Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	1731120419
FCT DIN Coaxial Contact, 5 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120451
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120455
FCT High Voltage Contact, Female, Straight, PCB Press-Fit, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, with Plastic Retention Clip, 30.0A,	1731120461

Downloaded from Arrow.com.

12-10 AWG	
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 0.20µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120465
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 0.20µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120466
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-179BU or RG-187AU Cable	1731120474
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-142BU or RG-400U Cable	1731120479
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole	1731120482
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole	1731120483
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	1731120568
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 0.20µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120576
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 10-8 AWG	1731120589
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Plating, 40.0A, 10-8 AWG	1731120596

Downloaded from Arrow.com.

FCT DIN Coaxial Contact, 5 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 0.50µm Gold Plating	1731120603
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	1731120607
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Shielded Cable	1731120611
FCT DIN Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Shielded Cable	1731120618
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120619
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 0.50µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120620
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 0.50µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120621
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.50µm Gold Plating, for RG-58CU or RG-141AU Cable	1731120622
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.50µm Gold Plating, for RG-58CU or	1731120623

Downloaded from Arrow.com.

RG-141AU Cable	
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	1731120624
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 16-12 AWG	1731120625
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	1731120626
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 18-2 AWG	1731120627
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.20µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	1731120630
FCT DIN Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120662
FCT DIN Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 0.50µm Gold Plating	1731120663
FCT DIN Coaxial Contact, 5 Pins, Female, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	1731120664
FCT DIN Coaxial Contact, Female, Right-Angle, Solder Cable Termination, 50 Ohms, 1.30µm	1731120666

Downloaded from Arrow.com.

Gold Plating, for RG-316U Double Shielded Cable	
FCT High Power Contact, Female, Straight, Crimp, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 14-12 AWG,	1731120669
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	1731120670
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	1731120671
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 5.08mm Four Pronged Footprint	1731120672
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	1731120673
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 40.0A, 10-8 AWG	1731120674
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 12-10 AWG	1731120676
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating,	1731120677

Downloaded from Arrow.com.

40.0A, 12-10 AWG	
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 0.20µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120678
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.20µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731120679
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 0.20µm Gold Plating, for RG-58CU or RG-141AU Cable	1731120680
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 12-10 AWG	1731120758
FCT DIN Coaxial Contact, 5 Pins, Male, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120764
FCT DIN Coaxial Contact, 5 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120766
FCT DIN Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	1731120768
FCT DIN Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	1731120769
FCT DIN Coaxial Contact, 5 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731120777
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120790

Downloaded from Arrow.com.

FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.50µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120791
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.50µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731120793
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Shielded Cable	1731120795
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120798
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	1731120801
FCT DIN Coaxial Contact, Male, Right-Angle, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	1731120806
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	1731120816
FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	1731120819
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	1731120821
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 0.20µm Gold Plating	1731120823

Downloaded from Arrow.com.

FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 0.20µm Gold Plating	1731120824
FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 50 Ohms, 0.20µm Gold Plating	1731120827
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 0.20µm Gold Plating	1731120829
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 16-12 AWG	1731120831
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 16-12 AWG	1731120833
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Plating, 20.0A, 16-12 AWG	1731120839
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Plating, Split Tine, 20.0A, 16-12 AWG	1731120840
FCT High Power Contact, Male, Straight, Solder Cup, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 18-2 AWG	1731120841
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	1731120843
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16	1731120859

Downloaded from Arrow.com.

AWG	
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	1731120861
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 18-2 AWG	1731120863
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 14-12 AWG,	1731120873
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	1731120887
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	1731120890
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 18-2 AWG	1731120893
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 18-2 AWG	1731120895
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 10.0A, 12-10 AWG	1731120901
FCT High Power Contact, Male, Right-Angle, PCB Through Hole,	1731120908

Downloaded from Arrow.com.

0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG, 5.08mm Four Pronged Footprint	
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG	1731120909
FCT High Power Contact, Male, Straight, PCB Press-Fit, 0.80µm Gold Mating Plating, 1.00-1.50µm Tin Termination Plating, 30.0A, 30.0A, 12-10 AWG	1731120912
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 30.0A, 12-10 AWG	1731120914
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 0.20µm Gold Plating, for RG-180BU Cable	1731120921
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 0.20µm Gold Plating, Short Version, for RG-179BU or RG-187AU Cable	1731120931
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 0.20µm Gold Plating, Short Version, for RG-179BU or RG-187AU Cable	1731120932
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.20µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731120934
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.20µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	1731120935

Downloaded from Arrow.com.

FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 12-10 AWG	1731120996
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Plating, Split Tine, 40.0A, 18-2 AWG	1731120998
FCT High Power Contact, Female, Straight, Crimp,0.20µm Gold Plating, Split Tine, 30.0A, 12-10 AWG	1731120999
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG	1731121000
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating	1731121001
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating	1731121002
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, 40.0A, 10-8 AWG	1731121008
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731121014
FCT High Voltage Contact, Male, Straight, Crimp, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic Retention Clip, 2.0A, 30-24 AWG	1731121044
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Plating, 30.0A, 12-10 AWG	1731121053

Downloaded from Arrow.com.

FCT High Power Contact, Early Mate/Late Break, Female, Right-Angle, Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A	1731121058
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731121061
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, Short Version, for RG-179BU or RG-187AU Cable	1731121062
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, Short Version, for RG-179BU or RG-187AU Cable	1731121063
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731121064
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731121065
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-179BU or RG-187AU Cable	1731121066
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-179BU or RG-187AU Cable	1731121067

Downloaded from Arrow.com.

FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	1731121068
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	1731121069
FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	1731121070
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	1731121071
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	1731121072
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	1731121073
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	1731121074
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	1731121075
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, 30.0A, 12-10 AWG	1731121083
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine,	1731121084

Downloaded from Arrow.com.

30.0A, 12-10 AWG	
FCT High Power Contact, Male, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 30.0A, 12-10 AWG	1731121085
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 30.0A, 12-10 AWG	1731121086
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731121087
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	1731121088
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 12-10 AWG	1731121093
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	1731121103
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	1731121104
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 0.20µm Gold	1731121106

Downloaded from Arrow.com.

Plating, with Knurl	
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 12-10 AWG	1731121120
FCT DIN Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 0.50µm Gold Plating, for RG-316U Double Shielded Cable	1731121153
FCT DIN Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for Enritoflex 178 Cable	1731121154
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731121155
FCT High Power Contact, Early Mate/Late Break, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 16-12 AWG	1731121193
FCT Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	1731121197
FCT Pneumatic Contact, Male, Straight, Silver Plating, 2.60mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731121199
FCT Pneumatic Contact, Male, Straight, Silver Plating, 4.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	1731121200
FCT High Power Contact, Male, Straight, Crimp, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	1731121201
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold	1731121204

Downloaded from Arrow.com.

Mating Plating, 5.00µm Tin Termination Plating, 4-Split Tine, 20.0A, 16-12 AWG	
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Plating, 40.0A, 18-2 AWG	1731121205
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A	1731121210
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A	1731121214
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	1731121220
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 16-10 AWG	1731121221
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 30.0A, 12-10 AWG	1731121225
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A	1731121226
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, with O-Ring, 20.0A, 14-12 AWG,	1731121228
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold	1731121229

Downloaded from Arrow.com.

Mating Plating, 0.20µm Gold Termination Plating, Split Tine, with O-Ring, 20.0A, 14-12 AWG,	
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 10.0A, 20-16 AWG	1731121234
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 18-2 AWG	1731121235
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG	1731121236
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	1731121237
FCT High Power Contact, Female, Straight, PCB Press-Fit, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 12-10 AWG	1731121238
FCT High Power Contact, Male, Straight, Edge, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A	1731121240
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 12-10 AWG	1731121241
FCT High Power Contact, Male, Straight, Edge, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A	1731121243
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm	1731121247

Downloaded from Arrow.com.

Gold Plating, 30-22 AWG	
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating	1731121248
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, 30-24 AWG	1731121249
FCT High Voltage Contact, Male, Straight, Solder Cup, 1.30µm Gold Mating Plating, with Copper Alloy Retention Clip, 2.0A, 20 AWG or smaller	1731121250
FCT High Voltage Contact, Female, Straight, Solder Cup, 1.30µm Gold Mating Plating, with Copper Alloy Retention Clip, 2.0A, 20 AWG or smaller	1731121251
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	1731121253
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	1731121254
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole	1731121256
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	1731121291
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 5.08mm Four Pronged	1731121292

Downloaded from Arrow.com.

Footprint	
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	1731121743
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731140032
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731140033
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731140038
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 5.00µm Gold Plating	1731140044
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731140045
FCT High Power Contact, Male, Straight, Solder Cup, 5.00µm Gold Mating Plating, 5.00µm Tin over Silver/Copper Termination Plating, 20.0A, 16-12 AWG	1731140196
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold over Copper Plating	1731140197
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U	1731140199

Downloaded from Arrow.com.

Cable	
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731140203
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-58CU or RG-141AU Cable	1731140278
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-174U, RG-188AU, or RG-316U Cable	1731140298
FCT High Power Contact, Female, Straight, Solder Cup, 5.00µm Gold Mating Plating, 5.00µm Tin over Silver/Copper Termination Plating, Split Tine, 20.0A, 16-12 AWG	1731140625
FCT Coaxial Contact, Female, Right-Angle, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-178BU, RG-196AU, or RG-404U Cable	1731140626

Downloaded from Arrow.com.