

[Custom Capabilities](#)[Test Accessories](#)[Plugs, Jacks, Posts](#)[Connectors](#)[Hardware](#)[Signal](#)[Home](#)[About Abbatron](#)[Products](#)[Locate Distributor
or Representative](#)[Contact Us](#)[Request Information](#)[Site Map](#)

Patch Cords

- Jumpers are common universal connection devices for measurement or test connectors will offer solid, semi-permanent connections between instruments maximum of safety and reliability. They are however, electrically noisy and n at power voltage levels and should only be used for temporary connections. T technique is to use a jumper with a connector matching the post jack or other which it is desired to connect.

- Please note that figures K,L,M and N are offered with an insulated handle(i

- All patch cords shown here are supplied as either a pair(one red, one black) individually in red(- 102) or black(- 103). Add color as suffix to part number.



Patch Cords photo

Inventory Search

Cross Reference

UPS Tracking

632 Arch Street, POB 726
Meadville, PA 16335 USA
814-724-6440
Contact Webmaster
© 2006

PART NO.	FIG.	LENGTH INCHES	WMRE	INSULATION	UNIT
1332	A	48	#18 AWG	PVC	Pair
1596-12-	B	12	#18 AWG	PVC	One
1596-24-	B	24	#18 AWG	PVC	One
1596-36-	B	36	#18 AWG	PVC	One
1596-48-	B	48	#18 AWG	PVC	One
1596-60-	B	60	#18 AWG	PVC	One
629	B	12	#20 AWG	Rubber	Pair
657	B	24	#20 AWG	Rubber	Pair
658	B	36	#20 AWG	Rubber	Pair
659	B	48	#20 AWG	Rubber	Pair
1866-12-	C	12	#18 AWG	PVC	One
1866-24-	C	24	#18 AWG	PVC	One
1866-36-	C	36	#18 AWG	PVC	One
1866-48-	C	48	#18 AWG	PVC	One
1866-60-	C	60	#18 AWG	PVC	One
1867-12-	D	12	#18 AWG	PVC	One
1867-24-	D	24	#18 AWG	PVC	One
1867-36-	D	36	#18 AWG	PVC	One
1867-48-	D	48	#18 AWG	PVC	One
1867-60-	D	60	#18 AWG	PVC	One
649	E	48	#20 AWG	Rubber	Pair
1865-12-	F	12	#18 AWG	PVC	One
1865-24-	F	24	#18 AWG	PVC	One
1865-36-	F	36	#18 AWG	PVC	One
1865-48-	F	48	#18 AWG	PVC	One
1865-60-	F	60	#18 AWG	PVC	One
1510-8-	G	8	#18 AWG	PVC	One
1510-12-	G	12	#18 AWG	PVC	One
1510-24-	G	24	#18 AWG	PVC	One
1510-36-	G	36	#18 AWG	PVC	One
1595-8-	H	8	#18 AWG	PVC	One
1595-12-	H	12	#18 AWG	PVC	One
1595-24-	H	24	#18 AWG	PVC	One
1595-36-	H	36	#18 AWG	PVC	One
1864-12-	J	12	#18 AWG	PVC	One
1864-24-	J	24	#18 AWG	PVC	One
1864-36-	J	36	#18 AWG	PVC	One
1864-48-	J	48	#18 AWG	PVC	One
1864-60-	J	60	#18 AWG	PVC	One
627	K	48	#20 AWG	Rubber	Pair
628	L	48	#20 AWG	Rubber	Pair
647	M	48	#20 AWG	Rubber	Pair
604	N	12	#20 AWG	Rubber	Pair
605	N	24	#20 AWG	Rubber	Pair
606	N	36	#20 AWG	Rubber	Pair
607	N	48	#20 AWG	Rubber	Pair
671	O	48	#20 AWG	Rubber	Pair
675	P	48	#20 AWG	Rubber	Pair
648	Q	48	#20 AWG	Rubber	Pair
1334-8-	R	8	#18 AWG	PVC	One
1334-12-	R	12	#18 AWG	PVC	One
1334-24-	R	24	#18 AWG	PVC	One
1334-36-	R	36	#18 AWG	PVC	One
1336-8-	S	8	#18 AWG	PVC	One
1336-12-	S	12	#18 AWG	PVC	One

AWG WMRE	INSULATION	O.D.	STRAND	RATINGS	
				VOLTAGE	CURRENT
#18	PVC	0.140"	65/36	10KV	10 AMP
#18	Rubber (Buna N)	0.140"	65/36	10KV	10 AMP
#20	Rubber	0.120"	26/34	5KV	8 AMP
#24	PVC	0.090"	19/36	5KV	5 AMP

[home](#) | [about abbatron](#) | [products](#) | [locate distributor or representative](#) | [contact us](#) | [request information](#) | [site map](#)