

CentralTM Semiconductor Corp.

145 Adams Ave., Hauppauge, NY 11788 USA
Phone (516) 435-1110 FAX (516) 435-1824

Manufacturers of World Class Discrete Semiconductors

CBR1F-D010 SERIES

1 AMP DUAL IN LINE
FAST RECOVERY
SILICON BRIDGE RECTIFIER

DIP CASE

DESCRIPTION


The CENTRAL SEMICONDUCTOR CBR1F-D010 series types are Silicon Full Wave Bridge Rectifiers mounted in a durable epoxy molded case. This device is ideal for printed circuit board mounting and fits into a standard DIP socket (0.1"/2.54mm spacing).

MAXIMUM RATINGS (T_A = 25°C unless otherwise noted)

	SYMBOL	CBR1F -D010	CBR1F -D020	CBR1F -D040	CBR1F -D060	CBR1F -D080	CBR1F -D100	UNITS
Peak Repetitive Reverse Voltage	V _{RRM}	100	200	400	600	800	1000	V
DC Blocking Voltage	V _R	100	200	400	600	800	1000	V
RMS Reverse Voltage	V _{R(RMS)}	70	140	280	420	560	700	V
Average Forward Current (T _A = 50°C)	I _O			1.0				A
Peak Forward Surge Current	I _{FSM}			50				A
Operating and Storage								
Junction Temperature	T _J , T _{stg}			-65 to +150				°C

ELECTRICAL CHARACTERISTICS (T_A = 25°C unless otherwise noted)

SYMBOL	TEST CONDITIONS	MIN	MAX	UNITS
V _F	I _F = 1.0A		1.3	V
I _R	V _R = Rated V _{RRM}		10	μA
I _R	V _R = Rated V _{RRM} , T _A = 100°C		1.0	mA
t _{rr} (100V thru 400V)	I _F = 0.5A, I _R = 1.0A, Recov. to 0.25A		200	ns
t _{rr} (600V)	I _F = 0.5A, I _R = 1.0A, Recov. to 0.25A		300	ns
t _{rr} (800V, 1000V)	I _F = 0.5A, I _R = 1.0A, Recov. to 0.25A		500	ns



All Dimensions in Inches (mm).

OUTSTANDING SUPPORT AND SUPERIOR SERVICES



PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- Inventory bonding
- Consolidated shipping options
- Custom bar coding for shipments
- Custom product packing

DESIGNER SUPPORT/SERVICES

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free quick ship samples (2nd day air)
- Online technical data and parametric search
- SPICE models
- Custom electrical curves
- Environmental regulation compliance
- Customer specific screening
- Up-screening capabilities
- Special wafer diffusions
- PbSn plating options
- Package details
- Application notes
- Application and design sample kits
- Custom product and package development

REQUESTING PRODUCT PLATING

1. If requesting Tin/Lead plated devices, add the suffix "TIN/LEAD" to the part number when ordering (example: 2N2222A TIN/LEAD).
2. If requesting Lead (Pb) Free plated devices, add the suffix "PBFREE" to the part number when ordering (example: 2N2222A PBFREE).

CONTACT US

Corporate Headquarters & Customer Support Team

Central Semiconductor Corp.
145 Adams Avenue
Hauppauge, NY 11788 USA
Main Tel: (631) 435-1110
Main Fax: (631) 435-1824
Support Team Fax: (631) 435-3388
www.centrasemi.com

Worldwide Field Representatives:
www.centrasemi.com/wwreps

Worldwide Distributors:
www.centrasemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: www.centrasemi.com/terms



<http://www.centrasemi.com>

Product End of Life Notification

PDN ID:	PDN01093
Notification Date:	6/06/18
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

Please be advised that Central Semiconductor must immediately discontinue the product(s) listed in the attached PDN notice. We are unable to accept any further orders for these products unless we have available inventory on hand.

You may have purchased one or more of the products listed. Please do not hesitate to contact your local Central Semiconductor sales representative with any questions or needs you may have. Central regrets any inconvenience this may cause.

Sincerely,

Central Semiconductor Corp.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



<http://www.centrasemi.com>

Product End of Life Notification

PDN ID:	PDN01093
Notification Date:	6/06/18
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

Summary: All 1.0 Amp Fast Recovery Bridge Rectifiers in the DIP and SMDIP packages are discontinued and now classified as End of Life (EOL).

Although Central Semiconductor Corp. makes every effort to continue to produce devices that have been proclaimed EOL (End of Life) by other manufacturers, it is an accepted industry practice to discontinue certain devices when customer demand falls below a minimum level of sustainability. Accordingly, the following product(s) have been transitioned to End of Life status as part of Central's ongoing Product Management Process. Any replacement products are noted below. The effective date for placing last purchase orders will be six (6) months from the date of this notice and twelve (12) months from the notice date for final shipments, and minimum order quantities may apply. The last purchase and shipment dates may be extended if inventory is available.

<u>Central Part Number</u>	<u>Replacement</u>
CBR1F-D010	N/A, Stock Only
CBR1F-D020	N/A, Stock Only
CBR1F-D020S	N/A, Stock Only
CBR1F-D020S TR13	N/A, Stock Only
CBR1F-D040	N/A, Stock Only
CBR1F-D040S	N/A, Stock Only
CBR1F-D060	N/A, Stock Only
CBR1F-D060S	N/A, Stock Only
CBR1F-D060S TR13	N/A, Stock Only
CBR1F-D080	N/A, Stock Only
CBR1F-D100	N/A, Stock Only

Central would be happy to assist you by providing additional information or technical data to help locate an alternate source if we have no replacement available. Please email your requests to engineering@centrasemi.com.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.